


PRODUCT-DETAILS

# TKM/U-CG

## TKM/U-CG Card holder prog.



### Informações gerais

Tipo de produto alargado	TKM/U-CG
ID do produto	2CKA006300A1650
EAN	4011395297346
Descrição do catálogo	TKM/U-CG Card holder prog.

Descrição longa

Ordering possible only in connection with the design ID. Makes possible the individual configuration via a web configuration tool: [tacteo-configurator.my.busch-jaeger.de](http://tacteo-configurator.my.busch-jaeger.de). Individual configuration with logos and/or ICONs and/or colours according to customer specifications. For inserting and evaluating of mifare RF cards. With integrated KNX bus coupler. Freely programmable function >Do not disturb<, >Bell< and >Make up room<. Push switch function: switching / dimming / blind / sending values / scenes etc. Support of KNX functions through innovative colour concept (yellow=lighting, blue=blind, orange=RTC, magenta=scene and white=neutral/no function assigned) or standard illumination red/green. The bus connection is provided via the enclosed bus terminal. Number of bus subscribers: 1 with separate 24 V auxiliary power supply

### Installation

Instruções e Manuais	No document needed
----------------------	--------------------

### Technical

Ficha de dados, informação técnica	No document needed
Tensão nominal (U <sub>r</sub> )	12 ... 24 V

Auxiliary Voltage AC/DC	12 V 24 V AC/DC
Corrente nominal (I <sub>n</sub> )	4 A
Number of Outputs	1
Compatible Bus Systems	KNX (TP)
Product Range	KNX
Design Range	tacteo
Tipo de carga	AC/DC
Tipo de apoio	Surface Mounted
Battery Weight	0 g
Application Function	Hospitality

---

## Environmental

Temperatura do ar ambiente	Operation -5 ... +45 °C
Grau de proteção	IP20
Estado RoHS	Following EU Directive 2002/95/EC August 18, 2005 and amendment
Informação RoHS	9AKK104295D8727
REACH Declaration	2CKA309999E9999
Conflict Minerals Reporting Template (CMRT)	9AKK108468A3363

---

## Dimensions

Largura Líquida do Produto	86 mm
Altura Líquida do Produto	86 mm
Profundidade/Comprimento Líquidos do Produto	34 mm
Peso Líquido do Produto	104.4 g

---

## Certificates and Declarations

Declaração de conformidade -CE	2CKA100000E4199
--------------------------------	-----------------

---

## Classifications

ETIM 8	EC000782 - Access control unit for bus system
ETIM 9	EC000782 - Access control unit for bus system
Categoria REEE	5. Small Equipment (No External Dimension More Than 50 cm)
REEE B2C / B2B	Business To Consumer
CN8	8536 50 80
eClass	V11.0 : 27143141

---

## Categorias

---

Produtos e Sistemas de Baixa Tensão → Building and Home Automation Solutions → KNX → User Operation → ABB tacteo® → Transponder Readers and Card Holders

