

PRODUCT-DETAILS

T2540 NG

Motorized workstation 1 face anthracite Built-in Black - CEM



Informações gerais

Tipo de produto alargado	T2540 NG
ID do produto	2CLA254000T1901
EAN	8427238114750
Descrição do catálogo	Motorized workstation 1 face anthracite Built-in Black - CEM
Descrição longa	<p>Frame for desk cut with lid ready to cover. Mechanised lifting of electrification body. Activation by lighted button on top cover.</p> <p>Electrification kit consisting of 1 strip made of the following elements: 3 black socket outlets fully wired with 2,5mm² halogen free cable. 2 RJ45 cat6 connectors.</p> <p>All connections are fully wired internally to their inputs. Power input through built-in male rapid connector.</p>

Installation

Instruções e Manuais	No document needed
----------------------	--------------------

Technical

Ficha de dados, informação técnica	No document needed
Number of Connections	Number of audio connections: 0 Number of CAT 5 connections: 0 Number of CAT 5E connections: 0

Number of CAT 6 connections: 2
 Number of HDMI-connections: 0
 Number of USB connections: 0

Number of Empty Module Positions	0
Design Range	CEM
Shape	Rectangular
Material	Aluminium
Model Number	Built-in
Color	Black
Number of Batteries	0

Environmental

Temperatura do ar ambiente	Operation -5 ... +35 °C Storage -5 ... +50 °C
Conflict Minerals Reporting Template (CMRT)	9AKK108468A3363

Dimensions

Largura Líquida do Produto	334.8 mm
Altura Líquida do Produto	186.4 mm
Profundidade/Comprimento Líquidos do Produto	245.5 mm
Peso Líquido do Produto	1.431 kg
Built-In Depth (t ₂)	122 mm

Certificates and Declarations

Declaração de conformidade -CE	No declaration needed
--------------------------------	-----------------------

Classifications

ETIM 8	EC002759 - Desk connecting unit
ETIM 9	EC002759 - Desk connecting unit
Categoria REEE	5. Small Equipment (No External Dimension More Than 50 cm)
REEE B2C / B2B	Business To Consumer
CN8	85369001

Categorias

Produtos e Sistemas de Baixa Tensão → Wiring Accessories - Light Switch Ranges → Flush Mounted Inserts → Socket Outlets

