

PRODUCT-DETAILS

8161.2

Blind switch 230 V



Informações gerais

Tipo de produto alargado	8161.2
ID do produto	2CLA816120A1001
EAN	8427238016825
Descrição do catálogo	Blind switch 230 V

Descrição longa	<p>Rated voltage: 230 V~, +10 % / -10 % Rated frequency: 50 Hz Suitable for blind, roller blind and awning drives with mechanical or electronic limit switch shut-off. With two 230 V multi-way input terminals (Up/Down) for group control. With operating mode switch for the following modes: normal, louvre, base station, position. Wind alarm, cleaning functions can be accommodated via extension input. For comfort timer control element 8565.31 or 8565.3 Remote control also available with blind switches / push-buttons code 8144.X Running time: 3 min Outputs: 2 Normally open contact Rated current: 3 A, cos φ0.5 Rated power: 690 VA Control/Signal outputs: 2, Temperature range (Device): 0 °C to 35 °C Included: fixing claws</p>
-----------------	---

Installation

Instruções e Manuais	No document needed
----------------------	--------------------

Technical

Ficha de dados, informação técnica	9AKK107046A0356
Tensão nominal (U _r)	230 V
Frequência (f)	50...50 Hz
Maximum Switching Power	690 W
Design Range	Platform 8100 Alba Sky Niessen
Tipo de apoio	Flush Mounted
Type of Fastening	Mounting with Claw Mounting with Screw
Color	No color
Number of Batteries	0
Application Function	Blind / Shutter / Shading Control

Environmental

Temperatura do ar ambiente	Operation -5 ... +35 °C Storage -5 ... +50 °C
Grau de proteção	IP20
Conflict Minerals Reporting Template (CMRT)	9AKK108468A3363

Dimensions

Largura Líquida do Produto	0.062 m
Altura Líquida do Produto	0.073 m
Profundidade/Comprimento Líquidos do Produto	0.073 m
Peso Líquido do Produto	0.16 kg

Ordering

ID de Substituição do Produto (ANTIGA)	2CL0816120
--	------------

Certificates and Declarations

Declaração de conformidade -CE	No declaration needed
--------------------------------	-----------------------

Classifications

ETIM 8	EC000615 - Venetian blind control unit
ETIM 9	EC000615 - Venetian blind control unit
Categoria REEE	5. Small Equipment (No External Dimension More Than 50 cm)
REEE B2C / B2B	Business To Consumer

CN8
UNSPSC

85365080
39122200

Categorias

Produtos e Sistemas de Baixa Tensão → Wiring Accessories - Light Switch Ranges → Flush Mounted Inserts → Electronic Inserts

