



504.125874.RU

BASE ENCLAV. MEC.

125A 3P+N+T 3h 380V 50Hz / 440V 60Hz 480-500V 50Hz 60Hz II 2GD 130X260MM_PAR Con enclavamiento mecánico EAC [Eurasian Conformity]

Product Approvals

| TECHDATA | | STANDARDS AND LAWS | |
|-------------------------|--------------------------------|-----------------------|---|
| Serie comercial | Serie ADVANCE-GRP[GD] | EN 60309-1 (1999) | [European Standard] Plugs, socket-outlets and couplers for industrial purposes. Part 1: General requirements |
| Tipo de producto | BASE ENCLAV. MEC. | EN 60309-2 (1999) | [European Standard] Plugs, socket-outlets and couplers for industrial purposes. Part 2: Dimensional interchangeability requirements for pin and contact-tube accessories of harmonized configurations |
| Descripción sintética | BASE ENCLAV. MEC. | | |
| Tipo de instalación | MURAL | | |
| Intensidad nominal | 125A | EN 60309-1/A1 (2007) | [European Standard] Plugs, socket-outlets and couplers for industrial purposes. Part 1: General requirements |
| Polos | 3P+N+T | EN 60309-2/A1 (2007) | [European Standard] Plugs, socket-outlets and couplers for industrial purposes. Part 2: Dimensional interchangeability requirements for pin and contact-tube accessories of harmonized configurations |
| Posición de hora | 3h | | |
| Tensión nominal (range) | 250-400V | EN 60079-7 (2007) | [European Standard] Explosive atmospheres. Equipment protection by increased safety "e" |
| Tensión nominal (range) | 400-up | | |
| Tensión nominal | 380V 50Hz / 440V 60Hz | EN 60309-4 (2007) | [European Standard] Plugs, socket-outlets and couplers for industrial purposes. Switched socket-outlets and connectors, with or without interlock |
| Tensión nominal | 480-500V | | |
| Frecuencia nominal | 50Hz | IEC 60079-7 (2006-07) | [International Standard] Explosive atmospheres - Part 7: Equipment protection by increased safety "e". |
| Frecuencia nominal | 60Hz | EN 60079-1 (2007) | [European Standard] Electrical apparatus for explosive gas atmospheres - Part 1: Flameproof enclosures "d" |
| Color | NEGRO | | |
| Material | GRP Glass Reinforced Polyester | EN 60309-1/A2 (2012) | [European Standard] Plugs, socket-outlets and couplers for industrial purposes. Part 1: General requirements |
| Grado de protección | Splash proof | EN 60309-2/A2 (2012) | [European Standard] Plugs, socket-outlets and couplers for industrial purposes. Part 2: Dimensional interchangeability requirements for pin and contact-tube accessories of harmonized configurations |
| Grado de protección IP | IP66 | | |
| Brida de Fijación | 130X260MM_PAR | IEC 60309-1 (2012) | [International Standard] Plugs, socket-outlets and couplers for industrial |

| | | | | |
|-----------------------------|----------------------------|---------------------------|--|--|
| Salida del cable | 1xM50 | | IEC 60309-2 (2012) | purposes. - Part 1: General requirements [International Standard] Plugs, socket-outlets and couplers for industrial purposes. - Part: 2: Dimensional interchangeability requirements for pin and contact-tube accessories |
| Grupo y categorías EX | II 2GD | | | |
| Temperatura ambiente Ta min | -35 °C | | EN 60309-4/A1 (2012) | [European Standard] Plugs, socket-outlets and couplers for industrial purposes. - Switched socket-outlets and connectors, with or without interlock |
| Temperatura ambiente Ta max | 60 °C | | | |
| Opciones | Con enclavamiento mecánico | | IEC 60309-4 (2012) | [International Standard] Plugs, socket-outlets and couplers for industrial purposes. Part 4: Switched socket-outlets and connectors with or without interlock |
| Opciones | EAC [Eurasian Conformity] | | | |
| Candado | ø6,3mm | | EN 60079-0 (2012) | [European Standard] Explosive atmospheres. General requirements. |
| | | | IEC 60079-0 (2011) | [International Standard] Electrical Apparatus for Explosive Gas Atmospheres - Part 0: General Requirements. |
| | | | IEC 60079-1 (2007-04) | [International Standard] Explosive atmospheres - Part 1: Equipment protection by flameproof enclosures "d". |
| | | | EN 60079-31 (2014) | [European Standard] Explosive atmospheres. Equipment dust ignition protection by enclosure "t" |
| | | | IEC 60079-31 (2013) | [International Standard] Explosive atmospheres - Part 31: Equipment dust ignition protection by enclosure "t" |
| | | DIRECTIVE ATEX 2014/34/UE | [European Directives] Atmosphere Explosive | |