

Article

200.23264B

Type 2 32A 3P EV Socket

Picture



Master data		
Minimum order	12 NR	
Net Weight	0.614 KG	
EAN code	8001636279657	
Harmonized System Code (HSCode)	85366990	

TechData	
Commercial series	LIBERA Series
Synthetical description	SOCKET OUTLET WITH LOCK
Protection degree IP	IP54
Rated current	32A
Poles	3P+N+E
Rated voltage	380-480V
Colour	GREY
EV standard	Type 2 3P+N+T 32A 400V~ 22kW

Approvals and Certifications



EAC Eurasian Conformity



UE Declaration of conformity

Standards and Laws



EN 62196-1 (2012)

[European Standard] Plugs, socket-outlets, vehicle couplers and vehicle inlets. Conductive charging of electric vehicles. Part 1: Charging of electric vehicles up to 250 A a.c. and 400 A d.c.



EN 62196-1/A11 (2013)

[European Standard] Plugs, socket-outlets, vehicle couplers and vehicle inlets. Conductive charging of electric vehicles. Part 1: Charging of electric vehicles up to 250 A a.c. and 400 A d.c.



EN 62196-1/A12 (2014)

[European Standard] Plugs, socket-outlets, vehicle couplers and vehicle inlets. Conductive charging of electric vehicles. Part 1: Charging of electric vehicles up to 250 A a.c. and 400 A d.c.





EN 62196-2 (2012)

[European Standard] Plugs, socket-outlets and vehicle couplers. Conductive charging of electric vehicles. Part 2: Dimensional interchangeability requirements for a.c. pin and contact-tube accessories



EN 62196-2/A11 (2013)

[European Standard] Plugs, socket-outlets and vehicle couplers. Conductive charging of electric vehicles. Part 2: Dimensional interchangeability requirements for a.c. pin and contact-tube accessories



EN 62196-2/A12 (2014)

[European Standard] Plugs, socket-outlets and vehicle couplers. Conductive charging of electric vehicles. Part 2: Dimensional interchangeability requirements for a.c. pin and contact-tube accessories

Packaging	
Description	Carton
Quantity	12
EAN code	8001636732947
Gross weight	9.264 KG
Volume	47643.75 CCM
Dimensions	225x550x385 (MM)
Description	Box
Quantity	1
EAN code	
Gross weight	0.772 KG
Volume	2946.612 CCM
Dimensions	178x178x93 (MM)

Annexed



InfoTECH



InfoTECH



Instruction manual



Technical drawing [DWG]



Technical drawing [PDF]



Technical drawing [STP]