

Article

590.K50003B
 SWITCH DISCONNECTOR 500A 3P B

Picture**Master data**

Minimum order	1 NR
Net Weight	0 KG
EAN code	8001636291642
Harmonized System Code (HSCode)	85365080

TechData

Commercial series	COMMAND Series
Synthetical description	SWITCH DISCONNECTOR
Type	BOX (B)
Rated current	500A
Poles	3P
Switch size	K3

Approvals and Certifications

UE
 Declaration of conformity



EAC
 Eurasian Conformity

Standards and Laws

EN 60947-3 (2006)
 [European Standard] Low-voltage switchgear and controlgear - Part 3: Switches, disconnectors, switch-disconnectors and fuse-combination units



EN 60947-1 (2007)
 [European Standard] Low-voltage switchgear and controlgear - Part 1: General rules



EN 60947-1/A1 (2011)
 [European Standard] Low-voltage switchgear and controlgear - Part 1: General rules



EN 60947-3/A1 (2011)
 [European Standard] Low-voltage switchgear and controlgear Part 3: Switches, disconnectors, switch-disconnectors and fuse-combination units

Packaging

Description	Carton
Quantity	1

Annexed

Technical drawing [DWG]

EAN code	
Gross weight	0 KG
Volume	0
Dimensions	0x0x0 ()



Technical drawing [PDF]



Technical drawing [STP]

Note:

- > BOX (B) = Base mounting 
- > Screw fixing 
- > Handle padlockable in OFF only (3 padlocks) 
- > Door interlock handle and 200mm shaft included 

Articoli Collegati:

	590.KMA200B	OPERATING SHAFT 200mm 200mm K3/K4/K5/K6
	590.KMA300B	OPERATING SHAFT 300mm 300mm K3/K4/K5/K6
	590.KMA400B	OPERATING SHAFT 400mm 400mm K3/K4/K5/K6
	590.KMM300EM	DOOR LOCK HANDLE K3/K4
	590.KMM300GE	DOOR LOCK HANDLE K3/K4
	590.KMT31	TERMINAL PROTECTION COVER K3 SUPERIORE
	590.KMT32	TERMINAL PROTECTION COVER K3 INFERIORE

	590.PL006012	AUXILIARY CONTACT 1NA+1NC
	590.PL006022	AUXILIARY CONTACT 2NA+2NC