

Article**590.KFB6303B**

SWITCH DISCONNECTOR 63A 3P

Picture**Master data**

Minimum order	1 NR
Net Weight	0 KG
EAN code	8001636310091
Harmonized System Code (HSCode)	85365080

TechData

Commercial series	COMMAND Series
Synthetical description	SWITCH DISCONNECTOR FUSES
Type	BOX (B)
Rated current	63A
Poles	3P
Switch size	KF1
Fuse type	BS
Notes	FUSE: BS

Approvals and Certifications
 UE
 Declaration of conformity

 EAC
 Eurasian Conformity
Standards and Laws
 EN 60947-3 (2006)
 [European Standard] Low-voltage
 switchgear and controlgear - Part 3:
 Switches, disconnectors, switch-
 disconnectors and fuse-combination units

 EN 60947-1 (2007)
 [European Standard] Low-voltage
 switchgear and controlgear - Part 1: General
 rules

 EN 60947-1/A1 (2011)
 [European Standard] Low-voltage
 switchgear and controlgear - Part 1: General
 rules

 EN 60947-3/A1 (2011)
 [European Standard] Low-voltage
 switchgear and controlgear Part 3:
 Switches, disconnectors, switch-
 disconnectors and fuse-combination units



EN 60947-1/A2 (2014)
 [European Standard] Low-voltage
 switchgear and controlgear - Part 1: General
 rules



EN 60947-3/A2 (2015)
 [European Standard] Low-voltage
 switchgear and controlgear Part 3:
 Switches, disconnectors, switch-
 disconnectors and fuse-combination units

Packaging

Description	Box
Quantity	1
EAN code	
Gross weight	0 KG
Volume	0
Dimensions	0x0x0 ()

Annexed

Note:

- > BOX (B) = Base mounting 
- > Screw fixing 
- > Handle padlockable in OFF only (3 padlocks) 
- > Door interlock handle and 200mm shaft included 
- > Fuses not supplied 

Articoli Collegati:

	590.KFS1	PROTECTION SCREEN FUSES K1
	590.KMA200A	OPERATING SHAFT 200mm 200mm K1/K2
	590.KMA300A	OPERATING SHAFT 300mm 300mm K1/K2

	590.KMA400A	OPERATING SHAFT 400mm 400mm K1/K2
	590.KMM100EM	DOOR LOCK HANDLE K1/K2
	590.KMM100GE	DOOR LOCK HANDLE K1/K2
	590.KMT11	TERMINAL PROTECTION COVER K1 SUPERIORE
	590.KMT12	TERMINAL PROTECTION COVER K1 INFERIORE
	590.PL006011	AUXILIARY CONTACT 200-250A 1NC+1NA
	590.PL006021	AUXILIARY CONTACT 2NA+2NC 200A - 250A