

Article**590.YA635R**

SWITCH DISCONNECTOR 63A 3P+N R

Picture**Master data**

Minimum order	6 NR
Net Weight	0.356 KG
EAN code	8001636265117
Harmonized System Code (HSCode)	85365080

TechData

Commercial series	COMMAND Series
Synthetical description	SWITCH DISCONNECTOR
Type	REAR (R)
Rated current	63A
Poles	3P+N
Switch size	Y2

Approvals and Certifications

UE
Declaration of conformity



I.M.Q.
Istituto Italiano del Marchio di Qualità



EAC
Eurasian Conformity

Standards and Laws

EN 60947-3 (2006)
[European Standard] Low-voltage switchgear and controlgear - Part 3: Switches, disconnectors, switch-disconnectors and fuse-combination units



EN 60947-1 (2007)
[European Standard] Low-voltage switchgear and controlgear - Part 1: General rules



EN 60947-1/A1 (2011)
[European Standard] Low-voltage switchgear and controlgear - Part 1: General rules



EN 60947-3/A1 (2011)
[European Standard] Low-voltage switchgear and controlgear Part 3: Switches, disconnectors, switch-disconnectors and fuse-combination units



EN 60947-1/A2 (2014)
[European Standard] Low-voltage switchgear and controlgear - Part 1: General rules



EN 60947-3/A2 (2015)
 [European Standard] Low-voltage
 switchgear and controlgear Part 3:
 Switches, disconnectors, switch-
 disconnectors and fuse-combination units

Packaging

Description	Box
Quantity	6
EAN code	8001636711270
Gross weight	2.244 KG
Volume	5890.104 CCM
Dimensions	198x268x111 (MM)

Annexed



Instruction manual



Technical drawing [DWG]



Technical drawing [PDF]



Technical drawing [STP]

Note:



REAR (R) = Panel mounting



With late break and early make
 neutral pole



Articoli Collegati:

	590.PL004003	AUX CONTACT 16A NC - (63A Version)
	590.PL004004	AUX CONTACT 16A NO - (63A Version)
	590.YM67R6	EMERGENCY SWITCH Q67MM RED/YELLOW
	590.YM67R7	FRONT OPERATOR 63A 80A 100A 67x67mm IP65
	590.YM70R6	FRONT OPERATOR FOR SWITCHES 63A 80A 100A
	590.YM70R7	FRONT OPERATOR FOR SWITCHES 63A 80A 100A

WebService:

09/02/2019

