



Standard mounting rail adapter Size S2, for mechanical attachment of circuit breaker and contactor Can be snapped on standard mounting rail or for screw mounting (multi-unit packaging) !!! Phased-out product !!! Successor is SIRIUS 3RA2 Preferred successor type is >>3RA2932-1A<<

General technical data		
Product brand name		SIRIUS
Product designation		mounting rail adapter
Design of the product		for mechanical mounting of circuit breaker and contactor
Size of the circuit-breaker		S2
Size of contactor		S2
Installation/ mounting/ dimensions		
Mounting type		screw and snap-on mounting onto 35 mm standard mounting rail
Width	mm	55
Height	mm	295
Depth	mm	28
Certificates/ approvals		
Certificate of suitability		CE / UL

General Product Approval

Declaration of Conformity

Shipping Approval



[Miscellaneous](#)



other

[Confirmation](#)

Further information

Information- and Downloadcenter (Catalogs, Brochures,...)

<https://www.siemens.com/ic10>

Industry Mall (Online ordering system)

<https://mall.industry.siemens.com/mall/en/en/Catalog/product?mlfb=3RA1932-1A>

Cax online generator



<http://support.automation.siemens.com/WW/CAXorder/default.aspx?lang=en&mlfb=3RA1932-1A>

Service&Support (Manuals, Certificates, Characteristics, FAQs,...)

<https://support.industry.siemens.com/cs/ww/en/ps/3RA1932-1A>

Image database (product images, 2D dimension drawings, 3D models, device circuit diagrams, EPLAN macros, ...)

http://www.automation.siemens.com/bilddb/cax_de.aspx?mlfb=3RA1932-1A&lang=en



last modified:

04/11/2020

WB 4443; 3RA1932-1A_ALL