


Labeling plate for snapping on or gluing on label holder, Label size 17.5 x 27 mm, silver label, black font, with graphic symbol: arrow pointing to the right



product brand name	SIRIUS ACT
product designation	Labeling plate
product type designation	3SU1

General technical data

protection class IP	IP66, IP67, IP69(IP69K)
<ul style="list-style-type: none"> • Shock resistance for railway applications acc. to DIN EN 61373 	Category 1, Class B
<ul style="list-style-type: none"> • Vibration resistance for railway applications acc. to DIN EN 61373 	Category 1, Class B





Installation/ mounting/ dimensions

height	17.5 mm
width	27 mm

Accessories

Material of accessory	Plastic
Mounting type of label	snap on / stick
Marking of the name plate for command devices	SYMBOL: MOVEMENT DIRECTION OF ARROW TO THE RIGHT
Shape of the name plate for command devices	rectangular
Color of the label	silver/black (plate/text)



Certificates/ approvals

General Product Approval		Declaration of Conformity		Test Certificates
 CSA	 UL		 EG-Konf.	Miscellaneous Type Test Certificates/Test Report

Marine / Shipping					other
 ABS	 LRS	 PRS	 RINA	 RMRS	Confirmation

Further information

Information- and Downloadcenter (Catalogs, Brochures,...)<https://www.siemens.com/ic10>**Industry Mall (Online ordering system)**<https://mall.industry.siemens.com/mall/en/en/Catalog/product?mlfb=3SU1900-0AD81-0QR0>**Cax online generator**<http://support.automation.siemens.com/WW/CAXorder/default.aspx?lang=en&mlfb=3SU1900-0AD81-0QR0>**Service&Support (Manuals, Certificates, Characteristics, FAQs,...)**<https://support.industry.siemens.com/cs/ww/en/ps/3SU1900-0AD81-0QR0>**Image database (product images, 2D dimension drawings, 3D models, device circuit diagrams, EPLAN macros, ...)**http://www.automation.siemens.com/bilddb/cax_de.aspx?mlfb=3SU1900-0AD81-0QR0&lang=en



last modified:

08/29/2020