

NEOZED, fuse base, D02, 1-pole, 63 A, Un AC: 400 V, Un DC: 250 V



Figure similar

Model	
product brand name	NEOZED
Product designation	Fuse base
Design of the product	NEOZED fuse base installation
version	Ceramic fuse base with cover
General technical data	
number of poles	1
Size of fuse system / acc. to DIN EN 60269-1	D02
Supply voltage	
Operating voltage / rated value	400 V
Dissipation	
Power loss [W] / for rated value of the current / at AC / in hot operating state / per pole	1 W
Main circuit	
Operating current / rated value	63 A

Product details

Product component / Cover	Yes
---------------------------	-----

Mechanical Design

Height	59 mm
Width	26.8 mm
Depth	41 mm
Mounting type	DIN rail
net weight	96 g
Material / of D fuse base	porcelain

Certificates

- | | |
|---|---|
| • reference code / acc. to DIN EN 61346-2 | F |
| • Reference code / acc. to DIN EN 81346-2 | F |

General Product Approval	Declaration of Conformity	Test Certificates
--------------------------	---------------------------	-------------------



[Type Test Certificates/Test Report](#)

Further information

Information- and Downloadcenter (Catalogs, Brochures,...)

<http://www.siemens.com/lowvoltage/catalogs>

Industry Mall (Online ordering system)

<https://mall.industry.siemens.com/mall/en/en/Catalog/product?mlfb=5SG1653>

Service&Support (Manuals, Certificates, Characteristics, FAQs,...)

<https://support.industry.siemens.com/cs/ww/en/ps/5SG1653>

Image database (product images, 2D dimension drawings, 3D models, device circuit diagrams, ...)

http://www.automation.siemens.com/bilddb/cax_en.aspx?mlfb=5SG1653

CAX-Online-Generator

<http://www.siemens.com/cax>

Tender specifications

<http://www.siemens.com/specifications>

