

RC safety socket outlet T55 Type A (PSE/SSF) 16 A 2-pole IFN 30 mA 125-230 V 2 MW in molded-plastic enclosure



Model	
product brand name	DELTA
Product designation	SCHUKO socket outlet
cover version	complete enclosure
Design of the special power supply unit	without special current supply
Design of the socket / according to VDE 0620 for severe conditions	No
Design of the phase tap	No
General technical data	
Marking / of socket outlet	without imprint
Mounting type	fixing with screw
Surface processing	others
Material	thermoplastic
Supply voltage	
Operating voltage / Rated value	230 V
Protection class	
Protection class IP	IP54
Current	

Tripping residual current / rated value	30 000 mA
Main circuit	
Operating current	
• Rated value	16 A
Appearance	
Color	miscellaneous
Product details	
Product component	
• Ejection equipment	No
• Labeling field	No
• Increased touch protection	No
• Fault current protection	Yes
• miniature fuse	No
• Integrated / functional lighting	No
• Integrated / Light source	No
• Integrated / orientation lighting	No
• Hinged lid	Yes
• Product feature / lockable	No
• product feature / halogen-free	Yes
• Product feature / transparent	No
Product function	
Product function	
• Socket selectable	Yes
• Overvoltage protection	No
Number	
Number of units	1
Number of sockets / switchable	0
Connections	
Arrangement of contacts / diagonal	No
type of electrical connection	plug terminal
Mechanical Design	
Height	180 mm
Width	119 mm
Depth	95 mm
Mounting type	surface mounted
Material / of the enclosure	plastic
Certificates	



EG-Konf.

[Special Test Certificate](#)

Further information

Information- and Downloadcenter (Catalogs, Brochures,...)<http://www.siemens.com/lowvoltage/catalogs>**Industry Mall (Online ordering system)**<https://mall.industry.siemens.com/mall/en/en/Catalog/product?mlfb=5SZ9216>**Service&Support (Manuals, Certificates, Characteristics, FAQs,...)**<https://support.industry.siemens.com/cs/ww/en/ps/5SZ9216>**Image database (product images, 2D dimension drawings, 3D models, device circuit diagrams, ...)**http://www.automation.siemens.com/bilddb/cax_en.aspx?mlfb=5SZ9216**CAX-Online-Generator**<http://www.siemens.com/cax>**Tender specifications**<http://www.siemens.com/specifications>