

Disconnecter, T92 690 V 200 A 3-pole red/yellow



Figure similar

Model	
product brand name	SENTRON
Product designation	Switch disconnecter
Design of the product	Red/yellow
Design of the operating mechanism	selector switch
Type of the driving mechanism / motor drive	No
General technical data	
number of poles	3
Type of device	other
Supply voltage	
Operating current / at AC / rated value	200 A
Operating voltage / at AC / at 50/60 Hz / rated value	690 V
Protection class	
Protection class IP	IP20
Current	
Continuous current / rated value	200 A

Main circuit

Operating power	
• at AC-23 A / at 400 V / at 50/60 Hz / rated value	88 kW
Operating current / rated value	200 A

Auxiliary circuit

Number of CO contacts / for auxiliary contacts	0
Number of NC contacts / for auxiliary contacts	0
Number of NO contacts / for auxiliary contacts	3

Suitability

Suitability for integration / Distribution board	Yes
Suitability for use	
• Main switch	No
• switch disconnecter	Yes
• EMERGENCY OFF switch	Yes
• safety switch	No
• maintenance/repair switch	Yes

Product details

Product feature / interlock	No
Product extension / optional	
• motor drive	No
• Voltage trigger	No

Connections

Type of electrical connection / for main current circuit	screw-type terminals
--	----------------------

Mechanical Design

Height	90 mm
Depth	92.5 mm
Mounting type	standard rail
• Mounting type / front mounting with 4-hole attachment	No
• Mounting type / central front mounting	No

Certificates

Declaration of Conformity	other
----------------------------------	--------------



[Environmental Confirmations](#)

Further information

Information- and Downloadcenter (Catalogs, Brochures,...)

<http://www.siemens.com/lowvoltage/catalogs>

Industry Mall (Online ordering system)

<https://mall.industry.siemens.com/mall/en/en/Catalog/product?mlfb=5TE1345>

Service&Support (Manuals, Certificates, Characteristics, FAQs,...)

<https://support.industry.siemens.com/cs/ww/en/ps/5TE1345>

Image database (product images, 2D dimension drawings, 3D models, device circuit diagrams, ...)

http://www.automation.siemens.com/bilddb/cax_en.aspx?mlfb=5TE1345

CAX-Online-Generator

<http://www.siemens.com/cax>

Tender specifications

<http://www.siemens.com/specifications>

