

Control push button 1x LED blue 20A 1NO type long lead

Model	
product brand name	SENTRON
product designation	Pushbutton
design of the product	1 NO contact
type of light source	LED
socket design / for light source	others
mechanical service life (switching cycles) / typical	25 000
type of voltage / of the operating voltage	AC/DC
surge voltage resistance / rated value	4 kV
Supply voltage	
operating voltage / rated value	400 V
Protection class	
protection class IP	IP20
making capacity current	60 A
breaking capacity current	60 A
Current	
operational current / at AC / rated value	20 A
Appearance	
color	
• of the button	blue
Product details	
product component / signal lamp	Yes
number of NC contacts	0
number of NO contacts	1
number of CO contacts	0
Display and operation	
number of keys	1
connectable conductor cross-section / for flexible conductor / with core end processing	
• minimum	1 mm ²
• maximum	6 mm ²
connectable conductor cross-section / for rigid conductor	
• minimum	1 mm ²
• maximum	6 mm ²
tightening torque / with screw-type terminals	
• minimum	0.8 N·m
• maximum	1 N·m
Mechanical Design	
height	90 mm
depth	70 mm
installation depth	70 mm
number of modular width units	1
net weight	74 g
ambient temperature / during operation	
• minimum	-5 °C
• maximum	40 °C
General Product Approval	
Declaration of Conformity	

[Confirmation](#)



[UK Declaration of Conformity](#)

other

[Miscellaneous](#)

Further information

Information- and Downloadcenter (Catalogs, Brochures,...)

<http://www.siemens.com/lowvoltage/catalogs>

Industry Mall (Online ordering system)

<https://mall.industry.siemens.com/mall/en/en/Catalog/product?mlfb=5TE4822-1>

Service&Support (Manuals, Certificates, Characteristics, FAQs,...)

<https://support.industry.siemens.com/cs/ww/en/ps/5TE4822-1>

Image database (product images, 2D dimension drawings, 3D models, device circuit diagrams, ...)

http://www.automation.siemens.com/bilddb/cax_en.aspx?mlfb=5TE4822-1

CAX-Online-Generator

<http://www.siemens.com/cax>

Tender specifications

<http://www.siemens.com/specifications>



