

SIVACON, roof trough, IPX1, W: 1200 mm, D: 500 mm, RAL 7035



Model	
product brand name	SIVACON
Product designation	Roof trough
Design of the product	For an increased degree of protection
design of the surface	Powder-coated
Design of the product / EMC version	No
Protection class	
Protection class IP	IPX1
Suitability	
Suitability for use / for outside use	No
Appearance	
RAL color number	RAL 7035
Color	light grey
Product details	
<ul style="list-style-type: none"> <li>• product component / cable entry</li> </ul>	No
<ul style="list-style-type: none"> <li>• Product component / ventilation</li> </ul>	No
Mechanical Design	

Width	1 200 mm
Depth	500 mm
material	steel

#### Certificates

- reference code / acc. to DIN EN 61346-2 U
- Reference code / acc. to DIN EN 81346-2 UC

<b>Declaration of Conformity</b>	<b>Test Certificates</b>	<b>other</b>
----------------------------------	--------------------------	--------------



EG-Konf.

[Special Test Certificate](#)

[Miscellaneous](#)

#### Further information

##### Information- and Downloadcenter (Catalogs, Brochures,...)

<http://www.siemens.com/lowvoltage/catalogs>

##### Industry Mall (Online ordering system)

<https://mall.industry.siemens.com/mall/en/en/Catalog/product?mlfb=8MF1025-2VH>

##### Service&Support (Manuals, Certificates, Characteristics, FAQs,...)

<https://support.industry.siemens.com/cs/ww/en/ps/8MF1025-2VH>

##### Image database (product images, 2D dimension drawings, 3D models, device circuit diagrams, ...)

[http://www.automation.siemens.com/bilddb/cax\\_en.aspx?mlfb=8MF1025-2VH](http://www.automation.siemens.com/bilddb/cax_en.aspx?mlfb=8MF1025-2VH)

##### CAX-Online-Generator

<http://www.siemens.com/cax>

##### Tender specifications

<http://www.siemens.com/specifications>



