

SIVACON, Control panel Empty enclosure, without side panels, according to IEC 62208, IP40, H: 2200 mm, W: 900 mm, T: 500 mm



| Model  |                                 |
|--|---------------------------------|
| product brand name                                   | SIVACON                         |
| Product designation                                  | Empty control cabinet enclosure |
| Design of the product                                | according to IEC 62208          |
| design of the surface                                | Powder-coated                   |
| Design of the product / EMC version                  | No                              |
| Protection class                                     |                                 |
| Protection class IP                                  | IP40                            |
| operating resource protection class                  | Safety class 1                  |
| Suitability  |                                 |
| Suitability for installation / for metric dimensions | Yes                             |
| <b>Suitability for integration</b>                   |                                 |
| • surface-mounted installation                       | No                              |
| • flush mounting                                     | No                              |
| Suitability for use / for outside use                | No                              |
| Appearance   |                                 |
| RAL color number                                     | RAL 7035                        |
| Color  | light grey                      |

## Product details

|  |     |
|--|-----|
| Product component  |     |
| • Ventilation door   | No  |
| • Mounting plate   | Yes |
| • Rear door  | No  |
| • Viewing door   | No  |
| • height-adjustable mounting plate                                     | Yes |
| Product feature / of the enclosure / housing for side-by-side mounting | Yes |

## Number

|                           |   |
|---------------------------|---|
| Number of locking devices | 0 |
| Number of doors           | 2 |

## Mechanical Design

|  |          |
|--|----------|
| Height                                 | 2 200 mm |
| Width                                  | 900 mm   |
| Depth                                  | 500 mm   |
| • Mounting type / 19-inch installation | No       |
| • Mounting type / floor mounting       | Yes      |
| • mounting type / wall mounting        | No       |
| material                               | steel    |

## Certificates

|   |    |
|---|----|
| • reference code / acc. to DIN EN 61346-2 | U  |
| • Reference code / acc. to DIN EN 81346-2 | UC |

|                                  |                          |              |
|----------------------------------|--------------------------|--------------|
| <b>Declaration of Conformity</b> | <b>Test Certificates</b> | <b>other</b> |
|----------------------------------|--------------------------|--------------|



EG-Konf.

[Special Test Certificate](#)

[Miscellaneous](#)

## Further information

### Information- and Downloadcenter (Catalogs, Brochures,...)

<http://www.siemens.com/lowvoltage/catalogs>

### Industry Mall (Online ordering system)

<https://mall.industry.siemens.com/mall/en/en/Catalog/product?mlfb=8MF1295-3BR4>

### Service&Support (Manuals, Certificates, Characteristics, FAQs,...)

<https://support.industry.siemens.com/cs/ww/en/ps/8MF1295-3BR4>

### Image database (product images, 2D dimension drawings, 3D models, device circuit diagrams, ...)

[http://www.automation.siemens.com/bilddb/cax\\_en.aspx?mlfb=8MF1295-3BR4](http://www.automation.siemens.com/bilddb/cax_en.aspx?mlfb=8MF1295-3BR4)

### CAX-Online-Generator

<http://www.siemens.com/cax>

### Tender specifications

<http://www.siemens.com/specifications>



