

high-power fan heater with clip CS 130 230 V AC, 1200 W



Figure similar

Model	
product brand name	SIVACON
product designation	heater unit
design of the product	Semiconductor, without thermostat
General technical data	
consumed active power / rated value	400 W
volume flow rate / free-blowing	160 m³/h
Voltage	
type of voltage / of the operating voltage	AC
continuous heating power / at 20 °C	1 200 W
inrush current / typical	16 A
operating voltage	
• rated value / minimum	230 V
• rated value / maximum	230 V
• at AC / at 50 Hz / rated value / minimum	230 V
• at AC / at 50 Hz / rated value / maximum	230 V
• at AC / at 60 Hz / rated value / minimum	230 V
• at AC / at 60 Hz / rated value / maximum	230 V
Protection class	
protection class IP	IP20
Main circuit	
operational current / of the slow-blow fuse link	8 A
Product details	
product component	
• blower	Yes
• thermostat	No
Connections	
tightening torque / with screw-type terminals / maximum	0.8 N·m
type of connection technology	2-pole max. 2.5 mm² with strain relief
Mechanical Design	
height	182 mm
width	160 mm
depth	120 mm
fastening method	Floor mounting with screw M5
net weight	1.2 kg
material / of the enclosure	plastic
Environmental conditions	

relative humidity / reference value	90 %
<b>Certificates</b>	
reference code / according to EN 61346-2	R
<b>General Product Approval</b>	<b>other</b>

[Confirmation](#)



[Miscellaneous](#)

#### Further information

**Information- and Downloadcenter (Catalogs, Brochures,...)**

<http://www.siemens.com/lowvoltage/catalogs>

**Industry Mall (Online ordering system)**

<https://mall.industry.siemens.com/mall/en/en/Catalog/product?mlfb=8MR2150-3B>

**Service&Support (Manuals, Certificates, Characteristics, FAQs,...)**

<https://support.industry.siemens.com/cs/ww/en/ps/8MR2150-3B>

**Image database (product images, 2D dimension drawings, 3D models, device circuit diagrams, ...)**

[http://www.automation.siemens.com/bilddb/cax\\_en.aspx?mlfb=8MR2150-3B](http://www.automation.siemens.com/bilddb/cax_en.aspx?mlfb=8MR2150-3B)

**CAX-Online-Generator**

<http://www.siemens.com/cax>

**Tender specifications**

<http://www.siemens.com/specifications>



