


SIVACON S4, frame, H: 2000 mm, W: 1200 mm, D: 800 mm,



Model	
design of the surface	galvanized
Design of the product / EMC version	No
Protection class	
Protection class IP	IP00
Suitability	
Suitability for installation / for metric dimensions	Yes
Suitability for integration	
• surface-mounted installation	No
• flush mounting	No
Suitability for use / for outside use	No
Product details	
Product feature / of the enclosure / housing for side-by-side mounting	Yes
Number	
Number of locking devices	0
Number of doors	0

Mechanical Design

Height	2 000 mm
Width	1 200 mm
Depth	800 mm
• Mounting type / 19-inch installation	No
• Mounting type / floor mounting	Yes
• mounting type / wall mounting	No
net weight	41 kg

Certificates

- | | |
|---|----|
| • reference code / acc. to DIN EN 61346-2 | U |
| • Reference code / acc. to DIN EN 81346-2 | UC |

General Product Approval

Declaration of Conformity



[Miscellaneous](#)



[Miscellaneous](#)

EG-Konf.

Further information

Information- and Downloadcenter (Catalogs, Brochures,...)

<http://www.siemens.com/lowvoltage/catalogs>

Industry Mall (Online ordering system)

<https://mall.industry.siemens.com/mall/en/en/Catalog/product?mlfb=8PQ1202-8BA02>

Service&Support (Manuals, Certificates, Characteristics, FAQs,...)

<https://support.industry.siemens.com/cs/ww/en/ps/8PQ1202-8BA02>

Image database (product images, 2D dimension drawings, 3D models, device circuit diagrams, ...)

http://www.automation.siemens.com/bilddb/cax_en.aspx?mlfb=8PQ1202-8BA02

CAX-Online-Generator

<http://www.siemens.com/cax>

Tender specifications

<http://www.siemens.com/specifications>

