

Terminal block, 6 mm<sup>2</sup> black Screw mounting 2 connections Black



Model	
product brand name	ALPHA
Product designation	ALPHA FIX terminal blocks
Design of terminal / Terminal levels internally linked	No
General technical data	
Terminal contact spacing	8.2 mm
Operating voltage / rated value	1 000 V
Protection class	
Combustibility class acc. to UL 94	V0
Main circuit	
Operating current / rated value	41 A
Appearance	
Color	black
Product details	
Product component / required / connection plate	Yes
Number	

Number of terminal levels	1
Number of terminal points / per terminal level	2

### Connections

Wire stripping length	10 mm
connectable conductor cross-section / solid	
• minimum	0.2 mm <sup>2</sup>
• maximum	10 mm <sup>2</sup>
connectable conductor cross-section / finely stranded	
• with core end processing / minimum	0.2 mm <sup>2</sup>
• with core end processing / maximum	6 mm <sup>2</sup>
Tightening torque / with screw-type terminals	
• minimum	1.5 N·m
• maximum	1.8 N·m
Type of electrical connection	
• 1	screw-type terminal
• 2	screw-type terminal
Position / of the terminal	lateral

### Mechanical Design

Height / with lowest-profile installation	47.5 mm
length	47.7 mm
Mounting type	DIN rail 35 mm
net weight	14.5 g
Material / of the insulating body	Thermoplast

### Environmental conditions

Ambient temperature / during operation	
• minimum	-25 °C
• maximum	55 °C

### Certificates

Design tested acc. to type of protection / EEx e	No
--	----

<b>General Product Approval</b>	<b>Declaration of Con- formity</b>	<b>other</b>
---------------------------------	--	--------------



[Miscellaneous](#)

### Further information

**Information- and Downloadcenter (Catalogs, Brochures,...)**

<http://www.siemens.com/lowvoltage/catalogs>

**Industry Mall (Online ordering system)**

<https://mall.industry.siemens.com/mall/en/en/Catalog/product?mlfb=8WH1000-0AH08>

**Service&Support (Manuals, Certificates, Characteristics, FAQs,...)**

<https://support.industry.siemens.com/cs/ww/en/ps/8WH1000-0AH08>

**Image database (product images, 2D dimension drawings, 3D models, device circuit diagrams, ...)**

[http://www.automation.siemens.com/bilddb/cax\\_en.aspx?mlfb=8WH1000-0AH08](http://www.automation.siemens.com/bilddb/cax_en.aspx?mlfb=8WH1000-0AH08)

**CAX-Online-Generator**

<http://www.siemens.com/cax>

**Tender specifications**

<http://www.siemens.com/specifications>