

Accessory for 3KC4, 3KC8 Auxiliary switch contains 2 change-over contacts: 1 change-over contact for POS I, II for 250-630 A leading contains 1 unit incl. set of screws



| Versão | |
|---|--|
| nome da marca do produto | SETRON |
| designação do produto | Acessório para comutador de rede |
| Circuito auxiliar | |
| Número de comutadores / dos contactos auxiliares / ligação instantânea | 0 |
| Número de contactos de abertura / para contactos auxiliares / ligação instantânea | 0 |
| Número de contactos de fecho / para contactos auxiliares / ligação instantânea | 0 |
| corrente de serviço / dos contactos auxiliares | |
| • a AC-12 / a 230 V | 16 A |
| • a AC-15 / a 230 V | 4 A |
| Adequação | |
| aptidão para utilização | 3KC4 |
| Detalhes do produto | |
| descrição do produto | Interruptor auxiliar com 2 contactos inversores: um para posição I e II, avançado, CA1 2 A 250V ac |

Conexões

| | |
|--|----------------------------|
| execução da ligação elétrica | 0,2 até 2,5mm ² |
| • para circuito de corrente auxiliar e de controlo | Terminal com moldura |

Projeto mecânico

| | |
|-----------------|----------------------|
| tipo de fixação | fixação de parafusos |
| peso líquido | 111 g |

Certificados

General Product Approval



CCC

[Miscellaneous](#)

Declaration of Conformity



EG-Konf.

Outras informações

Information- and Downloadcenter (Catalogs, Brochures,...)

<http://www.siemens.com/lowvoltage/catalogs>

Industry Mall (Online ordering system)

<https://mall.industry.siemens.com/mall/pt/pt/Catalog/product?mlfb=3KC9803-1>

Service&Support (Manuals, Certificates, Characteristics, FAQs,...)

<https://support.industry.siemens.com/cs/ww/pt/ps/3KC9803-1>

Image database (product images, 2D dimension drawings, 3D models, device circuit diagrams, ...)

http://www.automation.siemens.com/bilddb/cax_en.aspx?mlfb=3KC9803-1

CAX-Online-Generator

<http://www.siemens.com/cax>

Tender specifications

<http://www.siemens.com/specifications>



