


SENTRON, cylindrical fuse holder, 22x58 mm, 3P+N, In: 100 A, Un AC: 690 V



Versão	
nome da marca do produto	SENTRON
designação do produto	Suporte de encaixe de fusível cilíndrico
Dados técnicos gerais	
quantidade de polos	4
quantidade de polos / anotação	3P+N
Tamanho do cartucho de fusíveis	22x58 mm
Tensão de alimentação	
corrente de serviço / com AC / valor estipulado	100 A
Tensão de serviço	
• com AC / valor estipulado	690 V
classe de proteção IP	IP20
Projeto mecânico	
altura	117 mm
largura	144 mm
profundidade	70 mm
peso líquido	685 g

Certificados

indicadores de referência

- segundo a DIN EN 61346-2 F
- segundo a IEC 81346-2:2009 F

Declaration of Conformity

Test Certificates



EG-Konf.

[Miscellaneous](#)

Outras informações

Information- and Downloadcenter (Catalogs, Brochures,...)

<http://www.siemens.com/lowvoltage/catalogs>

Industry Mall (Online ordering system)

<https://mall.industry.siemens.com/mall/pt/pt/Catalog/product?mlfb=3NW7261>

Service&Support (Manuals, Certificates, Characteristics, FAQs,...)

<https://support.industry.siemens.com/cs/ww/pt/ps/3NW7261>

Image database (product images, 2D dimension drawings, 3D models, device circuit diagrams, ...)

http://www.automation.siemens.com/bilddb/cax_en.aspx?mlfb=3NW7261

CAX-Online-Generator

<http://www.siemens.com/cax>

Tender specifications

<http://www.siemens.com/specifications>

