



SENTRON, porta-fusíveis cilíndricos, 8x32 mm, de 1 polo, In: 20 A, Un CA: 400 V

Versão	
nome da marca do produto	SENTRON
designação do produto	Suporte de encaixe de fusível cilíndrico
Dados técnicos gerais	
quantidade de polos	1
tamanho do cartucho de fusíveis	8x32 mm
Tensão de alimentação	
tensão de serviço	
• com CA / valor estipulado	400 V
classe de proteção IP	IP20
Eletricidade	
corrente de serviço / com CA / valor estipulado	20 A
Projeto mecânico	
altura	81 mm
largura	18 mm
profundidade	64 mm
peso líquido	53 g
General Product Approval	
Declaration of Conformity	
other	

[Confirmation](#)



[UK Declaration of Conformity](#)



[Miscellaneous](#)

### Outras informações

**Information- and Downloadcenter (Catalogs, Brochures,...)**

<http://www.siemens.com/lowvoltage/catalogs>

**Industry Mall (Online ordering system)**

<https://mall.industry.siemens.com/mall/pt/pt/Catalog/product?mlfb=3NW7313>

**Service&Support (Manuals, Certificates, Characteristics, FAQs,...)**

<https://support.industry.siemens.com/cs/ww/pt/ps/3NW7313>

**Image database (product images, 2D dimension drawings, 3D models, device circuit diagrams, ...)**

[http://www.automation.siemens.com/bilddb/cax\\_en.aspx?mlfb=3NW7313](http://www.automation.siemens.com/bilddb/cax_en.aspx?mlfb=3NW7313)

**CAX-Online-Generator**

<http://www.siemens.com/cax>

**Tender specifications**

<http://www.siemens.com/specifications>





