



SENTRON, porta-fusíveis cilíndricos, 8x32 mm, 3P+N, In: 20 A, Un CA: 400 V

Versão			
nome da marca do produto		SENTRON	
designação do produto		Suporte de encaixe de fusível cilíndrico	
Dados técnicos gerais			
quantidade de polos		4	
tamanho do cartucho de fusíveis		8x32 mm	
Tensão de alimentação			
tensão de serviço		400 V	
● com CA / valor estipulado			
classe de proteção IP		IP20	
Eletricidade			
corrente de serviço / com CA / valor estipulado		20 A	
Projeto mecânico			
altura		81 mm	
largura		54 mm	
profundidade		64 mm	
peso líquido		210 g	
General Product Approval		Declaration of Conformity	other

[Confirmation](#)



[UK Declaration of Conformity](#)

[Miscellaneous](#)

Outras informações

Information- and Downloadcenter (Catalogs, Brochures,...)

<http://www.siemens.com/lowvoltage/catalogs>

Industry Mall (Online ordering system)

<https://mall.industry.siemens.com/mall/pt/pt/Catalog/product?mlfb=3NW7363>

Service&Support (Manuals, Certificates, Characteristics, FAQs,...)

<https://support.industry.siemens.com/cs/ww/pt/ps/3NW7363>

Image database (product images, 2D dimension drawings, 3D models, device circuit diagrams, ...)

http://www.automation.siemens.com/bilddb/cax_en.aspx?mlfb=3NW7363

CAX-Online-Generator

<http://www.siemens.com/cax>

Tender specifications

<http://www.siemens.com/specifications>



