

SENTRON, cylindrical fuse link, 22x58 mm, 20 A, aM, Un AC: 690 V



## Versão

nome da marca do produto	SENTRON
designação do produto	Encaixe de fusível cilíndrico

## Dados técnicos gerais

Classe de operação do elemento fusível	aM
Tamanho do elemento fusível	22x58 mm
Tipo de tensão	CA
corrente de serviço / com AC / valor estipulado	20 A
Tensão de alimentação / com DC	250 V
Tensão de serviço / valor estipulado	690 V

## Dissipação

Potência de perda [W] / com valor de corrente estipulado / com AC / com estado de funcionamento quente / por polo	1,21 W
---	--------

## Circuito principal

corrente de serviço	
• valor nominal	20 A

## Detalhes do produto

Componente do produto / Detetor de choque	Não
---	-----

### Projeto mecânico

posição de montagem	opcional, preferível vertical
peso líquido	52 g

### Certificados

indicadores de referência	
<ul style="list-style-type: none"> <li>segundo a DIN EN 61346-2</li> </ul>	F
<ul style="list-style-type: none"> <li>segundo a IEC 81346-2:2009</li> </ul>	F

<b>Declaration of Conformity</b>	<b>Test Certificates</b>
----------------------------------	--------------------------



[Miscellaneous](#)

### Outras informações

**Information- and Downloadcenter (Catalogs, Brochures,...)**

<http://www.siemens.com/lowvoltage/catalogs>

**Industry Mall (Online ordering system)**

<https://mall.industry.siemens.com/mall/pt/pt/Catalog/product?mlfb=3NW8207-1>

**Service&Support (Manuals, Certificates, Characteristics, FAQs,...)**

<https://support.industry.siemens.com/cs/ww/pt/ps/3NW8207-1>

**Image database (product images, 2D dimension drawings, 3D models, device circuit diagrams, ...)**

[http://www.automation.siemens.com/bilddb/cax\\_en.aspx?mlfb=3NW8207-1](http://www.automation.siemens.com/bilddb/cax_en.aspx?mlfb=3NW8207-1)

**CAX-Online-Generator**

<http://www.siemens.com/cax>

**Tender specifications**

<http://www.siemens.com/specifications>



