

Plug-in part type 1 L-N Requirement class B, UC 350V 1-pole for combi-arrester 5SD744



Versão	
nome da marca do produto	SETRON
execução do produto	para dissipador combinado 5SD744
Dados técnicos gerais	
Classificação SPD / segundo a EN 61643-11 / Classe de teste II Tipo 2	Não
Classificação SPD / segundo a EN 61643-11 / Classe de teste I Tipo 1	Sim
aptdão para utilização	5SD7442-1,5SD7443-1,5SD7444-1
Acessórios	
acessório	Peça de encaixe tipo 1, para reforço combinado 5SD744
Projeto mecânico	
altura	45 mm
largura	23,5 mm
profundidade	56,4 mm
peso líquido	180 g
Certificados	

General Product Approval	Declaration of Con- formity	other
--------------------------	--------------------------------	-------



KEMA



UR



EG-Konf.

[Environmental Confirma-
tions](#)

Outras informações

Information- and Downloadcenter (Catalogs, Brochures,...)

<http://www.siemens.com/lowvoltage/catalogs>

Industry Mall (Online ordering system)

<https://mall.industry.siemens.com/mall/pt/pt/Catalog/product?mlfb=5SD7448-1>

Service&Support (Manuals, Certificates, Characteristics, FAQs,...)

<https://support.industry.siemens.com/cs/ww/pt/ps/5SD7448-1>

Image database (product images, 2D dimension drawings, 3D models, device circuit diagrams, ...)

http://www.automation.siemens.com/bilddb/cax_en.aspx?mlfb=5SD7448-1

CAX-Online-Generator

<http://www.siemens.com/cax>

Tender specifications

<http://www.siemens.com/specifications>



