

SIVACON, door, left, IP55, H: 2000 mm, W: 400 mm, RAL 7035,
Protection class 1



Versão	
nome da marca do produto	SIVACON
execução do produto	fechado
execução da superfície	Revestido a pó
Execução do produto / Execução CEM	Não
Classe de proteção	
classe de proteção IP	IP55
Classe de proteção dos meios de produção	Classe de proteção1
Aparência	
código da cor RAL	RAL 7035
cor	Cinzeno-claro
Detalhes do produto	
Componente do produto	
• Ventilação	Não
• Porta transparente	Não
• Porta para bloqueio do seccionador	Não
Projeto mecânico	

altura	2 000 mm
largura	400 mm
Direção de encosto da porta	à esquerda
peso líquido	11,77 kg
material	aço

Certificados

indicadores de referência

- segundo a DIN EN 61346-2
- segundo a IEC 81346-2:2009

U

UC

General Product Approval	Declaration of Conformity	Test Certificates	other
--------------------------	---------------------------	-------------------	-------



[Special Test Certificate](#)

[Miscellaneous](#)

Outras informações

Information- and Downloadcenter (Catalogs, Brochures,...)

<http://www.siemens.com/lowvoltage/catalogs>

Industry Mall (Online ordering system)

<https://mall.industry.siemens.com/mall/pt/pt/Catalog/product?mlfb=8MF1040-2UT15-0BA2>

Service&Support (Manuals, Certificates, Characteristics, FAQs,...)

<https://support.industry.siemens.com/cs/ww/pt/ps/8MF1040-2UT15-0BA2>

Image database (product images, 2D dimension drawings, 3D models, device circuit diagrams, ...)

http://www.automation.siemens.com/bilddb/cax_en.aspx?mlfb=8MF1040-2UT15-0BA2

CAX-Online-Generator

<http://www.siemens.com/cax>

Tender specifications

<http://www.siemens.com/specifications>



