

SIVACON, Roof, Closed, IP55, W: 400 mm, T: 800 mm, zinc-plated



Versão	
nome da marca do produto	SIVACON
designação do produto	Teto
execução do produto	fechado
execução da superfície	zincado
execução do produto / execução CEM	Não

Classe de proteção	
classe de proteção IP	IP55

Adequação	
aptidão para utilização / para uso exterior	Não

Detalhes do produto	
• componente do produto / entrada de cabos	Não
• Componente do produto / Ventilação	Não

Projeto mecânico	
largura	400 mm
profundidade	800 mm
material	aço

Certificados

indicadores de referência

- segundo a DIN EN 61346-2
- segundo a IEC 81346-2:2009

U

UC

Declaration of Conformity	Test Certificates	other
----------------------------------	--------------------------	--------------



EG-Konf.

[Special Test Certificate](#)

[Miscellaneous](#)

Outras informações

Information- and Downloadcenter (Catalogs, Brochures,...)

<http://www.siemens.com/lowvoltage/catalogs>

Industry Mall (Online ordering system)

<https://mall.industry.siemens.com/mall/pt/pt/Catalog/product?mlfb=8MF1048-2UD11-0A>

Service&Support (Manuals, Certificates, Characteristics, FAQs,...)

<https://support.industry.siemens.com/cs/ww/pt/ps/8MF1048-2UD11-0A>

Image database (product images, 2D dimension drawings, 3D models, device circuit diagrams, ...)

http://www.automation.siemens.com/bilddb/cax_en.aspx?mlfb=8MF1048-2UD11-0A

CAX-Online-Generator

<http://www.siemens.com/cax>

Tender specifications

<http://www.siemens.com/specifications>



