



SIVACON, porta, direita, com ventilação, IP20, A: 2200 mm, L: 900 mm, RAL 7035, classe de proteção 1

Versão	
nome da marca do produto	SIVACON
designação do produto	porta
versão do produto	com aberturas de ventilação
versão da superfície	Revestido a pó
versão do produto / versão CEM	No
Classe de proteção	
classe de proteção IP	IP20
classe de proteção dos meios de produção	Classe de proteção 1
Aparência	
código da cor RAL	RAL 7035
cor	Cinzento-claro
Detalhes do produto	
componente do produto	
• ventilação	Si
• porta transparente	No
• porta para bloqueio do seccionador	No
Projeto mecânico	
altura	2 200 mm
largura	900 mm
direção de encosto da porta	à direita
peso líquido	25 kg
material	aço
General Product Approval	
Declaration of Conformity	
Test Certificates	

[Confirmation](#)



[UK Declaration of Conformity](#)

[Special Test Certificate](#)

other

[Miscellaneous](#)

[Miscellaneous](#)

**Outras informações**

**Information- and Downloadcenter (Catalogs, Brochures,...)**

<http://www.siemens.com/lowvoltage/catalogs>

**Industry Mall (Online ordering system)**

<https://mall.industry.siemens.com/mall/pt/pt/Catalog/product?mfb=8MF1290-2UT14-1BA2>

**Service&Support (Manuals, Certificates, Characteristics, FAQs,...)**

<https://support.industry.siemens.com/cs/ww/pt/ps/8MF1290-2UT14-1BA2>

**Image database (product images, 2D dimension drawings, 3D models, device circuit diagrams, ...)**

[http://www.automation.siemens.com/bilddb/cax\\_en.aspx?mfb=8MF1290-2UT14-1BA2](http://www.automation.siemens.com/bilddb/cax_en.aspx?mfb=8MF1290-2UT14-1BA2)

**CAX-Online-Generator**

<http://www.siemens.com/cax>

**Tender specifications**

<http://www.siemens.com/specifications>



