


SIVACON, mounting plate, Quick assembly with screws, H: 800 mm, W: 1000 mm, zinc-plated



Versão	
nome da marca do produto	SIVACON
designação do produto	Chapa de montagem
execução do produto	Montagem rápida com parafusos
execução da superfície	zincado
execução do produto / execução CEM	Não
<ul style="list-style-type: none"> <li>• Componente do produto / Ventilação</li> </ul>	Não
Projeto mecânico	
altura	800 mm
largura	1 000 mm
peso líquido	13 000 g
Certificados	
indicadores de referência	
<ul style="list-style-type: none"> <li>• segundo a DIN EN 61346-2</li> </ul>	U
<ul style="list-style-type: none"> <li>• segundo a IEC 81346-2:2009</li> </ul>	UC

<b>General Product Approval</b>	<b>Declaration of Conformity</b>	<b>Test Certificates</b>	<b>other</b>
---------------------------------	----------------------------------	--------------------------	--------------



[Special Test Certificate](#)

[Miscellaneous](#)

## Outras informações

**Information- and Downloadcenter (Catalogs, Brochures,...)**

<http://www.siemens.com/lowvoltage/catalogs>

**Industry Mall (Online ordering system)**

<https://mall.industry.siemens.com/mall/pt/pt/Catalog/product?mlfb=8MF1800-2AA02-0>

**Service&Support (Manuals, Certificates, Characteristics, FAQs,...)**

<https://support.industry.siemens.com/cs/ww/pt/ps/8MF1800-2AA02-0>

**Image database (product images, 2D dimension drawings, 3D models, device circuit diagrams, ...)**

[http://www.automation.siemens.com/bilddb/cax\\_en.aspx?mlfb=8MF1800-2AA02-0](http://www.automation.siemens.com/bilddb/cax_en.aspx?mlfb=8MF1800-2AA02-0)

**CAX-Online-Generator**

<http://www.siemens.com/cax>

**Tender specifications**

<http://www.siemens.com/specifications>

