


SIVACON S4, frame, H: 2000 mm, W: 1200 mm, D: 800 mm,



Versão	
execução da superfície	zincado
execução do produto / execução CEM	Não
Classe de proteção	
classe de proteção IP	IP00
Adequação	
Aptidão para montagem / para medições métricas	Sim
aptidão para integração	
• instalação de superfície	Não
• instalação de encastrar	Não
aptidão para utilização / para uso exterior	Não
Detalhes do produto	
característica do produto / da caixa / caixa empilhável	Sim
Número	
Número de cadeados	0
Número de portas	0

Projeto mecânico

altura	2 000 mm
largura	1 200 mm
profundidade	800 mm
tipo de fixação	
• montagem de 19 polegadas	Não
• montagem no chão	Sim
• montagem na parede	Não
peso líquido	41 kg

Certificados

indicadores de referência	
• segundo a DIN EN 61346-2	U
• segundo a IEC 81346-2:2009	UC

General Product Approval

Declaration of Conformity



[Miscellaneous](#)



EG-Konf.

[Miscellaneous](#)

Outras informações

Information- and Downloadcenter (Catalogs, Brochures,...)

<http://www.siemens.com/lowvoltage/catalogs>

Industry Mall (Online ordering system)

<https://mall.industry.siemens.com/mall/pt/pt/Catalog/product?mlfb=8PQ1202-8BA02>

Service&Support (Manuals, Certificates, Characteristics, FAQs,...)

<https://support.industry.siemens.com/cs/ww/pt/ps/8PQ1202-8BA02>

Image database (product images, 2D dimension drawings, 3D models, device circuit diagrams, ...)

http://www.automation.siemens.com/bilddb/cax_en.aspx?mlfb=8PQ1202-8BA02

CAX-Online-Generator

<http://www.siemens.com/cax>

Tender specifications

<http://www.siemens.com/specifications>

