

device holder, 45x 200 mm long for 60 mm busbar system, spacer enclosed 2 connecting elements enclosed Mounting rail screwed on



Versão

nome da marca do produto	SETRON
designação do produto	Suporte para barramento
execução do produto	Acessório
versão da calha de suporte	Calha de suporte
tensão de serviço / com AC / valor estipulado	690 V

Acessórios

acessório	Suporte para aparelhos 45x200 mm de comprimento
-----------	---

Projeto mecânico

largura	45 mm
comprimento	200 mm
distância média entre calhas	60 mm
peso líquido	217 g

Certificados

General Product Approval	Declaration of Conformity
--------------------------	---------------------------



CSA



UR



UL



EG-Konf.

[Miscellaneous](#)

Test Certificates	Shipping Approval
-------------------	-------------------

[Special Test Certificate](#)

[Miscellaneous](#)



ABS



BUREAU VERITAS



LRS



PRS

Shipping Approval	other	Railway
-------------------	-------	---------



RINA



RMRS

[Miscellaneous](#)

[Vibration and Shock](#)

Outras informações

Information- and Downloadcenter (Catalogs, Brochures,...)

<http://www.siemens.com/lowvoltage/catalogs>

Industry Mall (Online ordering system)

<https://mall.industry.siemens.com/mall/pt/pt/Catalog/product?mfb=8US1250-5AS10>

Service&Support (Manuals, Certificates, Characteristics, FAQs,...)

<https://support.industry.siemens.com/cs/ww/pt/ps/8US1250-5AS10>

Image database (product images, 2D dimension drawings, 3D models, device circuit diagrams, ...)

http://www.automation.siemens.com/bilddb/cax_en.aspx?mfb=8US1250-5AS10

CAX-Online-Generator

<http://www.siemens.com/cax>

Tender specifications

<http://www.siemens.com/specifications>



