



accessory for Switch disconnecter with fuses In-line design, pluggable current transformer 150/1 A, Cl. 0.5, 1.5 VA

версия		
торговая марка изделия		SETRON
наименование изделия		Трансформатор тока
исполнение изделия		принадлежность для выключатель нагрузкисоединитель 3NJ6
класс защиты		
степень защиты IP		IP20
электричество		
обозначение фактора, ограничивающего сверхток		FS 5
• отношение входной/выходной ток		150/1
• ток / на входе / расчетное значение		150 A
Механическая конструкция		
высота		65 mm
ширина		44 mm
глубина		30 mm
диаметр / проходного отверстия		21 mm
масса нетто		182 g
условия окружающей среды		
окружающая температура / при эксплуатации		
• мин.		-10 °C
• макс.		55 °C
General Product Approval		Declaration of Conformity
		other

[Confirmation](#)



[UK Declaration of Conformity](#)



[Miscellaneous](#)

Дополнительная информация

Information- and Downloadcenter (Catalogs, Brochures,...)

<http://www.siemens.com/lowvoltage/catalogs>

Industry Mall (Online ordering system)

<https://mall.industry.siemens.com/mall/ru/ru/Catalog/product?mlfb=3NJ6920-3BE12>

Service&Support (Manuals, Certificates, Characteristics, FAQs,...)

<https://support.industry.siemens.com/cs/ww/ru/ps/3NJ6920-3BE12>

Image database (product images, 2D dimension drawings, 3D models, device circuit diagrams, ...)

http://www.automation.siemens.com/bilddb/cax_en.aspx?mlfb=3NJ6920-3BE12

CAX-Online-Generator

<http://www.siemens.com/cax>

Tender specifications

<http://www.siemens.com/specifications>



