



accessory for Switch disconnecter with fuses In-line design, pluggable current transformer 500/5 A, Cl. 1, 5 VA

версия	
торговая марка изделия	SETRON
наименование изделия	Трансформатор тока
исполнение изделия	принадлежность для выключатель нагрузкиразъединитель 3NJ6
класс защиты	
степень защиты IP	IP20
электричество	
обозначение фактора, ограничивающего сверхток	FS 5
- отношение входной/выходной ток - ток / на входе / расчетное значение	500/5 500 A
Механическая конструкция	
высота	88,5 mm
ширина	70 mm
глубина	58 mm
диаметр / проходного отверстия	32 mm
масса нетто	343 g
условия окружающей среды	
окружающая температура / при эксплуатации	
- мин. - макс.	-10 °C 55 °C
General Product Approval	Declaration of Conformity
	other

[Confirmation](#)



[UK Declaration of Conformity](#)



[Miscellaneous](#)

Дополнительная информация

Information- and Downloadcenter (Catalogs, Brochures,...)

<http://www.siemens.com/lowvoltage/catalogs>

Industry Mall (Online ordering system)

<https://mall.industry.siemens.com/mall/ru/ru/Catalog/product?mlfb=3NJ6940-3BK21>

Service&Support (Manuals, Certificates, Characteristics, FAQs,...)

<https://support.industry.siemens.com/cs/ww/ru/ps/3NJ6940-3BK21>

Image database (product images, 2D dimension drawings, 3D models, device circuit diagrams, ...)

http://www.automation.siemens.com/bilddb/cax_en.aspx?mlfb=3NJ6940-3BK21

CAX-Online-Generator

<http://www.siemens.com/cax>

Tender specifications

<http://www.siemens.com/specifications>



