

SENTRON, fuse holder, Class J, 3-pole, In: 100 A, Un AC: 600 V, mounting on mounting plate, respect national installation rules!



версия	
фирменное название продукта	SENTRON
наименование продукта	Держатель предохранителя
исполнение продукта	Монтаж на монтажную плату
Общие технические данные	
число полюсов	3
Типоразмер плавких вставок предохранителей	Класс срабатывания J
напряжение питания	
Рабочий ток / при переменном токе / расчетное значение	100 A
рабочее напряжение	
<ul style="list-style-type: none"> <li>при переменном токе / расчетное значение</li> </ul>	600 V
степень защиты IP	IP20
Механическая конструкция	
высота	200 mm
ширина	106 mm
глубина	108 mm
вес-нетто	1 070 g

## Сертификаты

условное обозначение

- согласно DIN EN 61346-2
- согласно IEC 81346-2:2009

F

F

## General Product Approval



UR

## Дополнительная информация

**Information- and Downloadcenter (Catalogs, Brochures,...)**

<http://www.siemens.com/lowvoltage/catalogs>

**Industry Mall (Online ordering system)**

<https://mall.industry.siemens.com/mall/ru/ru/Catalog/product?mlfb=3NW7531-6HG>

**Service&Support (Manuals, Certificates, Characteristics, FAQs,...)**

<https://support.industry.siemens.com/cs/ww/ru/ps/3NW7531-6HG>

**Image database (product images, 2D dimension drawings, 3D models, device circuit diagrams, ...)**

[http://www.automation.siemens.com/bilddb/cax\\_en.aspx?mlfb=3NW7531-6HG](http://www.automation.siemens.com/bilddb/cax_en.aspx?mlfb=3NW7531-6HG)

**CAX-Online-Generator**

<http://www.siemens.com/cax>

**Tender specifications**

<http://www.siemens.com/specifications>



