

front mounted rotary operator standard with door interlock IEC
IP30/40 24V DC lighting kit accessory for: 3VA1 100/160




версия

Фирменное название продукта	SENTRON
Наименование продукта	Принадлежности
Исполнение продукта	Передний поворотный привод


Механическая конструкция

Характеристика продукта/ интерфейс LAN	70 mm
Характеристика продукта/ последовательный интерфейс	77 mm
Глубина	95 mm
вес-нетто	263 g

Сертификаты

General Product Approval	EMC	Declaration of Conformity	Test Certificates
 VDE	Miscellaneous 	 RCM	 EG-Konf.

Shipping Approval	other
-------------------	-------

 LRS	Manufacturer Declaration	Miscellaneous
--	--	-------------------------------

Дополнительная информация

Information- and Downloadcenter (Catalogs, Brochures,...)

<http://www.siemens.com/lowvoltage/catalogs>

Industry Mall (Online ordering system)

<https://eb.automation.siemens.com/mall/en/WW/Catalog/Product/3VA9157-0EK23>

Service&Support (Manuals, Certificates, Characteristics, FAQs,...)

<http://support.automation.siemens.com/WW/view/en/3VA9157-0EK23/all>

Image database (product images, 2D dimension drawings, 3D models, device circuit diagrams, ...)



http://www.automation.siemens.com/bilddb/cax_en.aspx?mfb=3VA9157-0EK23

CAX-Online-Generator

<http://www.siemens.com/cax>

Tender specifications

<http://www.siemens.com/specifications>



последнее изменение:

31.07.2020