

box terminal w. control wire voltage tap-off 4 units accessory for: 3VA6 150/250



версия	
торговая марка изделия	SENTRON
наименование изделия	Принадлежности
Общие технические данные	
обозначение / для соединительной клеммы	TS1.4
Соединения согласно IEC	
подключаемое сечение проводов	
<ul style="list-style-type: none"> <li>• для медного кабеля / многопроводной / мин.</li> <li>• для медного кабеля / многопроводной / макс.</li> </ul>	25 mm <sup>2</sup> 185 mm <sup>2</sup>
длина зачистки изоляции	20 мм
Соединения согласно UL	
подключаемое сечение проводов	
<ul style="list-style-type: none"> <li>• для медного кабеля / многопроводной / мин.</li> <li>• для медного кабеля / многопроводной / макс.</li> <li>• для медного кабеля / тонкожильный / мин.</li> <li>• для медного кабеля / тонкожильный / макс.</li> </ul>	4 AWG 350 x 1000 круг. мил 4 AWG 350 x 1000 круг. мил

#### Дополнительная информация

Information- and Downloadcenter (Catalogs, Brochures,...)

<http://www.siemens.com/lowvoltage/catalogs>

Industry Mall (Online ordering system)

<https://mall.industry.siemens.com/mall/ru/ru/Catalog/product?mlfb=3VA9244-0JH12>

Service&Support (Manuals, Certificates, Characteristics, FAQs,...)

<https://support.industry.siemens.com/cs/ww/ru/ps/3VA9244-0JH12>

Image database (product images, 2D dimension drawings, 3D models, device circuit diagrams, ...)


[http://www.automation.siemens.com/bilddb/cax\\_en.aspx?mlfb=3VA9244-0JH12](http://www.automation.siemens.com/bilddb/cax_en.aspx?mlfb=3VA9244-0JH12)

CAx-Online-Generator

<http://www.siemens.com/cax>

Tender specifications

<http://www.siemens.com/specifications>



последнее изменение:

20.12.2020 

