

24 V module accessory for: 3VA2 400/630/1000







версия	
Фирменное название продукта	SENTRON
Наименование продукта	Модуль 24 В
Исполнение продукта	Принадлежности для 3VA
Общие технические данные	
Количество/DIN-реек	3
Тип осветительного прибора	1
Механическая конструкция	
Характеристика продукта/ интерфейс LAN	63 mm
Характеристика продукта/ последовательный интерфейс	29 mm
Количество гнезд	4
Глубина	33 mm
вес-нетто	80 g
СВЯЗИ	
Крутящий момент затяжки / при винтовом соединении	0,22 N·m
<ul style="list-style-type: none"> • минимально 	

• максимальное

0,25 N·m

Сертификаты

General Product Approval	EMC	Declaration of Conformity	Test Certificates	Shipping Approval
Miscellaneous 	 RCM	 EG-Konf.	Type Test Certificates/Test Report	 LRS

other

[Manufacturer Declaration](#)

[Miscellaneous](#)

Дополнительная информация

Information- and Downloadcenter (Catalogs, Brochures,...)

<http://www.siemens.com/lowvoltage/catalogs>

Industry Mall (Online ordering system)

<https://eb.automation.siemens.com/mall/en/WW/Catalog/Product/3VA9387-0TB50>

Service&Support (Manuals, Certificates, Characteristics, FAQs,...)

<http://support.automation.siemens.com/WW/view/en/3VA9387-0TB50/all>

Image database (product images, 2D dimension drawings, 3D models, device circuit diagrams, ...)



http://www.automation.siemens.com/bilddb/cax_en.aspx?mlfb=3VA9387-0TB50


CAX-Online-Generator

<http://www.siemens.com/cax>

Tender specifications

<http://www.siemens.com/specifications>





последнее изменение:

20.07.2020