


SIVACON S4, frame, H: 2000 mm, W: 1200 mm, D: 800 mm,



версия	
исполнение поверхности	оцинкованный
Исполнение продукта / Исполнение ЭМС	нет
класс защиты	
степень защиты IP	IP00
пригодность	
Пригодность к монтажу / для метрических измерений	Да
Пригодность к интеграции	
• открытый монтаж	нет
• монтаж скрытой проводки	нет
пригодность к использованию / для внешнего использования	нет
Подробнее	
характеристика изделия / корпуса / секционируемый корпус	да
число	
Количество замков	0

Количество дверей	0
-------------------	---

Механическая конструкция

высота	2 000 mm
ширина	1 200 mm
глубина	800 mm
<ul style="list-style-type: none"> • Вид крепления / монтаж 19 дюймов 	нет
<ul style="list-style-type: none"> • Вид крепления / напольный монтаж 	да
<ul style="list-style-type: none"> • вид крепления / настенный монтаж 	нет
вес-нетто	41 kg

Сертификаты

условное обозначение	
<ul style="list-style-type: none"> • согласно DIN EN 61346-2 	U
<ul style="list-style-type: none"> • согласно IEC 81346-2:2009 	UC

General Product Approval	Declaration of Conformity
--------------------------	---------------------------



[Miscellaneous](#)



[Miscellaneous](#)

EG-Konf.

Дополнительная информация

Information- and Downloadcenter (Catalogs, Brochures,...)

<http://www.siemens.com/lowvoltage/catalogs>

Industry Mall (Online ordering system)

<https://mall.industry.siemens.com/mall/ru/ru/Catalog/product?mlfb=8PQ1202-8BA02>

Service&Support (Manuals, Certificates, Characteristics, FAQs,...)

<https://support.industry.siemens.com/cs/ww/ru/ps/8PQ1202-8BA02>

Image database (product images, 2D dimension drawings, 3D models, device circuit diagrams, ...)

http://www.automation.siemens.com/bilddb/cax_en.aspx?mlfb=8PQ1202-8BA02

CAX-Online-Generator

<http://www.siemens.com/cax>

Tender specifications

<http://www.siemens.com/specifications>

