


SIVACON S4, Compartment door, for Compact circuit breaker 3RV1 with RCD, 3VL160, 3VL250, horizontal, Fixed mounting, Connection system, Number of switches: 1, IP40, H: 200 mm, W: 600 mm, Double bit



версия	
фирменное название продукта	SIVACON S4
наименование продукта	Дверца отсека
исполнение продукта	3VL160, 3VL250
исполнение поверхности	С порошковым покрытием
Исполнение продукта / Исполнение ЭМС	нет

класс защиты	
степень защиты IP	IP40

появление	
номер цвета RAL	RAL 7035
цвет	светло-серый

Подробнее	
Компонент продукта	
<ul style="list-style-type: none"> <li>• Вентиляция</li> <li>• Смотровая дверь</li> <li>• дверь для блокировки разъединителя</li> </ul>	<p>нет</p> <p>нет</p> <p>нет</p>

### Механическая конструкция

высота	200 mm
ширина	600 mm
Направление открывания двери	слева / справа
вес-нетто	3,1 kg
материал	стальной лист

### Сертификаты

условное обозначение

- согласно DIN EN 61346-2
- согласно IEC 81346-2:2009

U

UC

#### General Product Approval

#### Declaration of Conformity



[Miscellaneous](#)



[Miscellaneous](#)

VDE

EG-Konf.

### Дополнительная информация

**Information- and Downloadcenter (Catalogs, Brochures,...)**

<http://www.siemens.com/lowvoltage/catalogs>

**Industry Mall (Online ordering system)**

<https://mall.industry.siemens.com/mall/ru/ru/Catalog/product?mfb=8PQ2020-6BA32>

**Service&Support (Manuals, Certificates, Characteristics, FAQs,...)**

<https://support.industry.siemens.com/cs/ww/ru/ps/8PQ2020-6BA32>

**Image database (product images, 2D dimension drawings, 3D models, device circuit diagrams, ...)**

[http://www.automation.siemens.com/bilddb/cax\\_en.aspx?mfb=8PQ2020-6BA32](http://www.automation.siemens.com/bilddb/cax_en.aspx?mfb=8PQ2020-6BA32)

**CAX-Online-Generator**

<http://www.siemens.com/cax>

**Tender specifications**

<http://www.siemens.com/specifications>

