



<b>версия</b>	
исполнение поверхности	оцинкованный
Исполнение продукта / Исполнение ЭМС	нет
<b>класс защиты</b>	
степень защиты IP	IPX1
<b>пригодность</b>	
пригодность к использованию / для внешнего использования	нет
<b>появление</b>	
цвет	зеленый
<b>Подробнее</b>	
• компонент продукта / кабельный ввод	нет
• Компонент продукта / Вентиляция	нет
<b>Механическая конструкция</b>	
высота	62 mm
ширина	1 200 mm
глубина	400 mm

вес-нетто	6,44 kg
материал	стальной лист

## Сертификаты

условное обозначение

- согласно IEC 81346-2:2009

UC

### General Product Approval

### Declaration of Conformity



[Miscellaneous](#)



[Miscellaneous](#)

## Дополнительная информация

**Information- and Downloadcenter (Catalogs, Brochures,...)**

<http://www.siemens.com/lowvoltage/catalogs>

**Industry Mall (Online ordering system)**

<https://mall.industry.siemens.com/mall/ru/ru/Catalog/product?mlfb=8PQ2302-4BA03>

**Service&Support (Manuals, Certificates, Characteristics, FAQs,...)**

<https://support.industry.siemens.com/cs/ww/ru/ps/8PQ2302-4BA03>

**Image database (product images, 2D dimension drawings, 3D models, device circuit diagrams, ...)**

[http://www.automation.siemens.com/bilddb/cax\\_en.aspx?mlfb=8PQ2302-4BA03](http://www.automation.siemens.com/bilddb/cax_en.aspx?mlfb=8PQ2302-4BA03)

**CAX-Online-Generator**

<http://www.siemens.com/cax>

**Tender specifications**

<http://www.siemens.com/specifications>

