

SIVACON S4 Floor panel Degree of protection IP4X With cable entry
Width 600 mm Depth 400 mm



версия	
исполнение поверхности	оцинкованный
Исполнение продукта / Исполнение ЭМС	нет
класс защиты	
степень защиты IP	IP40
пригодность	
пригодность к использованию / для внешнего использования	нет
появление	
цвет	прочие
Подробнее	
• компонент продукта / кабельный ввод	да
• Компонент продукта / Вентиляция	нет
Механическая конструкция	
высота	25,5 mm
ширина	600 mm
глубина	400 mm

вес-нетто	3,35 kg
материал	стальной лист

Сертификаты

условное обозначение

- согласно IEC 81346-2:2009

UC

General Product Approval

Declaration of Conformity



[Miscellaneous](#)



EG-Konf.

[Miscellaneous](#)

Дополнительная информация

Information- and Downloadcenter (Catalogs, Brochures,...)

<http://www.siemens.com/lowvoltage/catalogs>

Industry Mall (Online ordering system)

<https://mall.industry.siemens.com/mall/ru/ru/Catalog/product?mlfb=8PQ2306-4BA06>

Service&Support (Manuals, Certificates, Characteristics, FAQs,...)

<https://support.industry.siemens.com/cs/ww/ru/ps/8PQ2306-4BA06>

Image database (product images, 2D dimension drawings, 3D models, device circuit diagrams, ...)

http://www.automation.siemens.com/bilddb/cax_en.aspx?mlfb=8PQ2306-4BA06

CAX-Online-Generator

<http://www.siemens.com/cax>

Tender specifications

<http://www.siemens.com/specifications>

