

PRODUCT-DETAILS

BEYR060505

EX Y PIECE FITTING NC32X25X25 BLK



Product image
not available

General Information

Extended Product Type	BEYR060505
Product ID	7TCA297120R0391
EAN	5011949240377
Catalog Description	EX Y PIECE FITTING NC32X25X25 BLK
Long Description	Splice Connector for Conduit, Y-Shape with Internal Female Thread, One End with Conduit Size 32mm/NW29, Two Ends with Conduit Size 25/NW23, IP68 Rating, Approved for Zones 1, 2, 21, 22, Modified Nylon 12 with Nickel Plated Threads, Black

Ordering

EAN	5011949240377
Customs Tariff Number	3926909990

Dimensions

Product Net Weight	.1 lb 45.351 g
--------------------	-------------------

Container Information

Package Level 1 Units	10 piece
Package Level 1 Width	11.9 in 302 mm

Package Level 1 Height	7.9 in 201 mm
Package Level 1 Depth / Length	8.3 in 211 mm
Package Level 2 Units	40 piece
Package Level 2 Width	15.8 in 401 mm
Package Level 2 Height	11.9 in 302 mm
Package Level 2 Depth / Length	8.3 in 211 mm

Additional Information

Application	For Indoor and Outdoor Applications for Zones 1, 2, 21, 22
Brand / Label	Kopex
Color	Black
Flexibility	Rigid
Material	Modified Nylon/Polyamide 12 with Nickel Plated Threads
Number of Batteries	0
Product Name	NYLON EX FITTING
Product Type	Y-Shaped Splice Connector
Size	1 End with Conduit Size 32mm/NW29, 2 Ends with Conduit Size 25/NW23
Special Functions	Prevents Electrostatic Charging
Standards	ATEX:SEV15ATATEX0121, IECEx:IECEx SEV15.0009, Ex eb IIC, Ex tb IIIC

Certificates and Declarations (Document Number)

Data Sheet, Technical Information	9AKK106930A7735
Declaration of Conformity - CE	9AKK107680A0674
Instructions and Manuals	BEYR060505

Classifications

ETIM 6	EC001172 - Coupler for corrugated plastic hoses
ETIM 7	EC001172 - Coupler for corrugated plastic hoses
UNSPSC	39131717
WEEE Category	Product Not in WEEE Scope
IDEA Granular Category Code (IGCC)	5746 >> Electrical conduit elbow

Categories

Low Voltage Products and Systems → Installation Products → Cable Protection, Explosion Proof and Lighting → Flexible Cable Protection Systems



Product image
not available