

PRODUCT-DETAILS

BESGR0303

EX STRAIGHT COUPLER NC16 BLK



Product image
not available

General Information

Extended Product Type	BESGR0303
Product ID	7TCA297120R0394
EAN	5011949240407
Catalog Description	EX STRAIGHT COUPLER NC16 BLK
Long Description	Splice Connector for Conduit, Straight with Internal Female Thread, Conduit Size 16mm/NW12, Length 66mm, Outside Diameter 23.5mm, IP68 Rating, Approved for Zones 1, 2, 21, 22, Modified Nylon 12 with Nickel Plated Threads, Black

Ordering

EAN	5011949240407
Customs Tariff Number	3926909990

Dimensions

Product Net Weight	.1 lb 45.351 g
--------------------	-------------------

Container Information

Package Level 1 Units	10 piece
Package Level 1 Width	11.9 in 302 mm

Package Level 1 Height	7.9 in 201 mm
Package Level 1 Depth / Length	8.3 in 211 mm
Package Level 2 Units	100 piece
Package Level 2 Width	11.9 in 302 mm
Package Level 2 Height	7.9 in 201 mm
Package Level 2 Depth / Length	8.3 in 211 mm

Additional Information

Application	For Indoor/Outdoor Applications to Connector Conduit
Brand / Label	Kopex
Color	Black
Material	Modified Nylon/Polyamide 12 with Nickel Plated Threads
Nominal Size	16mm/NW12
Number of Batteries	0
Outside Diameter	23.5 mm
Product Name	NYLON EX FITTING
Product Type	Splice Connector for Conduit
Special Functions	Prevents Electrostatic Charging
Standards	ATEX:SEV15ATATEX0121, IECEx:IECEX SEV15.0009

Certificates and Declarations (Document Number)

Data Sheet, Technical Information	9AKK106930A7761
Declaration of Conformity - CE	9AKK107680A0674
Instructions and Manuals	BESGR0303

Classifications

ETIM 6	EC001172 - Coupler for corrugated plastic hoses
ETIM 7	EC001172 - Coupler for corrugated plastic hoses
UNSPSC	39131707
WEEE Category	Product Not in WEEE Scope
IDEA Granular Category Code (IGCC)	5548 >> Electrical conduit coupling

Categories

Low Voltage Products and Systems → Installation Products → Cable Protection, Explosion Proof and Lighting → Flexible Cable Protection Systems



Product image
not available