
BCIV-S-17-BG

Conduit PA12 UL94-V2, RAL 7031, NW17





Products may differ in size, colour and appearance to those shown. If you require further information or customisation, please contact us directly.

Material	PA12 UL94-V2
Temp. range min	-40 °C
Temp. range max	110 °C
Operational areas	Railway technology
Product Color	RAL 7031
NW	17
External diameter ED	21 mm
Ø inside	15,8 mm
Profile width A	3,3 mm
Width B	2,9 mm
Bending radius R	36 mm
Wall thickness S	0,3 mm
Model	Standard profile
Type	BCIV-S-17-BG
Order no. RAL 7031	10107115
Packing unit	50 m
ETIM-Classification	EC001177

Recommended accessories

EBFS-17-20-BG	10106850
EBFS-17-25-BG	10106851
EMBFS-17-20-BG	10106883
EMBFS-17-25-BG	10106884

Your Contact:
WISKA Hoppmann GmbH
Kisdorfer Weg 28 · 24568 Kaltenkirchen · Germany
☎ +49-4191-508-0 · 🖷 +49-4191-508-209
contact@wiska.de · www.wiska.com


Other technical data on request / subject to change without notice

EMBFSI-17-20-BG	10106917
BCC-17-BG	10106934
EBF45-17-20-BG	10106951
EBF90-17-20-BG	10106969
EMBF45-17-20-BG	10106987
EMBF45-17-25-BG	10106988
EMBF90-17-20-BG	10107003
EMBF90-17-25-BG	10107004
BCAV-S-17-BG	10107099
EMBF45I-17-20-BG	10107335
EMBF90I-17-20-BG	10107357
EMBFSCG-17-20-BG	10107374
EMBF45CG-17-20-BG	10107988
EMBF90CG-17-20-BG	10108001
EBF45-17-25-BG	10108872
EBF90-17-25-BG	10108886

14.01.2021

Your Contact:
WISKA Hoppmann GmbH
Kisdorfer Weg 28 · 24568 Kaltenkirchen · Germany
☎ +49-4191-508-0 · 🖷 +49-4191-508-209
contact@wiska.de · www.wiska.com

Other technical data on request / subject to change without notice



Your Contact:
WISKA Hoppmann GmbH
Kisdorfer Weg 28 · 24568 Kaltenkirchen · Germany
☎ +49-4191-508-0 · 🖷 +49-4191-508-209
contact@wiska.de · www.wiska.com

Other technical data on request / subject to change without notice