


BCAV-H-17-BK

Conduit, PA 6 V2, heavyweight, RAL 9005, NW17



Products may differ in size, colour and appearance to those shown. If you require further information or customisation, please contact us directly.



Material	PA6 UL94-V2
Temp. range min	-40 °C
Temp. range max	125 °C
Operational areas	Heavy mechanical engineering
Product Color	RAL 9005
NW	17
External diameter ED	21 mm
Ø inside	15,3 mm
Profile width A	3,3 mm
Width B	2,3 mm
Bending radius R	55 mm
Wall thickness S	0,5 mm
Model	heavy
Type	BCAV-H-17-BK
Order no. RAL 9005	10109202
Packing unit	50 m
ETIM-Classification	EC001175

Recommended accessories

EBFS-17-20-BK	10106867
EBFS-17-25-BK	10106868
EMBFS-17-20-BK	10106899
EMBFS-17-25-BK	10106900

Your Contact:

WISKA Hoppmann GmbH

Kisdorfer Weg 28 · 24568 Kaltenkirchen · Germany

☎ +49-4191-508-0 · 📠 +49-4191-508-209

contact@wiska.de · www.wiska.com

EMBF5I-17-20-BK	10106925
BCC-17-BK	10106943
EBF45-17-20-BK	10106959
EBF90-17-20-BK	10106977
EMBF90-17-20-BK	10107018
EMBF90-17-25-BK	10107019
EMBF45-17-20-BK	10107323
EMBF45-17-25-BK	10107324
EMBF45I-17-20-BK	10107342
EMBF90I-17-20-BK	10107366
EMBFSCG-17-20-BK	10107382
EMBF45CG-17-20-BK	10107994
EMBF90CG-17-20-BK	10108008
EBF45-17-25-BK	10108878
EBF90-17-25-BK	10108893

14.01.2021


Your Contact:

WISKA Hoppmann GmbH

Kisdorfer Weg 28 · 24568 Kaltenkirchen · Germany

☎ +49-4191-508-0 · 📠 +49-4191-508-209

contact@wiska.de · www.wiska.com



Your Contact:

WISKA Hoppmann GmbH

Kisdorfer Weg 28 · 24568 Kaltenkirchen · Germany

☎ +49-4191-508-0 · 📠 +49-4191-508-209

✉ contact@wiska.de · 🌐 www.wiska.com