
BCIB-H-36-BK

Conduit, PA 12 HB, heavyweight, RAL 9005, NW36





Products may differ in size, colour and appearance to those shown. If you require further information or customisation, please contact us directly.

Material	PA12 UL94-HB
Temp. range min	-40 °C
Temp. range max	120 °C
Operational areas	Robotics applications
Product Color	RAL 9005
NW	36
External diameter ED	42,5 mm
Ø inside	35,2 mm
Profile width A	4,2 mm
Width B	4,1 mm
Bending radius R	81 mm
Wall thickness S	0,7 mm
Model	heavy
Type	BCIB-H-36-BK
Order no. RAL 9005	10109227
Packing unit	25 m
ETIM-Classification	EC001175

Recommended accessories

EBFS-36-40-BK	10106873
EBFS-36-50-BK	10106874
EMBFS-36-40-BK	10106905
EMBFS-36-50-BK	10106906

Your Contact:
WISKA Hoppmann GmbH
Kisdorfer Weg 28 · 24568 Kaltenkirchen · Germany
☎ +49-4191-508-0 · 🖷 +49-4191-508-209
contact@wiska.de · www.wiska.com


Other technical data on request / subject to change without notice

EMBFSI-36-40-BK	10106928
BCC-36-BK	10106946
EBF45-36-40-BK	10106962
EBF90-36-40-BK	10106980
EMBF90-36-40-BK	10107024
EMBF90-36-50-BK	10107025
EMBF45-36-40-BK	10107329
EMBF45-36-50-BK	10107330
EMBF45I-36-40-BK	10107345
EMBF90I-36-40-BK	10107369
EMBFSCG-36-40-BK	10107385
EMBF45CG-36-40-BK	10107997
EMBF90CG-36-40-BK	10108011
EBF45-36-50-BK	10108881

14.01.2021

Your Contact:
WISKA Hoppmann GmbH
Kisdorfer Weg 28 · 24568 Kaltenkirchen · Germany
☎ +49-4191-508-0 · 🖷 +49-4191-508-209
contact@wiska.de · www.wiska.com

Other technical data on request / subject to change without notice



Your Contact:
WISKA Hoppmann GmbH
Kisdorfer Weg 28 · 24568 Kaltenkirchen · Germany
☎ +49-4191-508-0 · 🖷 +49-4191-508-209
contact@wiska.de · www.wiska.com

Other technical data on request / subject to change without notice