


BUILDING INSTALLATIONS



## Cable routing systems

**OBO**  
BETTERMANN

# Building Connections



Digitalisation, the Energiewende (energy transition), mobility – the future is gathering speed. At OBO Bettermann, we're proud to be a driving force. And as a facilitator, we make connections. Today, we are already developing the innovative electrical infrastructure systems and solutions of tomorrow. Reliably, flexibly, sustainably.

Already today, OBO is one of the leading manufacturers of installation systems for the electrical infrastructure in buildings and plants. When it comes to the friction-free flow of power, energy and data, engineers and tradespeople worldwide rely on the comprehensive range from OBO.



OBO applies its slogan "Building Connections" to around 30,000 high-quality branded electrical products and services, which are used in application solutions for projects in industry, business and infrastructure.

OBO operates a global network and employs more than 4,200 people in more than 60 countries. The headquarters of the family company, which was founded in 1911, is located in Menden, Germany. In addition, more than 40 subsidiaries are present in markets on all continents.

# Improved structure, sharpened profile



Each of our products carries a benefit which only the OBO brand can offer. Products are developed, manufactured and tested with a high level of competence – from the idea through to the final check. From flawless logistics through to practical information – we can provide support at every level. We can offer additional security through certificates on the conformity of our products with the most important standards and directives. In a nutshell – OBO helps you more. In every location and in every phase of a project.


To maintain this, we continually challenge ourselves. Not as an end in itself but for the better processing of each customer's requests – fast, reliably and future-oriented. That is the reason we have not only established our three central application areas, but also reworked our catalogue structure. In this way, we can display our service offers more clearly, highlight the product benefits more effectively and illustrate the respective application areas more tangibly.

# OBO Product Worlds



## Industrial installations

- Cable support systems
- Connection and routing systems
- Fastening material



## Building installations

- Cable routing systems
- Device installation ducts, trunking and poles
- Floor installation systems and underfloor applications
- Installation systems




## Safety and protection installations

- Surge protection
- External lightning protection
- Equipotential bonding and earthing
- Insulation and cable bandages
- Fire-tested support and routing systems
- Fire protection ducts



It's your choice – from now on there's a catalogue for each OBO product category. Simply select the catalogues and order together with a collection case.

# OBO Support & contact



**You have a  
problem?  
We have the  
solution!**

OBO Bettermann is more than the sum of its products. In any situation, we are the reliable partner right by your side. You have a problem? We have the solution!

It doesn't matter in which area of industry our support is needed – from industrial and plant engineering to private, public and administrative buildings, as well as in the areas of mobility and renewable energies – we have everything that you need.

OBO can not only provide the entire electro-technical infrastructure with the best possible products. We can also support you with sound expert knowledge and more than 100 years of experience, right from the planning phase through to the realisation of your projects. OBO – solutions you can rely on.

## What is OBO Support?

Every OBO product carries a plus inside it, which only a branded product can offer. It is developed, manufactured and tested with a high level of competence, from the idea right through to the final check. In addition, our specialists are available for consultation and can offer you assistance and training courses for products at any time.

Together with you, we plan your project and help you choose the right products, and are also available to you at any time should you need us. From flawless logistics through to practical information – we can provide support at every level. We can offer security through certificates on the conformity of our products with the most important standards and directives.

We are as flexible as you are – because we know how practical people work and what is important to them. Each step is a plus – that is the OBO Support concept.

## Customer Service Tel.: +49 23 73 89 - 17 00

**Monday–Thursday**  
07.30–17.00

**Friday**  
07.30–15.00

**export@obo.de**



Service



Training



Handling



Certification

### Service – OBO can help

Everywhere and in every project phase:

- Highly competent hotline
- Product and system information, digitally or printed
- Selection and planning aids on the web, as an app, as a CAD application or in printed form
- 2D and 3D product data for planning
- Field service, branch offices and subsidiaries in 60 countries
- Engineering services for major projects

### Handling – OBO delivers reliably

With optimised delivery processes:

- Reliable logistics
- Practical transport systems and packaging
- Loading gear handling and disposal concepts

### Certification and guarantee

OBO offers safety. Our products fulfil the most important country-specific regulations:

- Conformity (e.g. IEC, VDE, CE, KEMA, KEUR, UL)
- Certification (e.g. DIN EN, DGNB)
- 5-year guarantee for surge protection products
- Guarantee management

### Training courses from OBO

- Seminars and workshops
- Local consultation and training courses
- Planner days



<b>Planning aids</b>	Page 10	
<b>Plastic cable routing trunking</b>	Page 30	
<b>Plastic cable routing trunking, halogen-free</b>	Page 120	
<b>Metal cable routing trunking</b>	Page 142	
<b>Skirting trunking</b>	Page 170	
<b>Wiring trunking</b>	Page 202	
<b>Directories</b>	Page 256	



# Planning aids



Inclusion of the cable routing systems and metal service poles in the service measures	12
Who needs to observe which standards?	14
How can I work out the cable volume?	15
Basic values for the calculation of the cable volume	16
Processing materials with the correct tool	17
Halogen-free cable routing systems	18
Individual special colours	20
Powder coatings for indoor use	21
Plastic materials	22
European classification according to EN 50085-1	25
Chemical resistances of hard PVC	28

# Inclusion of the cable routing systems and metal service poles in the service measures



## Specifications for safety measures

If there is a fault, touchable metallic parts must not carry voltage. For this reason, it is necessary to carry out appropriate safety measures. These are specified in the currently valid standards. For the creation of cable routing systems the standards DIN EN 50085-1 and DIN EN 50085-2-1 apply, for the installation itself the erector regulations DIN VDE 0100 Part 410 and 540 (safety measure against dangerous shock currents) are applicable.

## Different installation types in the European standard

The European standard DIN EN 50085-1 takes different installation types into account, as they are used in different countries within the EU. While only equipotential bonding testing was previously required for installation trunking systems, now the listed component standards also require protective conductor functions. This is because, in some countries, it is possible to route insulated cable in trunking.

## All metallic components must be included

DIN EN 50085-1 requires that all the metallic components can be included in the protective measures. The manufacturers must carry out the appropriate tests and document them. OBO installation trunking is also tested and certified by an external testing office – that of the VDE.

## Testing the effectiveness by the installation engineers

The erection engineer (installation engineer) must test the effectiveness of the protection measures in accordance with DIN VDE 0100 Part 610 after completion. The tightening torque of the contact screws on the earthing terminals and the proper mounting of the couplings must be ensured.




### Continuous protection measures

If the trunking is interrupted at a wall penetration, then continuation of the protective measures is required, as the trunking forms a foreign, conductive part in this case, which spreads through different areas of a building.

With the LKM metallic cable routing trunking, the connection between the cover and base is made without an additional earthing cable. Joint connectors guarantee equipotential bonding between the bases.

Important: Powder-coated metallic covers do not count as mixed construction and are thus not considered as insulating! They should therefore be included in the protection measures. The sheet steel partition is self-contacting. The shielding measure reduces electro-smog and generally achieves improved EMC protection. Protective conductor connections should be created permanently. If there is a change to the system, e.g. for retro-installations, it is important to guarantee the maintenance of the protective functions.

# Who needs to observe which standards?




## OBO as a manufacturer

Standard	Title	OBO system
DIN EN 50085-1 Device testing directive	Installation trunking systems for electrical installations – Part 1: General requirements.	All systems
DIN EN 50085-2-1	Special requirements for electrical installation trunking systems on walls or ceilings.	WDK, LKM, SKL, GEK-K, GEK-S, GEK-A
DIN EN 50085-2-2	Special requirements for electrical installation systems for underfloor, flushfloor or on-floor mounting.	Underfloor systems
DIN EN 50085-2-3	Special requirements for wiring trunking systems for installation in switchgear cabinets.	Wiring trunking systems
DIN EN 50085-2-4	Special requirements for free-standing installation units.	Service pole systems

## The installation engineer as systems engineer

Standard	Title	OBO system
VDE 0100 Part 410	Set-up of electrical systems with rated voltages of up to 1,000 V. Protection against electric shock.	All systems
VDE 0100 Part 520	Set-up of electrical systems with rated voltages of up to 1,000 V. Cables.	All systems
VDE 0100 Part 540	Set-up of electrical systems with rated voltages of up to 1,000 V. Equipotential bonding.	All systems
VDE 0100 Part 610	Set-up of electrical systems with rated voltages of up to 1,000 V. First testing of electrical systems before handover to the operator.	All systems
VDE 0298	Set-up of electrical systems with rated voltages of up to 1,000 V. Insulated cables in heavy current systems.	All systems
DIN EN 50310	Application of equipotential bonding and earthing in buildings with information technology equipment.	All systems

# How can I work out the cable volume?



Cable diameter and space required; 1 = diameter in mm, 2 = space required in cm<sup>2</sup>

An important criterion for the selection of the right trunking size of the underfloor system is the cable volume. As the cables are never packed tightly together or are absolutely parallel, it is not enough to base the volume calculation solely on the cable diameter. A realistic calculation is provided by the formula  $(2r)^2$ . To simplify your work, we have listed the diameters and space requirements of the most important cable types on this double page. Important: the values are average values, which may vary between manufacturers. Please refer to the manufacturer's specifications for the exact values.



## The right choice

The table on the next pages will help you to select the correct trunking size. Besides the usable cross-section of the appropriate trunking, please observe the current DIN/VDE standards for the fill factor and the approved cable heating.

## Calculation with the formula $(2r)^2$

The diameter says little about the actual space required by a cable. Calculate:  $(2r)^2$ . This value reflects the realistic space requirements, including the compartments.

# Basic values for the calculation of the cable volume



**Insulated power cables**

Type	Diameter mm	Usable cross-section cm <sup>2</sup>
1 x 4	6.5	0.42
1 x 6	7	0.49
1 x 10	8	0.64
1 x 16	9.5	0.9
1 x 25	12.5	1.56
3 x 1.5	8.5	0.72
3 x 2.5	9.5	0.9
3 x 4	11	1.21
4 x 1.5	9	0.81
4 x 2.5	10.5	1.1
4 x 4	12.5	1.56
4 x 6	13.5	1.82
4 x 10	16.5	2.72
4 x 16	19	3.61
4 x 25	23.5	5.52
4 x 35	26	6.76
5 x 1.5	9.5	0.9
5 x 2.5	11	1.21
5 x 4	13.5	1.82
5 x 6	14.5	2.1
5 x 10	18	3.24
5 x 16	21.5	4.62
5 x 25	26	6.76
7 x 1.5	10.5	1.1
7 x 2.5	13	1.69

**Insulated power cables**

Type	Diameter mm	Usable cross-section cm <sup>2</sup>
1 x 10	10.5	1.1
1 x 16	11.5	1.32
1 x 25	12.5	1.56
1 x 35	13.5	1.82
1 x 50	15.5	2.4
1 x 70	16.5	2.72
1 x 95	18.5	3.42
1 x 120	20.5	4.2
1 x 150	22.5	5.06
1 x 185	25	6.25
1 x 240	28	7.84
1 x 300	30	9
3 x 1.5	11.5	1.32
3 x 2.5	12.5	1.56
3 x 10	17.5	3.06
3 x 16	19.5	3.8
3 x 50	26	6.76
3 x 70	30	9
3 x 120	36	12.96
4 x 1.5	12.5	1.56
4 x 2.5	13.5	1.82
4 x 6	16.5	2.72
4 x 10	18.5	3.42
4 x 16	21.5	4.62
4 x 25	25.5	6.5
4 x 35	28	7.84
4 x 50	30	9
4 x 70	34	11.56
4 x 95	39	15.21
4 x 120	42	17.64
4 x 150	47	22
4 x 185	52	27
4 x 240	58	33.6
5 x 1.5	13.5	1.82
5 x 2.5	14.5	2.1
5 x 6	18.5	3.42
5 x 10	20.5	4.2
5 x 16	22.5	5.06
5 x 25	27.5	7.56
5 x 35	34	11.56
5 x 50	40	16

**Telecommunications cables**

Type	Diameter mm	Usable cross-section cm <sup>2</sup>
2 x 2 x 0.6	5	0.25
4 x 2 x 0.6	5.5	0.3
6 x 2 x 0.6	6.5	0.42
10 x 2 x 0.6	7.5	0.56
20 x 2 x 0.6	9	0.81
40 x 2 x 0.6	11	1.12
60 x 2 x 0.6	13	1.69
100 x 2 x 0.6	17	2.89
200 x 2 x 0.6	23	5.29
2 x 2 x 0.8	6	0.36
4 x 2 x 0.8	7	0.49
6 x 2 x 0.8	8.5	0.72
10 x 2 x 0.8	9.5	0.9
20 x 2 x 0.8	13	1.69
40 x 2 x 0.8	16.5	2.72
60 x 2 x 0.8	20	4
100 x 2 x 0.8	25.5	6.5
200 x 2 x 0.8	32	10.24



**Coax cable (Standard)**

Type	Diameter mm	Usable cross-section cm <sup>2</sup>
SAT/BK cable	6.8	0.48



**IT cables type Cat...**

Type	Diameter mm	Usable cross-section cm <sup>2</sup>
Cat. 5	8	0.64
Cat. 6	8	0.64



# Processing materials with the correct tool

Different materials must be processed differently. Chop saws have proved to be very useful when laying device installation trunking. This allows exact cutting.

For trunking made of PVC and PC/ABS:

- Hand saw, fine-tooth (iron saw)
- Piercing saw with iron or plastic saw blade with fine teeth
- Circular saw with plastic saw blade, 350 mm diameter, 80–108 teeth/inch and 2,800 rpm

For ducts and trunking made of sheet steel and aluminium:

- Ribbon saw with saw ribbon for hard metals
- Circular saw with saw blade for hard metals, 350 mm diameter, 80–108 teeth/inch and 2,800 rpm
- Angle grinder with metal separating disc

Thermal expansion coefficient:

- Steel:  $14 \times 10^{-6}$  1/K
- Aluminium:  $23.1 \times 10^{-6}$  1/K
- Hard PVC:  $71 \times 10^{-6}$  1/K

## Take the length expansion of the materials into account

Different materials expand differently and this must be taken into account. The expansion of the materials PVC, steel and aluminium can be calculated using the formula below.

$$\Delta L = L \cdot \alpha \cdot \Delta T$$

$L$  = Length m

$\alpha$  = Thermal expansion co-efficient

$\Delta T$  = Temperature change

## Examples

At a temperature difference  $\Delta T$  of 20 °C, the 2,000 mm standard length changes as follows:

- For hard PVC, 2.84 mm
- For steel, 0.56 mm
- For aluminium, 0.924 mm

## Perfect interplay for more efficient working


Faster and better installation sequences – this is the aim of both ourselves and the manufacturers of electrical devices. Previously used bolt-firing devices have thus become modern nail guns. With its Pulsa 700E, Spit can offer devices of the highest quality for this area of the electrical industry. Many OBO products can be processed particularly efficiently using the devices. This is proved by tests for mounting cable and device installation trunking, carried out with Spit devices.

## Properties of the hard PVC used

Property	Value	DIN
Material designation	PVC-U-E-D-08-04-28	to DIN 7748
Tensile strength	min. 40 N/mm <sup>2</sup>	to DIN 53 455
Crack expansion	min. 85%	to DIN 53 455
Breakdown voltage	min. 20 KV/mm	to DIN 53 481
Surface resistance	min. 1010 Ohm	to DIN 53 455
Shape heat resistance	min. 75 °C	to DIN 53 400/B
Temperature resistance in the application	max. 65 °C	
Flammability	Level V0	to UL 94

You can find more details in the chapter "Chemical resistance of hard PVC" in the "Additional information" part.

# Halogen-free cable routing systems



## This is what it's all about:

- If there is a fire, halogen-free materials reduce the amount of toxic smoke gases. They do not create any corrosive substances.
- In many public buildings, insurance companies require halogen-free materials to protect people and property.
- Particularly in public areas, halogen-free OBO cable routing systems are a safe choice.

Low smoke gas production, low corrosion, safe. Halogen-free installation materials belong in any fire protection plan.

### Dangerous smoke gases from plastics

Plastics have good insulating properties and can be processed easily. However, during a fire they can create aggressive gases. A danger to people and property.

### Heavy smoke creation

Flame-protection agents, based on halogen compounds such as fluorine, iodine, chlorine and bromine, are used to keep the flammability of PVC low. If there is a fire, this safety aspect becomes a dangerous disadvantage: toxic smoke gases, such as carbon dioxide and carbon monoxide, are created. These usually endanger people far faster than flames and heat. For example, in the fire catastrophe at Düsseldorf Airport in 1996 or in the Tauern Tunnel in 1999, considerable quantities of burned plastics contributed to the formation of smoke and hazardous substances. A highly toxic mixture, which can be lethal after just a few breaths.

### Protecting existing buildings better

To ensure increased protection of properties in the event of fire and to prevent subsequent fire damage and costs, halogen-free cable routing systems (made of PC/ABS) must be installed in many public buildings. Standard PVC releases corrosive hydrogen chloride gas, which, in conjunction with the moisture of the extinguishing water, produces hydrochloric acid. Hydrochloric acid presents a wealth of risks: On the one hand, it is harmful to health, as it irritates the respiratory passages and, on the other hand, it attacks buildings because it eats its way through metals and, as an electrically conductive substance, can lead to short circuits. This is why all the halogen-free cable routing systems meet the requirements of DIN EN 50085.



**HALOGEN  
FREE**



OBO halogen-free cable routing systems protect people, the environment and property. All the products are made from high-quality PC/ABS (polycarbonate/acrylonitrile butadiene styrene). This material is one of the self-extinguishing plastics.

For safe cable routing, OBO offers halogen-free WDKH wall and ceiling trunking and Rapid 80 device installation trunking. Both cable routing systems are available in all the standard dimensions. They are easy to mount, and are stable, are produced to a high level of quality and are dimensionally stable.

#### The safety aspects

- Low smoke creation
- Low toxicity of the smoke gases
- Scarcely any release of corrosive gases
- Perfectly suitable for public areas

#### Rapid 80 GKH halogen-free


Rapid 80 device installation trunking allows flexible and quick access to energy and data on the wall. It is primarily used in public facilities and offices.

#### WDKH halogen-free

OBO wall and ceiling trunking ensures safe cable routing. It can be used as wall or ceiling trunking.



# Individual special colours



## Plastic trunking

The wide range of standard colours and the many possible special colours mean that it is possible to integrate the colour of the cable routing systems into any office landscape. The plastic cable routing trunking and device installation trunking systems are available in the RAL colours pure white (RAL 9010), light grey (RAL 7035), grey (RAL 7030) and cream (RAL 9001) as standard.

## Sheet steel and aluminium trunking

The device installation trunking systems and service poles are made of sheet steel or aluminium and are available in the standard colours pure white, light grey and cream. Powder coating means that all the other RAL colours are possible on sheet steel and aluminium trunking. Alternatively to the RAL standard, both NCS and DB colours can be applied on request.

## Colour deviations

Material-dependent colour deviations may occur on PVC trunking and fittings. This is caused by the differences in gloss on each individual surface. They only absorb a part of the light. "Silky matt" painted surfaces and "matted" surfaces on moulded parts have different structures and thus different levels of gloss. Absolute evenness is impossible. With a shiny surface, a colour appears lighter (greater reflection) and, with a matt surface, darker (greater absorption). Measurement of the differences is therefore extremely difficult.

# Powder coatings for indoor use



## **Versatile. Attractive. Robust.**

Powdered surface coatings offer a wide range of options. They turn a standard product into an individual solution, whose colour and function are matched exactly to your requirements. The colour and structure ensure a decorative exterior, whilst the coating properties offer high resistance to chemicals, very good corrosion protection and the best possible insulation properties.

<b>Basic</b>	Sheet steel or aluminium
<b>Coating</b>	Epoxy powder-coating
<b>Standard colours</b>	RAL 9010, pure white RAL 9001, cream white RAL 7035, light grey RAL 9016, traffic white
<b>Special colours</b>	RAL, NCS and DB colours Metallic colours
<b>Surface structure</b>	Standard structure: Smooth transitions, different variants from fine to coarse
<b>Surface shine level</b>	Standard gloss level: Approx. 22% diverse variants from matt to high-gloss
<b>Variants</b>	Anti-bacterial High resistance to abrasion

# Plastic materials

<b>ABS/ ASA</b>	<b>Acrylonitrile butadiene styrene</b>
<b>Temperature resistance:</b>	To about minus 40 °C*, permanently up to 70 °C, briefly up to 85 °C
<b>Resistant to:</b>	Formic acid, citric acid, lactic acid
<b>Unstable with:</b>	Acetone, petrol, benzene, solvents for paints and butyric acid, chlorine, acetic acid, nitric acid.
<b>Conditionally resistant to:</b>	Hydrochloric acid, sulphuric acid.
<b>Risk of stress cracks:</b>	Relatively high, similar to polystyrene.
<b>PA</b>	<b>Polyamide</b>
<b>Temperature resistance:</b>	Permanently up to approx. 90 °C, briefly up to around 130 °C, and to around minus 40 °C*
<b>Resistant to:</b>	Petrol, benzene, diesel oil, acetone, solvents for paints and lacquers, oils and greases
<b>Unstable with:</b>	Bleach, most acids, chlorine.
<b>Risk of stress cracks:</b>	Low in humid conditions; only with some aqueous salt solutions. Highly desiccated parts (high temperature and extremely low air humidity) are highly sensitive to fuels and various solvents.
<b>PA/ GF</b>	<b>Polyamide, fibreglass reinforced</b>
<b>Temperature resistance:</b>	Permanently up to approx. 100–110 °C, briefly up to around 160 °C, and to around minus 40 °C*
<b>Resistant to:</b>	Petrol, benzene, diesel oil, acetone, solvents for paints and lacquers, oils and greases. Slightly susceptible to stress cracking.
<b>Unstable with:</b>	Bleach, most acids, chlorine.
<b>Risk of stress cracks:</b>	Low in humid conditions; only with some aqueous salt solutions. Highly desiccated parts (high temperature and extremely low air humidity) are highly sensitive to fuels and various solvents.
<b>PBPT</b>	<b>Polybutylene terephthalate</b>
<b>Temperature resistance:</b>	Permanently up to approx. 120 °C, briefly up to around 140 °C and to around minus 40 °C*.
<b>Resistant to:</b>	Petrol, diesel oil, most weak acids, oils and greases.
<b>Unstable with:</b>	Strong acids, chlorine, fluorine, bromine vapour, bleach, trichloroethylene, methylene chloride.
<b>Conditionally resistant to:</b>	Acetone, ammonia, benzene.
<b>PE</b>	<b>Polyethylene</b>
<b>Temperature resistance:</b>	Hard types permanently up to approx. 90 °C, briefly up to approx. 105 °C, soft types permanently up to approx. 80 °C, briefly up to approx. 100 °C and to approx. minus 40 °C*.
<b>Resistant to:</b>	Alkalies and inorganic acids.
<b>Unstable with:</b>	Chlorine, hydrocarbons, oxidising acids.
<b>Conditionally resistant to:</b>	Acetone, organic acids, petrol, benzene, diesel oil, most oils.
<b>Risk of stress cracks:</b>	Stress cracks can be caused by, among other things, acetone, various alcohols, formic acid, ethanol, petrol, benzene, butyric acid, acetic acid, formaldehyde, various oils, petroleum, propanol, nitric acid, hydrochloric acid, sulphuric acid, soap solutions, turpentine, trichloroethylene, citric acid.



<b>PP/GF</b>	<b>Polypropylene, fibreglass reinforced</b>
<b>Temperature resistance:</b>	Permanently up to approx. 90 °C, briefly up to around 110 °C, and to around minus 30 °C. Chem. resistance generally as for polyethylene
<b>Resistant to:</b>	Alkalies and inorganic structures
<b>Unstable with:</b>	Chlorine, hydrocarbons, oxidising acids.
<b>Risk of stress cracks:</b>	Low, only with some acids such as chromic acid, hydrofluoric acid and hydrochloric acid, as well as nitrogen oxide.
<b>PC</b>	<b>Polycarbonate</b>
<b>Temperature resistance:</b>	Permanently up to approx. 110 °C (in water 60 °C), briefly up to 125 °C, and to below minus 35 °C*
<b>Resistant to:</b>	Petrol, turpentine, most weak acids.
<b>Unstable with:</b>	Acetone, benzene, chlorine, methylene chloride, most concentrated acids.
<b>Risk of stress cracks:</b>	Relatively low, media which can cause tension cracking include petrol, aromatic hydrocarbons, methanol, butanol, acetone, turpentine.
<b>PC / ABS</b>	<b>Polycarbonate/acrylonitrile butadiene styrene</b>
<b>Temperature resistance:</b>	-30 °C to + 90 °C, briefly up to approx. 105 °C, melting range at approx. 200 °C, thermal decomposition at 300 °C. Material thicknesses of 1.5 mm or more can achieve UL94 V-0. At material thicknesses of 1 mm or more, the glow wire temperature of 960 °C according to IEC 60695-2-12 is achieved.
<b>Resistant to:</b>	Mineral acids, organic acids and aqueous salt solutions
<b>Conditionally resistant to:</b>	Alkalies, hydrocarbons, aromatics and (in trace form) a series of greases and oils.
<b>POM</b>	<b>Polyacetal</b>
<b>Temperature resistance:</b>	Permanently up to approx. 100 °C, briefly up to around 130 °C and to around minus 40 °C*
<b>Resistant to:</b>	Acetone, ether, petrol, weak acetic acid, benzene, heating oil, oils and greases, toluene.
<b>Unstable with:</b>	Methylene chloride, trichloroethylene, hydrochloric acid, nitric acid, sulphuric acid.
<b>Risk of stress cracks:</b>	Low
<b>PP</b>	<b>Polypropylene</b>
<b>Temperature resistance:</b>	Permanently up to approx. 90 °C, briefly up to around 110 °C, and to around minus 30 °C. Chemical resistance generally as for polyethylene.
<b>Resistant to:</b>	Alkalies and inorganic acids.
<b>Unstable with:</b>	Chlorine, hydrocarbons, oxidising acids.
<b>Conditionally resistant to:</b>	Acetone, organic acids, petrol, benzene, diesel oil, most oils.
<b>Risk of stress cracks:</b>	Low, only with some acids such as chromic acid, hydrofluoric acid and hydrochloric acid, as well as nitrogen oxide.
<b>PS</b>	<b>Polystyrene</b>
<b>Temperature resistance:</b>	Because of its relatively high sensitivity to the effects of chemicals, its use is not recommended at temperatures above normal room temperature, about 25 °C. Resistance to cold: to about minus 40 °C*.
<b>Resistant to:</b>	Alkalies, most acids, alcohol.
<b>Unstable with:</b>	Butyric acid, concentrated nitric acid, concentrated acetic acid, acetone, ether, petrol and benzene, solvents for paints and lacquers, chlorine, diesel fuel.
<b>Conditionally resistant to:</b>	Oils and greases.
<b>Risk of stress cracks:</b>	Relatively high. Stress cracks can be caused by, among other things, acetone, ether, petrol, cyclohexane, heptane, methanol, propanol and the softeners of some mixes used in PVC cables.



PVC	Polyvinyl chloride
<b>Temperature resistance:</b>	Permanently up to approx. 65 °C, briefly up to around 75 °C and to around minus 30 °C.
<b>Resistant to:</b>	Weak acids, alkalis, oils and greases, petrol
<b>Unstable with:</b>	Strong acids, benzene, acetone, iodine, toluene, trichloroethylene.
<b>Risk of stress cracks:</b>	Low, only with some solvents such as benzene and acetone.
<b>Material designation according to DIN 7748:</b>	PVC-U-E-D-080-04-28
<b>Tensile strength to DIN 53 455:</b>	Min. 40 N/mm <sup>2</sup>
<b>Elongation at tear according to DIN 53 455:</b>	Min. 65%
<b>Impact resistance according to DIN 53 481:</b>	Min. 20 KV/mm
<b>Surface resistance according to DIN 53 482:</b>	Min. 10 10
<b>Thermoforming resistance according to DIN 53 460/B:</b>	Min. 75 °C
<b>Flammability according to UL 94:</b>	Level V0
<b>Fire behaviour according to EN 13501-1</b>	B-s3, d0

The minus values apply only for parts in the idle condition with no severe impact stress. There is no plastic that is resistant to every chemical. The agents listed are only a small selection. Plastic parts are especially at risk in the presence of chemicals and high temperatures. Stress cracks may occur. If in doubt, please consult us and/or ask for a detailed chemical resistance table. Stress crack formation: Stress cracks may occur if plastic parts under

tension are exposed to chemicals at the same time. Parts made of polystyrene and polyethylene are particularly susceptible. Stress cracks may even be caused by agents to which the plastic in question is resistant in the absence of stress. Typical examples of parts under constant stress when used as intended: grip clips, intermediate connectors of cable glands, ribbon clips.

# European classification according to EN 50085-1

## Classification to EN 50085-1

		WDK cable duct	WDKH cable duct	LKM cable routing trunking	SKL skirting duct	VK wiring duct	VKH wiring duct	Rapid 45-2 GK PVC device installation duct	Rapid 45-2 GA aluminium device installation duct	Rapid 80 GK PVC device installation duct	Rapid 80 GK PC/ABS device installation duct	Rapid 80 GS steel device installation duct	Rapid 80 GA aluminium device installation duct	ISS industrial service pole
6.1	According to material	*2												
6.2	According to impact resistance for installation and application		*1											
6.2.1	Electrical installation duct systems for impact energy 0.5 J	x	*1				x							
6.2.2	Electrical installation duct systems for impact energy 1 J		*1											
6.2.3	Electrical installation trunking systems for impact energy 2 J	X	*1	x										
6.2.4	Electrical installation trunking systems for impact energy 5 J		*1						*1	x	x			
6.2.5	Electrical installation trunking systems for impact energy 20 J			*1					x		x	x	x	
6.3	According to temperature, as specified in the Tables 1, 2 and 3													
	Table 1: Minimum storage and transport temperatures $\pm 2^\circ\text{C}$													
	-45													
	-25 °C		x	x			x	x	x		x	x	x	x
	-15 °C				x					x	x			
	-5	x			x									
	Table 2: Minimum installation and application temperatures $\pm 2^\circ\text{C}$													
	-25 °C			x								x	x	x
	-15 °C							x	x	x	x			
	-5	x	x		x									
	+5													
	+15													
	Table 3: Maximum application temperatures $\pm 2^\circ\text{C}$													
	+60	x		x	x		x	x	x	x	x	x	x	x
	+90		x			x			x		x			
	+105													
	+120													
6.4	According to the resistance against fire spread													
6.4.1	Electrical installation duct systems which permit the spread of fire													
6.4.2	Electrical installation trunking systems which do not permit the spread of fire	x	x	x		x	x	x	x	x	x	x	x	x

x appropriate classification, \*1 in test, \*2 in consultation \* 5 Joules for accessories made from PC/ABS



## Classification to EN 50085-1

					WDK cable duct	WDKH cable duct	LKM cable routing trunking	SKL skirting duct	VK wiring duct	VKH wiring duct	Rapid 45-2	Rapid 45-2 GA aluminium device installation duct	Rapid 80 GK PVC device installation duct	Rapid 80 GS steel device installation duct	Rapid 80 GA aluminium device installation duct	ISS industrial service pole
6.5	According to the electrical conductivity															
6.5.1	Electrical installation duct system with electrical conductivity			x							x			x	x	x
6.5.2	Electrical installation duct system without electrical conductivity	x	x		x	x	x	x			x	x				
6.6	According to the electrical insulation property					x					x			x	x	x
6.6.1	Electrical installation duct system without electrical insulation property										x			x	x	x
6.6.2	Electrical installation duct system with electrical insulation property	x	x		x	x	x	x			x	x				
6.7	According to the protection ratings offered by the housing or casing to EN 60529:1991															
6.7.1	According to protection against ingress of solid foreign bodies	IP 30	IP 30	IP 30	IP 41				IP* 40	IP* 40	IP 30	IP 30	IP 30	IP 30	IP 30	IP 30
6.7.2	According to protection against ingress of water															
6.7.3	According to protection against contact with dangerous parts															
6.8	According to protection against corrosive or contaminating substances	-	-	-	-	-	-	-	2	-	-	2	2	2	3	
6.9	According to the fastening type of the system duct cover															
6.9.1	Open the duct cover of the electrical installation duct system without tools	x	x	x		x	x									
6.9.2	Only open the duct cover of the electrical installation duct system with tools							x	x	x	x	x	x	x	x	x
6.10	According to the electrical protection separation															
6.10.1	Electrical installation duct systems without internal protection separation element	x		x		x	x						x	x	x	
6.10.2	Electrical installation duct systems with internal protection separation element		x		x			x		x	x	x	x			

x appropriate classification, \*2 medium protection, \*3 high protection, \* in the system with accessories made from PVC/ABS, otherwise IP 30, 2 medium protection, 3 high protection


**Classification to EN 50085-2-1**

		WDK cable duct	WDKH cable duct	LKM cable routing trunking	SKL skirting duct	VK wiring duct	VKH wiring duct	Rapid 45-2 GK PVC device installation duct	Rapid 45-2 GA aluminium device installation duct	Rapid 80 GK PVC device installation duct	Rapid 80 GKH PC/ABS device installation duct	Rapid 80 GS steel device installation duct	Rapid 80 GA aluminium device installation duct	ISS industrial service pole
6.101.3	Depending on the type of floor care. Service poles for dry floor cleaning.													
6.101.3.1	Concealed/surface-mounted electrical installation trunking on the wall.	x	x	x				x	x	x	x	x	x	
6.101.3.2	Concealed/surface-mounted electrical installation trunking on the ceiling.	x	x	x				x	x	x	x	x	x	
6.101.3.3	Electrical installation duct on the wall and supported by the base.													
6.101.3.4	Electrical installation duct on the wall and supported by a different horizontal surface than the floor.				x									
6.101.4	Electrical installation duct system, mounted at a distance to the wall or ceiling with fastenings						x	x						
6.102	According to the protection against contact between liquids, insulated cables and parts carrying voltage in the case of skirting ducts and wet cleaning of the floor													
6.102.1	No data													
6.102.2	Add to the instructions of the manufacturer, which limit the installation position of the electrical installation trunking system.													
6.102.3	Build to the instructions of the manufacturer, which allow all the installations of the electrical installation duct system, but limits the layers of insulated cables and parts carrying voltage in the electrical installation duct system.													
6.102.4	Build to the instructions of the manufacturer, which allow all the installations of the electrical installation duct system and allows the layers of insulated cables and parts carrying voltage in the electrical installation duct system.													
6.103	According to type													
6.103.1	Type 1 Electrical installation duct system	x	x	x										
6.103.2	Type 2 Electrical installation duct system (distribution electrical installation duct system)													
6.103.3	Type 3 Electrical installation duct system (installation electrical installation duct system)	x			x	x	x	x	x	x	x	x	x	

x appropriate classification

A = very good resistance  
 B = average resistance  
 C = not resistant

A = very good resistance  
 B = average resistance  
 C = not resistant

Medium	Temp. °C	Resistance
1,3-benzole disulphonic acid	20	A
1,3-butadiene	20	A
2,4-chlorobenzoyl chloride	20	A
2-amino-2,2-diphenylacetic acid	20	A
4-chlorine-2-nitroaniline	20	C
4-chlorobenzaldehyde-2-sulphonic acid	20	A
5-amino-2-hydroxybenzoic acid	20	A
Abietic acid	20	A
Acetaldehyde 100%	20	C
Acetaldehyde 40%	20	A
Acetaldehyde 40%	40	B
Acetaldehyde, acetic acid ratio 90:10	20	B
Acetanilide 100%	20	A
Acetates (ammonium-, Na- and others)	50	A
Acetic acid 10%	60	A
Acetic acid 100%	20	A
Acetic acid 100%	60	B
Acetic acid 25%	40	A
Acetic acid 25–70%	40	A
Acetic anhydride	20	C
Acetone	20	C
Acetophenone (methyl phenyl ketone)	20	C
Acetylacetone (2,4-pentanedione)	20	C
Acetylene 100%	20	B
Acetylsalicylic acid	20	A
Adipic acid	20	A
Adipic acid	60	B
Alcoholic drinks	< 40	A
Alizarin 100%	20	A
Alkanoic sulphonic acids	50	A
Allyl alcohol 100%	20	B
Allyl alcohol 100%	60	C
Allyl chloride	20	C
Aminobenzene (p-)	20	A
Aminobenzenesulphonic acid (m-, o-, p-)	20	A
Aminosalicylic acid (p-)	20	A
Ammonia (vapours of all concentrations)	40	A
Ammonia (vapours of all concentrations)	60	B
Ammonia, anhydrous, liquid	< 60	B
Ammonium hydroxide	60	A
Aniline 100%	20	A
Aniline chloride, saturated solution	20	C
Apple juice	60	A
Ascorbic acid	20	A
Aspartic acid	20	A
Beer	60	A
Benzine, containing benzole	20	C
Benzine, free from aromatic hydrocarbons	60	A
Benzoic acid	40	A
Benzoic anhydride	30	A
Benzole	20	C
Benzophenone 100%	20	C
Benzosulphonic acid	60	A
Benzotrichloride	20	C
Benzotrifluoride	20	C
Benzoylbenzoic acid	20	A
Benzyl chloride	20	C
Betene	20	A
Bleaching liquor, 12% active chlorine	40	A
Bleaching liquor, 12% active chlorine	60	B
Blood	40	A
Boiled oil	60	C
Borates (NA-)	20	A
Borax	40	A
Boric acid	20	A
Brewer's wort	20	A
Brine	60	A
Bromates (K-, Na-)	40	A
Bromic acid	20	A
Bromides (K-, Na- and others)	60	A
Bromine water	20	A
Bromine, gaseous, dry	20	A
Bromine, liquid	20	C
Bromobenzene	20	C
Bromochloromethane	20	C
Bromochloropropane	20	C
Bromoform 100%	20	C
Butane, gaseous, 30%	20	A
Butanediol over 60%	40	B
Butanediol over 60%	20	C
Butanediol to 10%	20	A
Butanol	60	A
Buttermilk	20	A
Butyl acetate	20	C
Butyl butyrate	20	C
Butyl chloride	20	C
Butyl glycolate	20	C


Medium	Temp. °C	Resistance
Butyl phenols	20	C
Butyric acid 100%	20	C
Butyric acid 20%	20	A
Butyric acid 20%	60	C
Carbon dioxide	60	A
Carbon disulphide 100%	20	B
Carbon monoxide	60	A
Castor oil	60	A
Chlorates (K-, Na- and others)	20	A
Chlorates (K-, Na- and others)	60	B
Chlorates (K-, Na- and others)	60	A
Chloric acid to 20%	40	A
Chloric acid to 20%	60	B
Chlorides (ammonium-, Na- and others)	20	A
Chlorine cyanide	20	A
Chlorine water (saturated solution)	20	B
Chlorine, gaseous, dry 0.5%	20	A
Chlorine, gaseous, dry 100%	20	B
Chlorine, gaseous, moist 5%	20	B
Chlorine, liquid	20	C
Chloro nitrobenzoic acid	20	A
Chloroacetaldehyde	20	C
Chloroacetic acid	20	A
Chloroacetones	20	C
Chloroacetyl chloride	20	C
Chloroaniline	20	C
Chlorobenzaldehyde	20	C
Chlorobenzene	20	C
Chlorobenzotrifluoride	20	C
Chlorobenzoyl chloride	20	C
Chlorocresole	20	C
Chloroethylbenzene	20	C
Chloroform	20	C
Choronaphthaline	20	C
Chromates (K-, Na- to 50%)	50	A
Chrome alum	60	A
Chromic acid	30	A
Chromic acid to 50%	40	A
Citrates (ammonium-, Na)	20	A
Citric acid	20	A
Citric acid	60	B
Cresol	20	C
Cumene	20	C
Cyanamide	20	A
Cyanides (K-, Na- to 50%)	60	A
Cyanoacetic acid	20	C
Cyclohexanol	20	C
Cyclohexanone	20	C
Developer	40	A
Dextrose	50	A
Dibromomethylene	20	C
Dibutyl oxalate	20	C
Dibutyl phthalate	20	C
Dichloroethylene	20	C
Dichloropropylene	20	C
Dichromates (K-, Na-)	50	C
Diethyl ether	20	C
Diethylamine 100%	20	C
Diethylene glycol	60	C
Dimethyl ether	20	C
Di-n-butyl ether	20	C
Dietyl phthalate	20	C
Dioxan	20	C
Diphenyl	20	C
Diphenylamine	20	C
Ethane	20	A
Ethanol	40	A
Ethanolamine	20	B
Ethyl acetate	20	C
Ethyl acrylate	20	C
Ethyl chloride	20	C
Ethylbenzene	20	C
Ethylene glycol	20	A
Fish oil	20	A
Fixing bath	60	A
Fluorides (ammonium-, K-, Na- and others)	60	A
Fluorine	20	B
Fluorine	60	C
Formaldehyde	60	A
Formamide 100%	20	C
Formates (ammonium- and others)	20	A
Formic acid 100%	20	B
Formic acid 100%	60	C
Formic acid 50%	40	A
Furfural	20	C
Furfuryl alcohol	20	C
Gelatine	60	A

A = very good resistance  
 B = average resistance  
 C = not resistant

Medium	Temp. °C	Resistance
Gluconic acid	20	A
Glucose	60	A
Glutamic acid	20	A
Glycerine	60	A
Glycine	40	A
Glycol	60	A
Heptanes	20	A
Hexachloroethane	20	C
Hexacyanoferates-II (Na-)	40	A
Hexacyanoferates-III (K-)	40	A
Hexafluorosilicates (ammonium-, K- and others)	60	A
Hexafluorisilicic acid 32%	60	A
Hexamethylenetetramine (urotropine) 40% aqueous solution	60	A
Humic acids	20	A
Hydrazine, diluted solution 100%	20	C
Hydrazine, diluted solution 30%	20	A
Hydrobromic acid to 40%	60	A
Hydrochloric acid to 30%	20	A
Hydrochloric acid to 30%	60	B
Hydrochloric acid to 37%	20	A
Hydrochloric acid to 37%	40	B
Hydrofluoric acid to 40%	40	A
Hydrofluoric acid to 60%	60	B
Hydrogen bromide 100%	20	A
Hydrogen bromide 100%	60	B
Hydrogen chloride (gaseous, dry and moist)	40	A
Hydrogen cyanide	40	A
Hydrogen peroxide to 30%	60	A
Hydrogen peroxide to 90%	20	A
Hydrogen sulphide	60	A
Hydroxides (alkaline-earth metal)	60	A
Hydroxides (K-, Na-)	60	A
Hypochlorites (K-, Na- and others)	60	A
Hypochlorous acid	60	A
Illuminating gas	20	A
Iodates (K-, Na- and others)	60	A
Iodides (K-, Na-)	60	A
Iodine	20	C
Isobutyl phosphate	20	C
Lactic acid 10%	20	A
Lactic acid 10%	60	C
Lactic acid 100%	20	C
Lard	20	A
Linoleic acid	60	A
Linseed oil	60	A
Malic acid	20	A
Methanol 100%	40	A
Methanol 100%	60	B
Methyl bromide	20	C
Methyl chloride	20	C
Methyl methacrylate	20	C
Methylamine	20	B
Methylene dichloride	20	C
Milk	20	A
Mineral oils	60	C
N,N-diethyl aniline	20	C
Naphthalene	20	C
Nitrates (ammonium-, K-, Na- and others)	60	A
Nitric acid 25%	20	A
Nitric acid 25%	60	B
Nitric acid 50%	20	A
Nitric acid 50%	50	B
Nitric acid 95%	20	C
Nitrites (K-, Na- and others)	60	A
Nitrobenzene	20	C
Nitrogen oxide	20	C
Nitroglycerine	20	B
Nitrous acid to 50%	50	A
Nitrous acid to 98%	20	C
Oleic acid	60	A
Oxalates (ammonium-, K-, Na- and others)	60	A
Oxalic acid	40	A
Oxygen	60	A
Ozone 10%	30	A
Ozone 10%	60	B
Palmitic acid	20	A
Paraffin	40	A
Pentyl acetate	20	C
Pentyl alcohol	60	A
Pentyl chloride	20	C
Pentyl laurate	20	C
Perbonate (K-)	60	A
Perchlorate	40	A
Perchloric acid 70%	20	A
Permanganate (K-) 6 to 15%	40	A

A = very good resistance  
 B = average resistance  
 C = not resistant

Medium	Temp. °C	Resistance
Permanganate (K-) 6 to 15%	60	B
Permanganate (K-) to 6%	60	A
Peroxymonosulphuric acid (Caro's acid)	20	A
Persulphate (Ammonium-, K-, Na- and others)	40	A
Petroleum	60	A
Phenol 1%	20	A
Phenol 90%	45	B
Phenylhydrazine	20	C
Phenylhydrazine chloride	20	B
Phenylhydrazine chloride	60	C
Phosgene, gaseous	20	A
Phosgene, gaseous	60	B
Phosgene, liquid	20	C
Phosphates (ammonium-, K-, Na- and others)	60	A
Phosphoric acid	40	A
Phosphoric acid	60	B
Phosphorus pentoxide	20	A
Propane	20	A
Propanol	60	A
Pyridine	20	A
Rhodanides (ammonium-, K-, Na- and others)	60	A
Salicylic acid	20	A
Silicates (K-)	20	A
Soap solution	40	A
Stearic acid	60	A
Sulphates (ammonium-, K-, Na- and others)	60	A
Sulphites (ammonium-, K-, Na- and others)	60	A
Sulphur dioxide, gaseous, dry and moist 100%	60	A
Sulphuric acid to 40%	20	C
Sulphuric acid to 50%	50	A
Sulphuric acid to 50%	60	A
Sulphuric acid to 80%	40	C
Sulphuric acid to 80%	60	B
Sulphuric acid to 96%	20	A
Sulphuric acid to 96%	60	B
Sulphuric acid, fuming (10% oleum)	20	C
Sulphurous acid	60	A
Tallow	60	A
Tan bark	20	A
Tar, free from aromatic hydrocarbons	20	A
Tartaric acid	60	A
Tetraethyl lead	60	A
Tetrafluoroboric acid	20	A
Tetrahydrofuran	20	C
Thickness	60	A
Toluene	20	A
Transformer oil	60	A
Trichloroethylene	20	C
Turpentine	20	A
Urea	60	C
Vegetable oils	40	A
Vinyl acetate	20	C
Viscose spinning solutions	60	A
Water	40	A
Water	60	B
Wine	40	A
Wine vinegar	50	A
Wood tar	20	C
Xylenes	20	C



# Plastic cable routing trunking

	Mini trunking	32
	Nominal height 10	40
	Nominal height 12	42
	Nominal height 13	46
	Nominal height 15	50
	Nominal height 18	56
	Nominal height 20	58
	Nominal height 25	66
	Nominal height 30	70
	Nominal height 40	74
	Nominal height 60	82
	Nominal height 80	98
	Nominal height 100	102
	Accessories, plastic cable routing trunking	106
	Universal trunking	116
	Corner trunking	118

# System description



WDK trunking is particularly suited for areas in which appearance is not a key factor – for example, workshops, production facilities and residential cellars. Devices of width 60110 to 60210 can be installed in the PVC wall and ceiling trunking. All the standard devices of all


manufacturers fit the device installation sockets. A wide range of fittings guarantees solutions for all kinds of applications. The trunking, made of halogen-free material, guarantees compliance with the highest safety standards.

# Installation principle



- |    |   |
|----|---|
| 1  | Trunking                                |
| 2  | Joint cover                             |
| 3  | Internal corner hood                    |
| 4  | External corner cover                   |
| 5  | T and cross piece cover                 |
| 6  | Flat angle cover                        |
| 7  | End piece                               |
| 8  | Partition                               |
| 9  | Cover for single accessory mounting box |
| 10 | Accessory mounting box                  |

# Mounting aid



## Mounting of mini trunking

Remove the protective film. Stick the trunking to a dust-free, adherent substrate.



## Cut mini trunking

The OBO shears can be used to create an exact straight cut for the WDK trunking. The shears can be used for trunking sizes of up to 25 x 45 mm.



## WDK for workshops

Together with accessory mounting boxes, WDK cable trunking of 60 mm trunking height can be used as device installation trunking.



## WDK with nail strip

The nail strip means that WDK trunking can be mounted with steel nails. At the same time, it prevents nail damage to the cables. Of course, the nail strip can also be used as a separating retainer for routing different voltage levels.



## Mounting of cover clip

The cover clip is locked into the cover contour. To insert the cables, move it forward through 30°. The clip stabilises the WDK trunking and keeps the cables in the trunking.




## Internal corner cover mounting

The cover fitting is placed over the mounted WDK trunking and locks into the cover contour.



## External corner hood mounting

The bases of the WDK trunking are mounted on the wall up to the corner.



## External corner hood mounting

After the cables have been routed, the external hood fitting is placed on the bases.



## Mounting of accessory mounting box

The accessory mounting box is locked onto the floor connectors.



## Mounting of accessory mounting box

Then the accessory mounting box is fixed to the WDK trunking using the bolt located in the base.



## Mounting with nail device

Mounting of the cable trunking is fast and efficient with a Spit nail device.




## RK universal trunking

The universal trunking hides the cables inserted in distributors and counter cabinets.

**RK clip mounting**

The clips (OBO Quick Clip Pg16) are mounted using knock-in anchors on the left and right of the distributor cabinets. They are contained in the scope of delivery.

**RK end piece mounting**

The end pieces are fastened by locking them in the clips.

**Cut RK cover**

The covers are cut to the appropriate length using a standard coping saw.

**RK cover mounting**

Simply lock the cover in the end pieces.

**RK front cover mounting**


Attach the front cover to the cover clips.

**RK complete mounting**

The universal trunking allows tidy laying, even if a lot of cables need to be hidden.

## Mini trunking with hinged cover


### Mini trunking with adhesive film and hinged cover MD4



Type	Colour	Length mm	Pack m	Weight kg/100 m	Item no.
WDKMD4RW	Pure white	2000	2	3.300	6150268

Mini trunking with adhesive film and hinged cover.


### Mini trunking with adhesive film and hinged cover MD7



Type	Colour	Length mm	Pack m	Weight kg/100 m	Item no.
WDKMD7RW	Pure white	2000	2	5.000	6150276

Mini trunking with adhesive film and hinge cover.


### Mini trunking with adhesive film and hinged cover MD12



Type	Colour	Length mm	Pack m	Weight kg/100 m	Item no.
WDKMD12RW	Pure white	2000	2	7.000	6150284

Mini trunking with adhesive film and hinged cover.

### Mini trunking with adhesive film and hinged cover MD17




Type	Colour	Length mm	Pack m	Weight kg/100 m	Item no.
WDKMD17RW	Pure white	2000	2	9.000	6150292

Mini trunking with adhesive film and hinged cover.

**Mini trunking with adhesive film and hinge cover MD4**


Type	Colour	Length mm	Pack m	Weight kg/100 m	Item no.
WDKMD4CW	Cream	2000	224	3.300	6150152

Mini trunking with adhesive film and hinged cover.

**Mini trunking with adhesive film and hinge cover MD7**


Type	Colour	Length mm	Pack m	Weight kg/100 m	Item no.
WDKMD7CW	Cream	2000	100	5.000	6150160
WDKMD7S	Pure white	2000	100	5.000	6150326

Mini trunking with adhesive film and hinge cover.

**Mini trunking with adhesive film and hinge cover MD12**



Type	Colour	Length mm	Pack m	Weight kg/100 m	Item no.
WDKMD12CW	Cream	2000	80	7.000	6150179
WDKMD12S	Pure white	2000	80	7.000	6150330

Mini trunking with adhesive film and hinged cover.

**Mini trunking with adhesive film and hinge cover MD12**


Type	Colour	Length mm	Pack m	Weight kg/100 m	Item no.
WDKMD12S	Pure white	2000	80	7.000	6150330

Mini trunking with adhesive foam film and hinge cover.



## Mini trunking with hinged cover

### Mini trunking with adhesive film and hinge cover MD17





Type	Colour	Length mm	Pack m	Weight kg/100 m	Item no.
WDKMD17CW	Cream	2000	56	9.000	6150187

Mini trunking with adhesive film and hinged cover.




### Mini trunking with adhesive film and hinge cover MD17



Type	Colour	Length mm	Pack m	Weight kg/100 m	Item no.
WDKMD17S	Pure white	2000	48	9.000	6150334


Mini trunking with adhesive film and hinge cover.





## Trunking height 10 mm, trunking width 30 mm

### Trunking, type WDK 10030




Type	Colour	Length mm	Pack m	Weight kg/100 m	Item no.
WDK10030RW	Pure white	2000	2	13.000	6150780
WDK10030CW	Cream	2000	64	13.000	6150772

Trunking cover and base with base perforation.



### Joint cover, for trunking, type WDK 10030




Type	Colour	Dim. a mm	Dim. b mm	Pack Piece	Weight kg/100 pc.	Item no.
WDK HS10030RW	Pure white	32	14	10	0.115	6154034
WDK HS10030CW	Cream	32	14	10	0.115	6152015

Joint cover for smooth connection of trunking segments.



### Internal corner cover, trunking type WDK 10030




Type	Colour	Dim. a mm	Pack Piece	Weight kg/100 pc.	Item no.
WDK HI10030RW	Pure white	30	4	0.330	6154336
WDK HI10030CW	Cream	30	4	0.330	6153011

Internal corner cover for changing the direction of the WDK trunking.



### External corner cover, trunking type WDK 10030




Type	Colour	Dim. a mm	Pack Piece	Weight kg/100 pc.	Item no.
WDK HA10030RW	Pure white	30	4	0.450	6154425
WDK HA10030CW	Cream	30	4	0.450	6153305

External corner cover for changing the direction of the WDK trunking.



### Flat angle cover, trunking type WDK 10030



Type	Colour	Dim. a mm	Pack Piece	Weight kg/100 pc.	Item no.
WDK HF10030RW	Pure white	50	4	0.555	6154220
WDK HF10030CW	Cream	50	4	0.555	6152619


Flat angle hood for changing the direction of the WDK trunking.





Type	Colour	Dim. a mm	Dim. b mm	Pack Piece	Weight kg/100 pc.	Item no.
WDK HT10030RW	Pure white	55	44	4	0.455	6154123
WDK HT10030CW	Cream	55	44	4	0.455	6152317

### T piece cover, for trunking type WDK 10030




T piece cover for changing the direction of the WDK trunking.



Type	Colour	Dim. a mm	Dim. b mm	Pack Piece	Weight kg/100 pc.	Item no.
WDK HE10030RW	Pure white	32	11	10	0.139	6154522
WDK HE10030CW	Cream	32	11	10	0.139	6153607

### End piece, trunking type WDK 10030





End piece to close the WDK trunking.

Trunking height 12 mm, trunking width 22 mm

### Trunking, type WDK 12022

PVC





Type	Colour	Length mm	Pack m	Weight kg/100 m	Item no.
WDK12022RW	Pure white	2000	84	10.000	6150702

Trunking cover and base.

### Trunking, type WDK 12022

PVC




Type	Colour	Length mm	Pack Piece	Weight kg/100 pc.	Item no.
WDK12022RW 2100	Pure white	2100	42	22.050	6150703

Trunking cover and base.

PVC

## Trunking, type WDK 12022, with adhesive film



Trunking cover and base with adhesive film.


Type	Colour	Length mm	Pack m	Weight kg/100 m	Item no.
WDK12022TRW	Pure white	2000	72	11.000	6027300
WDK12022TRW 2100	Pure white	2100	36	23.100	6027301

PC / ABS

## Joint cover, for trunking type WDK 12022

Type	Colour	Pack Piece	Weight kg/100 pc.	Item no.
WDK HS12022RW	Pure white	10	0.084	6154042

Joint cover for smooth connection of trunking segments.




PC / ABS

## Internal corner cover, for trunking type WDK 12022

Type	Colour	Dim. a mm	Pack Piece	Weight kg/100 pc.	Item no.
WDK HI12022RW	Pure white	33	4	0.286	6154342

Internal corner cover for changing the direction of the WDK trunking. The fitting can be adjusted variably.




PC / ABS

## External corner cover, for trunking type WDK 12022

Type	Colour	Dim. a mm	Pack Piece	Weight kg/100 pc.	Item no.
WDK HA12022RW	Pure white	27	4	0.260	6154432


External corner cover for changing the direction of the WDK trunking. The fitting can be adjusted variably.



## Trunking height 12 mm, trunking width 22 mm

PC/  
ABS


## T piece cover, for trunking type WDK 12022



Type	Colour	Dim. a mm	Dim. b mm	Pack Piece	Weight kg/100 pc.	Item no.
WDK HT12022RW	Pure white	60	42	4	0.374	6154132

T piece cover for changing the direction of the WDK trunking.


## Flat angle cover, for trunking type WDK 12022

PC/  
ABS

Type	Colour	Dim. a mm	Pack Piece	Weight kg/100 pc.	Item no.
WDK HF12022RW	Pure white	39	4	0.278	6154232


Flat angle cover for changing the direction of the WDK trunking. The fitting can be adjusted variably.

## End piece, for trunking type WDK 12022

PC/  
ABS

Type	Colour	Dim. a mm	Dim. b mm	Pack Piece	Weight kg/100 pc.	Item no.
WDK HE12022RW	Pure white	—	—	10	0.107	6154532



End piece to close the WDK trunking.



## Trunking height 13 mm, trunking width 25 mm, raised base

### Trunking, type WDK 13025

PVC



Type	Colour	Length mm	Pack m	Weight kg/100 m	Item no.
WDK13025	Pure white	2000	24	16.400	6187704
WDK13025	Oyster white	2000	24	16.400	6187714

Trunking cover and base with base perforation. The heads of the fastening screws are hidden in the raised floor of the trunking. Assignment with cables with basic isolation is permitted. Please note the delivery lengths of 2 m and 4 m. Pure white = similar to RAL 9010, pearl white = similar to RAL 1013.

### Joint cover, for trunking, type WDK 13025

PC / ABS



Type	Colour	Width mm	Height mm	Pack Piece	Weight kg/100 pc.	Item no.
WDK HS13025RW	Pure white	27.4	14.7	20	0.556	6193498
WDK HS13025PW	Oyster white	27.4	14.7	20	0.556	6193496

Joint cover for perfect connection of the WDK trunking segments, type 13025. Incl. coupling for the raised trunking floor.

### Internal corner cover, for duct type WDK 13025

PC / ABS




Type	Colour	Width mm	Height mm	Pack Piece	Weight kg/100 pc.	Item no.
WDK HI13025RW	Pure white	25	13	10	0.604	6191835
WDK HI13025PW	Oyster white	25	13	10	0.604	6191833

Internal corner hood for changing the direction of the WDK raised floor trunking, type 13025. Incl. coupling for the raised floor.

### External corner cover, for trunking type WDK 13025

CE UKCA D'E




Type	Colour	Pack Piece	Weight kg/100 pc.	Item no.
WDK HA13025RW	Pure white	10	0.707	6192141

External corner cover for changing the direction of the WDK raised floor trunking, type 13025. Incl. coupling for the raised floor.

PC/  
ABS**External corner cover, for trunking type WDK 13025**


Type	Colour	Dim. a mm	Pack Piece	Weight kg/100 pc.	Item no.
WDK HA13025PW	Oyster white	50	10	0.707	6192139

External corner cover for changing the direction of the WDK raised floor trunking, type 13025. Incl. coupling for the raised floor.

PC/  
ABS**Flat angle cover, for duct type WDK 13025**


Type	Colour	Dim. a mm	Pack Piece	Weight kg/100 pc.	Item no.
WDK HF13025PW	Oyster white	50	10	0.800	6192740

Flat angle hood for changing the direction of the WDK trunking.

PC/  
ABS**Flat angle cover, for duct type WDK 13025**


Type	Colour	Dim. a mm	Pack Piece	Weight kg/100 pc.	Item no.
WDK HF13025RW	Pure white	50	10	0.800	6192742

Flat angle hood for changing the direction of the WDK trunking.

PC/  
ABS**T piece cover, for trunking type WDK 13025**


Type	Colour	Width mm	Height mm	Pack Piece	Weight kg/100 pc.	Item no.
WDK HT13025RW	Pure white	25	13	10	1.013	6192451
WDK HT13025PW	Oyster white	25	13	10	1.059	6192449

T piece cover for changing the direction of the WDK trunking.

PC/  
ABS**T piece cover, for trunking type WDK 13025**

Type	Colour	Width mm	Height mm	Pack Piece	Weight kg/100 pc.	Item no.
WDK HTCW13025PW	Oyster white	25	13	10	1.035	6192448
WDK HTCW13025RW	Pure white	25	13	10	1.035	6192450

T piece cover for changing the direction of the WDK trunking.



## Trunking height 13 mm, trunking width 25 mm, raised base

PC/  
ABS


## End piece, for trunking type WDK 13025



Type	Colour	Pack Piece	Weight kg/100 pc.	Item no.
WDK HE13025PW	Oyster white	10	0.385	6193088

End piece to close the WDK trunking.

## End piece, for trunking type WDK 13025

CE UK CA D'E PC/  
ABS

Type	Colour	Pack Piece	Weight kg/100 pc.	Item no.
WDK HE13025RW	Pure white	10	0.385	6193093

End piece to close the WDK trunking.


## Pipe adapter, trunking to pipe, 16 mm

PC/  
ABS

Type	Colour	Pack Piece	Weight kg/100 pc.	Item no.
WDK HPC13025RW16	Pure white	10	0.461	6193710
WDK HPC13025PW16	Oyster white	10	0.461	6193708

Pipe adapter for transferring an installation pipe to the WDK trunking.


## Pipe adapter, trunking to pipe, 19 mm

PC/  
ABS

Type	Colour	Pack Piece	Weight kg/100 pc.	Item no.
WDK HPC13025RW19	Pure white	10	0.436	6193730
WDK HPC13025PW19	Oyster white	10	0.436	6193728


Pipe adapter for transferring an installation pipe to the WDK trunking.

## Pipe adapter, trunking to pipe, 20 mm

PC/  
ABS


Type	Colour	Pack Piece	Weight kg/100 pc.	Item no.
WDK HPC13025RW20	Pure white	10	0.431	6193729
WDK HPC13025PW20	Oyster white	10	0.431	6193731

Pipe adapter for transferring an installation pipe to the WDK trunking.



## Trunking height 15 mm, trunking width 15 mm


## Trunking, type WDK 15015



Type	Colour	Length mm	Pack m	Weight kg/100 m	Item no.
WDK15015RW	Pure white	2000	56	9.000	6191002
WDK15015CW	Cream	2000	56	9.000	6024963
WDK15015LGR	Light grey	2000	56	9.000	6024947
WDK15015GR	Stone grey	2000	56	9.000	6024955
WDK15015BR	Sepia brown	2000	56	9.000	6024971
WDK15015SW	Jet black	2000	56	9.000	6024949

Trunking cover and base with base perforation.

## End piece, trunking type WDK 15015



Type	Colour	Dim. a mm		Dim. b mm		Pack Piece	Weight kg/100 pc.	Item no.
		15	15	15	15			
WDK HE15015RW	Pure white	15	15			10	0.082	6193099
WDK HE15015CW	Cream	15	15			10	0.081	6162495
WDK HE15015LGR	Light grey	15	15			10	0.081	6183603
WDK HE15015GR	Stone grey	15	15			10	0.081	6158692

End piece to close the WDK trunking.


PVC



Type	Colour	Length mm	Pack m	Weight kg/100 m	Item no.
WDK15030RW	Pure white	2000	32	19.500	6191010
WDK15030CW	Cream	2000	32	19.500	6025013
WDK15030GR	Stone grey	2000	32	19.500	6025005
WDK15030BR	Sepia brown	2000	32	19.500	6025021
WDK15030LGR	Light grey	2000	32	19.500	6025048
WDK15030RW2500	Pure white	2000	798	48.750	6191013

Trunking cover and base with base perforation.

## Trunking, type WDK 15030




PVC



Type	Colour	Length mm	Pack m	Weight kg/100 m	Item no.
WDK15030SRW	Pure white	2000	32	19.500	6027325

Trunking cover and base with adhesive film.




PVC



Type	Colour	Dim. a mm	Dim. b mm	Pack Piece	Weight kg/100 pc.	Item no.
WDK HS15030RW	Pure white	32	14	10	0.136	6193501
WDK HS15030CW	Cream	32	14	10	0.136	6152031
WDK HS15030GR	Stone grey	32	14	10	0.136	6158838

Joint cover for smooth connection of trunking segments.

## Joint cover, for trunking, type WDK 15030




PVC



Type	Colour	Dim. a mm	Pack Piece	Weight kg/100 pc.	Item no.
WDK HI15030RW	Pure white	38.5	4	0.789	6191843
WDK HI15030CW	Cream	38.5	4	0.790	6160026
WDK HI15030GR	Stone grey	38.5	4	0.790	6158234

Internal corner cover for changing the direction of the WDK trunking.

## Internal corner cover, trunking type WDK 15030




PVC



Type	Colour	Dim. a mm	Pack Piece	Weight kg/100 pc.	Item no.
WDK HA15030RW	Pure white	38.5	4	1.114	6192149
WDK HA15030CW	Cream	38.5	4	1.096	6160611
WDK HA15030GR	Stone grey	38.5	4	1.114	6158358


External corner cover for changing the direction of the WDK trunking.

## External corner cover, trunking type WDK 15030



## Trunking height 15 mm, trunking width 30 mm


## Flat angle cover, trunking type WDK 15030



Type	Colour	Dim. a mm	Pack Piece	Weight kg/100 pc.	Item no.
WDK HF15030RW	Pure white	53	4	0.965	6192759
WDK HF15030CW	Cream	53	4	0.965	6161219
WDK HF15030GR	Stone grey	53	4	0.965	6158595

Flat angle hood for changing the direction of the WDK trunking.


## T piece cover, for trunking type WDK 15030



Type	Colour	Dim. a mm	Dim. b mm	Pack Piece	Weight kg/100 pc.	Item no.
WDK HT15030RW	Pure white	73	53	4	1.119	6192459
WDK HT15030CW	Cream	73	53	4	1.119	6161928
WDK HT15030GR	Stone grey	73	53	4	1.119	6158463

T piece cover for changing the direction of the WDK trunking.

## End piece, trunking type WDK 15030



Type	Colour	Dim. a mm	Dim. b mm	Pack Piece	Weight kg/100 pc.	Item no.
WDK HE15030RW	Pure white	30	17	10	0.230	6193102
WDK HE15030CW	Cream	30	17	10	0.235	6162517
WDK HE15030GR	Stone grey	30	17	10	0.230	6158714

End piece to close the WDK trunking.



PVC



Type	Colour	Length mm	Pack m	Weight kg/100 m	Item no.
WDK15040RW	Pure white	2000	36	23.000	6191029
WDK15040CW	Cream	2000	36	23.000	6025161
WDK15040GR	Stone grey	2000	36	23.000	6025137

Trunking cover and base with base perforation.

## Trunking, type WDK 15040




PVC



Type	Colour	Length mm	Pack m	Weight kg/100 m	Item no.
WDK15040SRW	Pure white	2000	36	27.000	6027335

Trunking cover and base with adhesive film.

## Trunking, type WDK 15040




PVC



Type	Colour	Dim. a mm	Dim. b mm	Pack Piece	Weight kg/100 pc.	Item no.
WDK HS15040RW	Pure white	42	14	10	0.190	6193528
WDK HS15040CW	Cream	42	14	20	0.190	6152058
WDK HS15040GR	Stone grey	42	14	10	0.190	6158846

Joint cover for smooth connection of trunking segments.

## Joint cover, for trunking, type WDK 15040




PVC



Type	Colour	Dim. a mm	Pack Piece	Weight kg/100 pc.	Item no.
WDK HI15040RW	Pure white	42	4	1.070	6191851
WDK HI15040CW	Cream	42	4	1.064	6160034
WDK HI15040GR	Stone grey	42	4	1.064	6158242

Internal corner cover for changing the direction of the WDK trunking.

## Internal corner hood, for trunking type WDK 15040




PVC



Type	Colour	Dim. a mm	Pack Piece	Weight kg/100 pc.	Item no.
WDK HA15040RW	Pure white	42	4	1.429	6192157
WDK HA15040CW	Cream	42	4	1.400	6160638
WDK HA15040GR	Stone grey	42	4	1.400	6158366


External corner hood for changing the direction of the WDK trunking.

## External corner cover, for trunking type WDK 15040



## Trunking height 15 mm, trunking width 40 mm


## Flat angle cover, for trunking type WDK 15040



Type	Colour	Dim. a mm	Pack Piece	Weight kg/100 pc.	Item no.
WDK HF15040RW	Pure white	63	4	1.471	6192769
WDK HF15040CW	Cream	63	4	1.500	6161227
WDK HF15040GR	Stone grey	63	4	1.500	6158609

Flat angle hood for changing the direction of the WDK trunking.


## T piece cover, for trunking type WDK 15040



Type	Colour	Dim. a mm	Dim. b mm	Pack Piece	Weight kg/100 pc.	Item no.
WDK HT15040RW	Pure white	83	74	4	1.746	6192467
WDK HT15040CW	Cream	83	74	4	1.746	6161936
WDK HT15040GR	Stone grey	83	74	4	1.746	6158471


T piece cover for changing the direction of the WDK trunking.

## End piece, trunking type WDK 15040



Type	Colour	Dim. a mm	Dim. b mm	Pack Piece	Weight kg/100 pc.	Item no.
WDK HE15040RW	Pure white	40	17	10	0.299	6193110
WDK HE15040CW	Cream	40	17	10	0.299	6162525
WDK HE15040GR	Stone grey	40	17	10	0.299	6158722

End piece to close the WDK trunking.



# Cable routing duct, duct height 18

## Cable routing trunking MKS 18, trunking width 45


PVC

CE




Type	Colour	Length mm	Width mm	Height mm	Pack Piece	Weight kg/100 pc.	Item no.
MKS 1845 rws	Pure white	2500	45	18	20	57.500	6131377
MKS MFS 1845 KB	Pure white	2500	45	18	23	57.500	6131380

MKS mini trunking for covered cable routing in internal areas.



## Trunking height 20 mm, trunking width 20 mm

### Trunking, type WDK 20020 with base perforation




Type	Colour	Length mm	Pack m	Weight kg/100 m	Item no.
WDK20020RW	Pure white	2000	48	11.100	6191037
WDK20020CW	Cream	2000	48	11.100	6025153
WDK20020LGR	Light grey	2000	48	11.100	6025102
WDK20020GR	Stone grey	2000	48	11.100	6025110
WDK20020BR	Sepia brown	2000	48	11.100	6025129
WDK20020SW	Jet black	2000	48	11.000	6025155

Trunking cover and base with base perforation.



### Trunking, type WDK 20020S with adhesive film





Type	Colour	Length mm	Pack m	Weight kg/100 m	Item no.
WDK20020SRW	Pure white	2000	48	12.000	6027360

Trunking cover and base with base perforation.



### Internal corner cover, trunking type WDK 20020





Type	Colour	Dim. a mm	Pack Piece	Weight kg/100 pc.	Item no.
WDK HI20020RW	Pure white	38.5	4	0.619	6191878
WDK HI20020CW	Cream	38.5	4	0.623	6160018
WDK HI20020LGR	Light grey	38.5	4	0.623	6182011
WDK HI20020GR	Stone grey	38.5	4	0.623	6158226

Internal corner cover for changing the direction of the WDK trunking.



### External corner cover, trunking type WDK 20020



Type	Colour	Dim. a mm	Pack Piece	Weight kg/100 pc.	Item no.
WDK HA20020RW	Pure white	38.5	4	0.678	6192165
WDK HA20020CW	Cream	38.5	4	0.678	6160603
WDK HA20020LGR	Light grey	38.5	4	0.678	6182402
WDK HA20020GR	Stone grey	38.5	4	0.678	6158331


External corner cover for changing the direction of the WDK trunking.





## Flat angle cover, trunking type WDK 20020

Type	Colour	Dim. a mm	Pack Piece	Weight kg/100 pc.	Item no.
WDK HF20020RW	Pure white	38	4	0.588	6192777
WDK HF20020CW	Cream	38	4	0.596	6161200
WDK HF20020LGR	Light grey	38	4	0.596	6183212
WDK HF20020GR	Stone grey	38	4	0.596	6158587




Flat angle cover for changing the direction of the WDK trunking.



## T piece cover, for trunking type WDK 20020

Type	Colour	Dim. a mm	Dim. b mm	Pack Piece	Weight kg/100 pc.	Item no.
WDK HT20020RW	Pure white	57	39	4	0.751	6192475
WDK HT20020CW	Cream	57	39	4	0.751	6161901
WDK HT20020LGR	Light grey	57	39	4	0.751	6182801
WDK HT20020GR	Stone grey	57	39	4	0.751	6158455




T piece cover for changing the direction of the WDK trunking.



## End piece, trunking type WDK 20020


Type	Colour	Dim. a mm	Dim. b mm	Pack Piece	Weight kg/100 pc.	Item no.
WDK HE20020RW	Pure white	17	17	10	0.103	6193129
WDK HE20020CW	Cream	17	17	10	0.101	6162509
WDK HE20020LGR	Light grey	17	17	10	0.101	6183611
WDK HE20020GR	Stone grey	17	17	10	0.101	6158706



End piece to close the WDK trunking.

## Trunking height 20 mm, trunking width 35 mm

## Trunking, type WDK 20035




Type	Colour	Length mm	Pack m	Weight kg/100 m	Item no.
WDK20035RW	Pure white	2000	32	23.900	6191045
WDK20035CW	Cream	2000	32	23.900	6026370
WDK20035LGR	Light grey	2000	32	23.900	6026354
WDK20035GR	Stone grey	2000	32	23.900	6026362

Trunking cover and base with base perforation.



## End piece, trunking type WDK 20035



Type	Colour	Dim. mm		Pack Piece	Weight kg/100 pc.	Item no.
		a	b			
WDK HE20035RW	Pure white	35	20	10	0.334	6193137
WDK HE20035CW	Cream	35	20	10	0.334	6162487
WDK HE20035LGR	Light grey	35	20	10	0.334	6183654
WDK HE20035GR	Stone grey	35	20	10	0.334	6158781

End piece to close the WDK trunking.

PVC


**WDK 20050 RW** Pure white

**WDK 20050 CW** Cream

Length mm

2000

2000

Pack m

42

42

Weight kg/100 m

30.700


30.700

Item no.

6168736

6168701

Trunking cover and base with base perforation.

**Trunking, type WDK 20050**

PVC


**WDK-N 20050 RW** Pure white

**WDK-N 20050 CW** Cream

Length mm

2000

2000

Pack m

2

2

Weight kg/100 m

37.000


37.000

Item no.

6168744

6168728

Trunking cover and base with base perforation.

**Trunking, type WDK-N 20050**

PVC


**WDK HS 20050 RW** Pure white

**WDK HS 20050 CW** Cream

Dim. a mm

53

Dim. b mm

14

53

14

**Joint cover, for trunking, type WDK 20050**

Pack Piece


10 0.267

6154069

10 0.267

6152104

Joint cover for smooth connection of trunking segments.



PVC


**WDK HI 20050 RW** Pure white

**WDK HI 20050 CW** Cream

Dim. a mm

45

45

Pack Piece


4 1.277

6154360

4 2.500

6153089

Internal corner cover for changing the direction of the WDK trunking.

**Internal corner cover, trunking type WDK 20050**

PVC


**WDK HA 20050 RW** Pure white

**WDK HA 20050 CW** Cream

Dim. a mm

45

45

**External corner cover, trunking type WDK 20050**

Pack Piece


4 1.765

6154468

4 3.000


6153372

External corner hood for changing the direction of the WDK trunking.



## Trunking height 20 mm, trunking width 50 mm

## Flat angle cover, trunking type WDK 20050




Type	Colour	mm	Dim.		Pack Piece	Weight kg/100 pc.	Item no.
			a	b			
WDK HF20050RW	Pure white	73			4	1.948	6154255
WDK HF20050CW	Cream	73			4	1.948	6152686

Flat angle hood for changing the direction of the WDK trunking.



## T piece cover, for trunking type WDK 20050





Type	Colour	mm	Dim.	Dim.	Pack Piece	Weight kg/100 pc.	Item no.
			a	b			
WDK HT20050RW	Pure white	93	73		4	2.146	6154166
WDK HT20050CW	Cream	93	73		4	2.146	6152384

T piece cover for changing the direction of the WDK trunking.



## End piece, trunking type WDK 20050




Type	Colour	mm	Dim.	Dim.	Pack Piece	Weight kg/100 pc.	Item no.
			a	b			
WDK HE20050RW	Pure white	50	20		10	0.425	6154557
WDK HE20050CW	Cream	50	20		10	0.600	6153674

End piece to close the WDK trunking.



## Trunking height 10 mm, trunking width 20 mm

## Trunking, type WDK 10020



Type	Colour	Length mm	Pack		Weight kg/100 m	Item no.
			m	kg/100 m		
WDK10020RW	Pure white	2000	2	10.000	6150764	
WDK10020CW	Cream	2000	2	10.000	6150756	
WDK10020SW	Jet black	2000	96	10.000	6027321	

Trunking cover and base with base perforation.






## Joint cover, trunking type WDK 10020

Type	Colour	Dim. a mm	Dim. b mm	Pack Piece	Weight kg/100 pc.	Item no.
WDK HS10020RW	Pure white	22	14	10	0.090	6154026



Joint cover for smooth connection of trunking segments.



## Internal corner cover, trunking type WDK 10020

Type	Colour	Dim. a mm	Pack Piece	Weight kg/100 pc.	Item no.
WDK HI10020RW	Pure white	30	4	0.285	6154328


Internal corner cover for changing the direction of the WDK trunking.



## External corner cover, trunking type WDK 10020

Type	Colour	Dim. a mm	Pack Piece	Weight kg/100 pc.	Item no.
WDK HA10020RW	Pure white	30	4	0.344	6154417


External corner cover for changing the direction of the WDK trunking.



## Flat angle cover, trunking type WDK 10020

Type	Colour	Dim. a mm	Pack Piece	Weight kg/100 pc.	Item no.
WDK HF10020RW	Pure white	40	4	0.365	6154212


Flat angle hood for changing the direction of the WDK trunking.



## End piece, trunking type WDK 10020


Type	Colour	Dim. a mm	Dim. b mm	Pack Piece	Weight kg/100 pc.	Item no.
WDK HE10020RW	Pure white	22	11	10	0.106	6154514
WDK HE10020CW	Cream	22	11	10	0.106	6153593

End piece for closing the WDK trunking.



## Duct height 10 mm, duct width 20 mm

### Trunking, type WDK 10020 with adhesive film




Type	Colour	Length mm	Pack m	Weight kg/100 m	Item no.
WDK10020SRW	Pure white	2000	84	12.000	6027318
WDK10020SSW	Jet black	2000	84	12.000	6027374

Trunking cover and base with base perforation and adhesive film.



### Joint cover, for trunking, type WDK 10020





Type	Colour	Dim. a mm	Dim. b mm	Pack Piece	Weight kg/100 pc.	Item no.
WDK HS10020CW	Cream	22	14	10	0.103	6152007

Joint cover for smooth connection of trunking segments.



### Internal corner hood, for trunking type WDK 10020





Type	Colour	Dim. a mm	Pack Piece	Weight kg/100 pc.	Item no.
WDK HI10020CW	Cream	30	4	0.285	6153003

Internal corner cover for changing the direction of the WDK trunking.



### External corner cover, for trunking type WDK 10020




Type	Colour	Dim. a mm	Pack Piece	Weight kg/100 pc.	Item no.
WDK HA10020CW	Cream	30	4	0.600	6153291

External corner cover for changing the direction of the WDK trunking.



### Flat angle hood, for trunking type WDK 10020



Type	Colour	Dim. a mm	Pack Piece	Weight kg/100 pc.	Item no.
WDK HF10020CW	Cream	40	4	0.365	6152600

Flat angle hood for changing the direction of the WDK trunking.






PVC

## T piece cover, for trunking type WDK 10020


Type	Colour	Dim. a mm	Pack Piece	Weight kg/100 pc.	Item no.
WDK HT10020RW	Pure white	45	4	0.334	6154115
WDK HT10020CW	Cream	45	4	0.334	6152309

T piece hood for changing the direction of the WDK trunking.



## Trunking height 25 mm, trunking width 25 mm

### Trunking, type WDK 25025





Type	Colour	Length mm	Pack m	Weight kg/100 m	Item no.
WDK25025RW	Pure white	2000	30	24.500	6191053
WDK25025CW	Cream	2000	30	24.500	6026427
WDK25025LGR	Light grey	2000	30	24.500	6026400
WDK25025GR	Stone grey	2000	30	24.500	6026419
WDK25025SRW	Pure white	2000	30	37.710	6027372

Trunking cover and base with base perforation.



### Internal corner cover, trunking type WDK 25025





Type	Colour	Dim. a mm	Pack Piece	Weight kg/100 pc.	Item no.
WDK HI25025RW	Pure white	50	4	1.150	6191886
WDK HI25025CW	Cream	50	4	1.669	6160042
WDK HI25025LGR	Light grey	50	4	1.669	6182062
WDK HI25025GR	Stone grey	50	4	1.669	6158250

Internal corner cover for changing the direction of the WDK trunking.



### External corner cover, for trunking type WDK 25025




Type	Colour	Dim. a mm	Pack Piece	Weight kg/100 pc.	Item no.
WDK HA25025RW	Pure white	52	4	1.424	6192173
WDK HA25025CW	Cream	52	4	1.424	6160646
WDK HA25025LGR	Light grey	52	4	1.424	6182445
WDK HA25025GR	Stone grey	52	4	1.424	6158374

External corner hood for changing the direction of the WDK trunking.



### Flat angle cover, trunking type WDK 25025




Type	Colour	Dim. a mm	Pack Piece	Weight kg/100 pc.	Item no.
WDK HF25025RW	Pure white	48	4	1.055	6192785
WDK HF25025CW	Cream	48	4	1.000	6161235
WDK HF25025LGR	Light grey	48	4	1.000	6183255
WDK HF25025GR	Stone grey	48	4	1.000	6158617

Flat angle cover for changing the direction of the WDK trunking.



**T piece cover, for trunking type WDK 25025**


Type	Colour	Dim. a mm	Dim. b mm	Pack Piece	Weight kg/100 pc.	Item no.
WDK HT25025RW	Pure white	68	48	4	1.171	6192483
WDK HT25025CW	Cream	68	48	4	1.171	6161944
WDK HT25025LGR	Light grey	68	48	4	1.171	6182852
WDK HT25025GR	Stone grey	68	48	4	1.171	6158498



T piece cover for changing the direction of the WDK trunking.

**End piece, trunking type WDK 25025**


Type	Colour	Dim. a mm	Dim. b mm	Pack Piece	Weight kg/100 pc.	Item no.
WDK HE25025RW	Pure white	25	25	10	0.303	6193145
WDK HE25025CW	Cream	25	25	10	0.303	6162533
WDK HE25025LGR	Light grey	25	25	10	0.303	6183662
WDK HE25025GR	Stone grey	25	25	10	0.303	6158730



End piece to close the WDK trunking.

## Trunking height 25 mm, trunking width 40 mm

## Trunking, type WDK 25040




Type	Colour	Length mm	Pack m	Weight kg/100 m	Item no.
WDK25040RW	Pure white	2000	24	30.000	6191061
WDK25040CW	Cream	2000	24	30.000	6026451
WDK25040GR	Stone grey	2000	24	30.000	6026443
WDK25040LGR	Lightgrey	2000	24	30.000	6026486
WDK25040SW	Jet black	2000	24	30.000	6026488

Trunking cover and base with base perforation.



## Trunking, type WDK-N 25040




Type	Colour	Length mm	Pack m	Weight kg/100 m	Item no.
WDK-N25040RW	Pure white	2000	2	36.000	6150640
WDK-N25040CW	Cream	2000	2	36.000	6150632

Trunking cover and base with base perforation.



## Joint cover, for trunking, type WDK 25040




Type	Colour	Dim. a mm	Dim. b mm	Pack Piece	Weight kg/100 pc.	Item no.
WDK HS25040RW	Pure white	42	14	10	0.231	6193560
WDK HS25040CW	Cream	42	14	10	0.231	6152082
WDK HS25040GR	Stone grey	42	14	10	0.231	6158889

Joint cover for smooth connection of trunking segments.



## Internal corner cover, trunking type WDK 25040



Type	Colour	Dim. a mm	Pack Piece	Weight kg/100 pc.	Item no.
WDK HI25040RW	Pure white	50	4	1.502	6191894
WDK HI25040CW	Cream	50	4	1.489	6160050
WDK HI25040GR	Stone grey	50	4	1.489	6158269



Internal corner cover for changing the direction of the WDK trunking.





## External corner cover, for trunking type WDK 25040

Type	Colour	Dim. a mm	Pack Piece	Weight kg/100 pc.	Item no.
WDK HA25040RW	Pure white	52	4	2.052	6192181
WDK HA25040CW	Cream	52	4	2.052	6160654
WDK HA25040GR	Stone grey	52	4	2.052	6158382




External corner hood for changing the direction of the WDK trunking.



## Flat angle cover, trunking type WDK 25040

Type	Colour	Dim. a mm	Pack Piece	Weight kg/100 pc.	Item no.
WDK HF25040RW	Pure white	63	4	1.905	6192793
WDK HF25040CW	Cream	63	4	1.905	6161243
WDK HF25040GR	Stone grey	63	4	1.905	6158625




Flat angle hood for changing the direction of the WDK trunking.



## T piece cover, for trunking type WDK 25040

Type	Colour	Dim. a mm	Dim. b mm	Pack Piece	Weight kg/100 pc.	Item no.
WDK HT25040RW	Pure white	83	63	4	1.994	6192491
WDK HT25040CW	Cream	83	63	4	1.994	6161952
WDK HT25040GR	Stone grey	83	63	4	1.994	6158501




T piece cover for changing the direction of the WDK trunking.



## End piece, trunking type WDK 25040


Type	Colour	Dim. a mm	Dim. b mm	Pack Piece	Weight kg/100 pc.	Item no.
WDK HE25040RW	Pure white	40	25	10	0.404	6193153
WDK HE25040CW	Cream	40	25	10	0.404	6162541
WDK HE25040GR	Stone grey	40	25	10	0.404	6158749



End piece to close the WDK trunking.

## Trunking height 30 mm, trunking width 30 mm

### Trunking, type WDK 30030





Type	Colour	Length mm	Pack m	Weight kg/100 m	Item no.
WDK30030RW	Pure white	2000	40	24.900	6191096
WDK30030CW	Cream	2000	40	24.900	6026826
WDK30030LGR	Light grey	2000	40	24.900	6026796
WDK30030GR	Stone grey	2000	40	24.900	6026818
WDK30030BR	Sepia brown	2000	40	24.900	6026834

Trunking cover and base with base perforation.



### Internal corner cover, trunking type WDK 30030




Type	Colour	Dim. a mm	Pack Piece	Weight kg/100 pc.	Item no.
WDK HI30030RW	Pure white	52	4	1.345	6191924
WDK HI30030CW	Cream	52	4	1.200	6160077
WDK HI30030LGR	Light grey	52	4	1.349	6182097
WDK HI30030GR	Stone grey	52	4	1.200	6158285

Internal corner cover for changing the direction of the WDK trunking.



### External corner cover, trunking type WDK 30030




Type	Colour	Dim. a mm	Pack Piece	Weight kg/100 pc.	Item no.
WDK HA30030RW	Pure white	57	4	1.776	6192211
WDK HA30030CW	Cream	57	4	1.809	6160670
WDK HA30030LGR	Light grey	57	4	1.809	6182488
WDK HA30030GR	Stone grey	57	4	1.809	6158404

External corner hood for changing the direction of the WDK trunking.



### Flat angle cover, trunking type WDK 30030



Type	Colour	Dim. a mm	Pack Piece	Weight kg/100 pc.	Item no.
WDK HF30030RW	Pure white	53	4	1.370	6192815
WDK HF30030CW	Cream	53	4	1.370	6161278
WDK HF30030LGR	Light grey	53	4	1.370	6183298
WDK HF30030GR	Stone grey	53	4	1.370	6158641


Flat angle hood for changing the direction of the WDK trunking.





## T piece cover, for trunking type WDK 30030

Type	Colour	Dim. a mm	Dim. b mm	Pack Piece	Weight kg/100 pc.	Item no.
WDK HT30030RW	Pure white	50	39	4	1.542	6192513
WDK HT30030CW	Cream	50	39	4	1.485	6161979
WDK HT30030LGR	Light grey	50	39	4	1.485	6182887
WDK HT30030GR	Stone grey	50	39	4	1.485	6158536




T piece hood for changing the direction of the WDK trunking.



## End piece, trunking type WDK 30030


Type	Colour	Dim. a mm	Dim. b mm	Pack Piece	Weight kg/100 pc.	Item no.
WDK HE30030RW	Pure white	30	30	10	0.363	6193188
WDK HE30030CW	Cream	30	30	10	0.365	6162576
WDK HE30030LGR	Light grey	30	30	10	0.365	6183697
WDK HE30030GR	Stone grey	30	30	10	0.365	6158765



End piece to close the WDK trunking.

## Trunking height 30 mm, trunking width 45 mm

## Trunking, type WDK 30045




Type	Colour	Length mm	Pack m	Weight kg/100 m	Item no.
WDK30045RW	Pure white	2000	48	32.000	6191118
WDK30045CW	Cream	2000	48	32.000	6026869
WDK30045LGR	Light grey	2000	48	32.000	6026842
WDK30045GR	Stone grey	2000	48	32.000	6026850

Trunking cover and base with base perforation.




## Internal corner cover, trunking type WDK 30045



Type	Colour	Dim. a mm	Pack Piece	Weight kg/100 pc.	Item no.
WDK HI30045RW	Pure white	52	4	1.295	6191932
WDK HI30045CW	Cream	52	4	1.295	6160085
WDK HI30045LGR	Light grey	52	4	1.295	6182100
WDK HI30045GR	Stone grey	52	4	1.295	6158307

Internal corner cover for changing the direction of the WDK trunking.


## External corner cover, trunking type WDK 30045



Type	Colour	Dim. a mm	Pack Piece	Weight kg/100 pc.	Item no.
WDK HA30045RW	Pure white	57	4	2.319	6192238
WDK HA30045CW	Cream	57	4	2.319	6160689
WDK HA30045LGR	Light grey	57	4	2.319	6182496
WDK HA30045GR	Stone grey	57	4	2.319	6158420

External corner hood for changing the direction of the WDK trunking.

## Flat angle cover, trunking type WDK 30045




Type	Colour	Dim. a mm	Pack Piece	Weight kg/100 pc.	Item no.
WDK HF30045RW	Pure white	68	4	1.922	6192823
WDK HF30045CW	Cream	68	4	1.922	6161286
WDK HF30045GR	Stone grey	68	4	1.922	6158676
WDK HF30045LGR	Light grey	68	4	1.922	6183301

Flat angle hood for changing the direction of the WDK trunking.

**T piece cover, for trunking type WDK 30045**


Type	Colour	Dim. a mm	Dim. b mm	Pack Piece	Weight kg/100 pc.	Item no.
WDK HT30045RW	Pure white	88	68	4	2.003	6192521
WDK HT30045CW	Cream	88	68	4	2.003	6161987
WDK HT30045LGR	Light grey	88	68	4	2.003	6182895
WDK HT30045GR	Stone grey	88	68	4	2.003	6158552



T-piece cover for changing the direction of the WDK trunking.

**End piece, trunking type WDK 30045**


Type	Colour	Dim. a mm	Dim. b mm	Pack Piece	Weight kg/100 pc.	Item no.
WDK HE30045RW	Pure white	45	30	10	0.514	6193196
WDK HE30045CW	Cream	45	30	10	0.509	6162584
WDK HE30045LGR	Light grey	45	30	10	0.509	6183700
WDK HE30045GR	Stone grey	45	30	10	0.509	6158803



End piece to close the WDK trunking.

## Trunking height 40 mm, trunking width 40 mm

### Trunking, type WDK 40040





Type	Colour	Length mm	Pack m	Weight kg/100 m	Item no.
WDK40040RW	Pure white	2000	36	42.100	6191126
WDK40040CW	Cream	2000	36	42.100	6025412
WDK40040LGR	Light grey	2000	36	42.100	6027016
WDK40040GR	Stone grey	2000	36	42.100	6025447
WDK40040BR	Sepia brown	2000	36	42.100	6025420

Trunking cover and base with base perforation.



### Internal corner cover, trunking type WDK 40040




Type	Colour	Dim. mm	Pack Piece	Weight kg/100 pc.	Item no.
WDK HI40040RW	Pure white	65	4	2.502	6191940
WDK HI40040CW	Cream	65	4	2.502	6160093
WDK HI40040LGR	Light grey	65	4	2.502	6182119
WDK HI40040GR	Stone grey	65	4	2.502	6158293

Internal corner cover for changing the direction of the WDK trunking.



### External corner cover, trunking type WDK 40040




Type	Colour	Dim. mm	Pack Piece	Weight kg/100 pc.	Item no.
WDK HA40040RW	Pure white	66	4	3.139	6192246
WDK HA40040CW	Cream	66	4	3.139	6160697
WDK HA40040LGR	Light grey	66	4	3.139	6182526
WDK HA40040GR	Stone grey	66	4	3.139	6158412

External corner hood for changing the direction of the WDK trunking.



### Flat angle cover, trunking type WDK 40040




Type	Colour	Dim. mm	Pack Piece	Weight kg/100 pc.	Item no.
WDK HF40040RW	Pure white	63	4	2.534	6192831
WDK HF40040CW	Cream	63	4	2.534	6161294
WDK HF40040LGR	Light grey	63	4	2.534	6183336
WDK HF40040GR	Stone grey	63	4	2.534	6158668

Flat angle cover for changing the direction of the WDK trunking.



**T and intersection cover, for trunking type WDK 40040**



Type	Colour	Dim. a mm	Dim. b mm	Pack Piece	Weight kg/100 pc.	Item no.
WDK HT40040RW	Pure white	83	43	4	2.681	6192548
WDK HT40040CW	Cream	83	43	4	2.681	6161995
WDK HT40040LGR	Light grey	83	43	4	2.681	6182917
WDK HT40040GR	Stone grey	83	43	4	2.681	6158544



T and intersection cover for changing the direction of the WDK trunking. The fitting is preperforated at the side for the connection of different trunking cross-sections.

**End piece, trunking type WDK 40040**


Type	Colour	Dim. a mm	Dim. b mm	Pack Piece	Weight kg/100 pc.	Item no.
WDK HE40040RW	Pure white	40	40	10	0.602	6193218
WDK HE40040CW	Cream	40	40	10	0.615	6162592
WDK HE40040LGR	Light grey	40	40	10	0.602	6183727
WDK HE40040GR	Stone grey	40	40	10	0.602	6158773



End piece to close the WDK trunking.

## Trunking height 40 mm, trunking width 60 mm

### Trunking, type WDK 40060




Type	Colour	Length mm	Pack m	Weight kg/100 m	Item no.
WDK40060RW	Pure white	2000	32	56.200	6191134
WDK40060CW	Cream	2000	32	56.200	6020887
WDK40060LGR	Light grey	2000	32	56.200	6027024
WDK40060GR	Stone grey	2000	32	56.200	6025633
WDK40060BR	Sepia brown	2000	32	56.200	6025617
WDK40060SW	Jet black	2000	32	56.200	6025638

Trunking cover and base with base perforation.



### Internal corner cover, trunking type WDK 40060




Type	Colour	Dim. a mm	Pack Piece	Weight kg/100 pc.	Item no.
WDK HI40060RW	Pure white	110	2	7.363	6191959
WDK HI40060CW	Cream	110	2	7.363	6160107
WDK HI40060LGR	Light grey	110	2	7.363	6182127
WDK HI40060GR	Stone grey	110	2	7.363	6021719

Internal corner cover for changing the direction of the WDK trunking.



### External corner cover, trunking type WDK 40060




Type	Colour	Dim. a mm	Pack Piece	Weight kg/100 pc.	Item no.
WDK HA40060RW	Pure white	100	2	8.653	6192254
WDK HA40060CW	Cream	100	2	8.653	6160700
WDK HA40060LGR	Light grey	100	2	8.653	6182534
WDK HA40060GR	Stone grey	100	2	8.653	6021697

External corner hood for changing the direction of the WDK trunking.



### Flat angle cover, trunking type WDK 40060



Type	Colour	Dim. a mm	Pack Piece	Weight kg/100 pc.	Item no.
WDK HF40060RW	Pure white	101	2	6.271	6192858
WDK HF40060CW	Cream	101	2	6.271	6161308
WDK HF40060GR	Stone grey	101	2	6.271	6021735
WDK HF40060LGR	Light grey	101	2	6.271	6183344


Flat angle hood for changing the direction of the WDK trunking.





## T and intersection cover, for trunking type WDK 40060

Type	Colour	Dim. a mm	Dim. b mm	Pack Piece	Weight kg/100 pc.	Item no.
WDK HK40060RW	Pure white	190	63	2	9.801	6192556
WDK HK40060CW	Cream	190	63	2	9.801	6162002
WDK HK40060LGR	Light grey	190	63	2	9.801	6182925
WDK HK40060GR	Stone grey	190	63	2	9.801	6023312




T and intersection cover for changing the direction of the WDK trunking. The fitting is preperforated at the side for the connection of different trunking cross-sections.



## End piece, trunking type WDK 40060


Type	Colour	Dim. a mm	Dim. b mm	Pack Piece	Weight kg/100 pc.	Item no.
WDK HE40060RW	Pure white	60	40	10	1.136	6193226
WDK HE40060CW	Cream	60	40	10	1.147	6162606
WDK HE40060LGR	Light grey	60	40	10	1.148	6183735
WDK HE40060GR	Stone grey	60	40	10	1.144	6021492



End piece to close the WDK trunking.

## Trunking height 40 mm, trunking width 90 mm


## Trunking, type WDK 40090



Type	Colour	Length mm	Pack m	Weight kg/100 m	Item no.
WDK40090RW	Pure white	2000	32	77.300	6191142
WDK40090CW	Cream	2000	32	77.300	6020895
WDK40090LGR	Light grey	2000	32	77.300	6027032
WDK40090GR	Stone grey	2000	32	77.300	6021018
WDK40090SW	Jet black	2000	32	78.100	6021023

Trunking cover and base with base perforation.


## Joint cover, for trunking, type WDK 40090



Type	Colour	Dim. a mm	Dim. b mm	Pack Piece	Weight kg/100 pc.	Item no.
WDK HS40090RW	Pure white	90	39	20	0.857	6193580
WDK HS40090CW	Cream	90	39	20	0.857	6193582

Joint cover for hiding cut edges and for smooth connection of trunking segments.


## Internal corner cover, trunking type WDK 40090



Type	Colour	Dim. a mm	Pack Piece	Weight kg/100 pc.	Item no.
WDK HI40090RW	Pure white	109	2	9.468	6191967
WDK HI40090CW	Cream	109	2	9.468	6160115
WDK HI40090LGR	Light grey	109	2	9.468	6182135
WDK HI40090GR	Stone grey	109	2	9.468	6021190

Internal corner cover for changing the direction of the WDK trunking.

## External corner cover, trunking type WDK 40090




Type	Colour	Dim. a mm	Pack Piece	Weight kg/100 pc.	Item no.
WDK HA40090RW	Pure white	100	2	9.638	6192262
WDK HA40090CW	Cream	100	2	9.638	6160719
WDK HA40090LGR	Light grey	100	2	9.638	6182542
WDK HA40090GR	Stone grey	100	2	9.638	6021093

External corner hood for changing the direction of the WDK trunking.



## Flat angle cover, trunking type WDK 40090

Type	Colour	Dim. mm	Pack Piece	Weight kg/100 pc.	Item no.
WDK HF40090RW	Pure white	129	2	11.246	6192866
WDK HF40090CW	Cream	129	2	11.246	6161316
WDK HF40090LGR	Light grey	129	2	11.246	6183352
WDK HF40090GR	Stone grey	129	2	11.246	6021336




Flat angle hood for changing the direction of the WDK trunking.



## T and intersection cover, for trunking type WDK 40090

Type	Colour	Dim. a mm	Dim. b mm	Pack Piece	Weight kg/100 pc.	Item no.
WDK HK40090RW	Pure white	230	91	2	13.986	6192564
WDK HK40090CW	Cream	230	91	2	13.986	6162010
WDK HK40090LGR	Light grey	230	91	2	13.986	6182933
WDK HK40090GR	Stone grey	230	91	2	13.986	6023142




T and intersection cover for changing the direction of the WDK trunking. The fitting is preperforated at the side for the connection of different trunking cross-sections.



## End piece, trunking type WDK 40090


Type	Colour	Dim. a mm	Dim. b mm	Pack Piece	Weight kg/100 pc.	Item no.
WDK HE40090RW	Pure white	90	40	10	1.576	6193234
WDK HE40090CW	Cream	90	40	10	1.576	6162614
WDK HE40090LGR	Light grey	90	40	10	1.566	6183743
WDK HE40090GR	Stone grey	90	40	10	1.576	6021506



End piece to close the WDK trunking.

## Trunking height 40 mm, trunking width 110 mm

## Trunking, type WDK 40110




Type	Colour	Length mm	Pack m	Weight kg/100 m	Item no.
WDK40110RW	Pure white	2000	24	111.800	6191150
WDK40110CW	Cream	2000	24	111.800	6020909
WDK40110LGR	Light grey	2000	24	111.800	6027040
WDK40110GR	Stone grey	2000	24	111.800	6021034

Trunking cover and base with base perforation.



## Joint cover, for trunking, type WDK 40110




Type	Colour	Dim. mm	Dim. mm	Pack Piece	Weight kg/100 pc.	Item no.
WDK HS40110RW	Pure white	110	39	20	0.974	6193586
WDK HS40110CW	Cream	110	39	20	0.974	6193588

Joint cover for hiding cut edges and for smooth connection of trunking segments.



## Internal corner cover, trunking type WDK 40110




Type	Colour	Dim. mm	Pack Piece	Weight kg/100 pc.	Item no.
WDK HI40110RW	Pure white	110.5	2	9.726	6191975
WDK HI40110CW	Cream	110.5	2	9.726	6160123
WDK HI40110LGR	Light grey	110.5	2	9.726	6182143
WDK HI40110GR	Stone grey	110.5	2	9.726	6021727

Internal corner cover for changing the direction of the WDK trunking.



## External corner cover, trunking type WDK 40110



Type	Colour	Dim. mm	Pack Piece	Weight kg/100 pc.	Item no.
WDK HA40110RW	Pure white	100	2	13.500	6192270
WDK HA40110CW	Cream	100	2	13.500	6160727
WDK HA40110LGR	Light grey	100	2	13.500	6182550
WDK HA40110GR	Stone grey	100	2	13.500	6021700


External corner hood for changing the direction of the WDK trunking.





## Flat angle cover, trunking type WDK 40110

Type	Colour	Dim. mm	Pack Piece	Weight kg/100 pc.	Item no.
WDK HF40110RW	Pure white	110	2	13.000	6192874
WDK HF40110CW	Cream	110	2	13.000	6161324
WDK HF40110LGR	Light grey	110	2	13.000	6183360
WDK HF40110GR	Stone grey	110	2	11.751	6021743




Flat angle hood for changing the direction of the WDK trunking.



## T and intersection cover, for trunking type WDK 40110

Type	Colour	Dim. a mm	Dim. b mm	Pack Piece	Weight kg/100 pc.	Item no.
WDK HK40110RW	Pure white	272	112	2	18.882	6192572
WDK HK40110CW	Cream	272	112	2	18.882	6162029
WDK HK40110LGR	Light grey	272	112	2	18.882	6182941
WDK HK40110GR	Stone grey	272	112	2	18.882	6023339



T and intersection cover for changing the direction of the WDK trunking. The fitting is preperforated at the side for the connection of different trunking cross-sections.



## End piece, trunking type WDK 40110


Type	Colour	Dim. a mm	Dim. b mm	Pack Piece	Weight kg/100 pc.	Item no.
WDK HE40110RW	Pure white	110	40	10	1.919	6193242
WDK HE40110CW	Cream	110	40	10	1.859	6162622
WDK HE40110LGR	Light grey	110	40	10	1.859	6183751
WDK HE40110GR	Stone grey	110	40	10	1.859	6021514



End piece to close the WDK trunking.

## Trunking height 60 mm, trunking width 60 mm

### Trunking, type WDK 60060





Type	Colour	Length mm	Pack m	Weight kg/100 m	Item no.
WDK60060RW	Pure white	2000	32	81.600	6191193
WDK60060CW	Cream	2000	32	81.600	6021948
WDK60060LGR	Light grey	2000	32	81.600	6027105
WDK60060GR	Stone grey	2000	32	81.600	6025668

Trunking cover and base with base perforation.



### Internal corner cover, trunking type WDK 60060




Type	Colour	Dim. a mm	Pack Piece	Weight kg/100 pc.	Item no.
WDK HI60060RW	Pure white	130	2	10.932	6192017
WDK HI60060CW	Cream	130	2	10.932	6160301
WDK HI60060LGR	Light grey	130	2	10.932	6182194
WDK HI60060GR	Stone grey	130	2	10.932	6022383

Internal corner cover for changing the direction of the WDK trunking.



### External corner cover, trunking type WDK 60060




Type	Colour	Dim. a mm	Pack Piece	Weight kg/100 pc.	Item no.
WDK HA60060RW	Pure white	100	2	9.931	6192319
WDK HA60060CW	Cream	100	2	9.931	6160905
WDK HA60060LGR	Light grey	100	2	9.931	6182593
WDK HA60060GR	Stone grey	100	2	9.931	6022073

External corner hood for changing the direction of the WDK trunking.



### Flat angle cover, trunking type WDK 60060



Type	Colour	Dim. a mm	Pack Piece	Weight kg/100 pc.	Item no.
WDK HF60060RW	Pure white	101	2	7.846	6192912
WDK HF60060CW	Cream	101	2	8.016	6161502
WDK HF60060LGR	Light grey	101	2	8.243	6183409
WDK HF60060GR	Stone grey	101	2	8.016	6022448

Flat angle hood for changing the direction of the WDK trunking.




PVC



## T and intersection cover, for trunking type WDK 60060

Type	Colour	Dim. a mm	Dim. b mm	Pack Piece	Weight kg/100 pc.	Item no.
WDK HK60060RW	Pure white	190	65	2	12.876	6192610
WDK HK60060CW	Cream	190	65	2	12.876	6162207
WDK HK60060LGR	Light grey	190	65	2	12.876	6183018
WDK HK60060GR	Stone grey	190	65	2	12.876	6023223




T and intersection cover for changing the direction of the WDK trunking. The fitting is preperforated at the side for the connection of different trunking cross-sections.

PVC



## End piece, trunking type WDK 60060


Type	Colour	Dim. a mm	Dim. b mm	Pack Piece	Weight kg/100 pc.	Item no.
WDK HE60060RW	Pure white	60	60	10	1.551	6193285
WDK HE60060CW	Cream	60	60	10	1.551	6162800
WDK HE60060LGR	Light grey	60	60	10	1.551	6183808
WDK HE60060GR	Stone grey	60	60	10	1.544	6022499



End piece to close the WDK trunking.

## Trunking height 60 mm, trunking width 90 mm

## Trunking, type WDK 60090




Type	Colour	Length mm	Pack m	Weight kg/100 m	Item no.
WDK60090RW	Pure white	2000	24	110.000	6191207
WDK60090CW	Cream	2000	24	110.000	6021913
WDK60090LGR	Light grey	2000	24	110.000	6027113
WDK60090GR	Stone grey	2000	24	110.000	6022006

Trunking cover and base with base perforation.



## Joint cover, for trunking, type WDK 60090





Type	Colour	Dim. a mm	Dim. b mm	Pack Piece	Weight kg/100 pc.	Item no.
WDK HS60090RW	Pure white	94	18	20	1.002	6193590
WDK HS60090CW	Cream	94	18	20	1.008	6193592

Joint cover for hiding cut edges and for smooth connection of trunking segments.



## Internal corner cover, trunking type WDK 60090




Type	Colour	Dim. a mm	Pack Piece	Weight kg/100 pc.	Item no.
WDK HI60090RW	Pure white	130	2	12.989	6192025
WDK HI60090CW	Cream	130	2	12.989	6160328
WDK HI60090LGR	Light grey	130	2	12.989	6182208
WDK HI60090GR	Stone grey	130	2	12.989	6022219

Internal corner cover for changing the direction of the WDK trunking.



## External corner cover, trunking type WDK 60090



Type	Colour	Dim. a mm	Pack Piece	Weight kg/100 pc.	Item no.
WDK HA60090RW	Pure white	100	2	10.965	6192327
WDK HA60090CW	Cream	100	2	10.965	6160913
WDK HA60090LGR	Light grey	100	2	10.965	6182607
WDK HA60090GR	Stone grey	100	2	10.965	6022111


External corner hood for changing the direction of the WDK trunking.





## Flat angle cover, trunking type WDK 60090

Type	Colour	Dim. mm	Pack Piece	Weight kg/100 pc.	Item no.
WDK HF60090RW	Pure white	129	2	11.454	6192920
WDK HF60090CW	Cream	129	2	11.454	6161510
WDK HF60090LGR	Light grey	129	2	11.454	6183417
WDK HF60090GR	Stone grey	129	2	11.454	6022316




Flat angle hood for changing the direction of the WDK trunking.



## T and intersection cover, for trunking type WDK 60090

Type	Colour	Dim. mm	Dim. a mm	Dim. b mm	Pack Piece	Weight kg/100 pc.	Item no.
WDK HK60090RW	Pure white	230	94		2	16.992	6192629
WDK HK60090CW	Cream	230	94		2	16.992	6162215
WDK HK60090LGR	Light grey	230	94		2	16.992	6183026
WDK HK60090GR	Stone grey	230	94		2	16.992	6023002




T and intersection cover for changing the direction of the WDK trunking. The fitting is preperforated at the side for the connection of different trunking cross-sections.



## End piece, trunking type WDK 60090


Type	Colour	Dim. a mm	Dim. b mm	Pack Piece	Weight kg/100 pc.	Item no.
WDK HE60090RW	Pure white	90	60	10	2.315	6193293
WDK HE60090CW	Cream	90	60	10	2.337	6162819
WDK HE60090LGR	Light grey	90	60	10	2.337	6183816
WDK HE60090GR	Stone grey	90	60	10	2.337	6022502



End piece to close the WDK trunking.

## Trunking height 60 mm, trunking width 110 mm, device installation


## Trunking, type WDK 60110



Type	Colour	Length mm	Pack m	Weight kg/100 m	Item no.
WDK60110RW	Pure white	2000	16	117.000	6191215
WDK60110CW	Cream	2000	16	117.000	6021840
WDK60110LGR	Light grey	2000	16	117.000	6027121
WDK60110GR	Stone grey	2000	16	117.000	6022014

Trunking cover and base with base perforation.



## Joint cover, for trunking, type WDK 60110



Type	Colour	Dim. a mm	Dim. b mm	Pack Piece	Weight kg/100 pc.	Item no.
WDK HS60110RW	Pure white	113	18	20	1.142	6193596
WDK HS60110CW	Cream	113	18	20	1.142	6193598

Joint cover for hiding cut edges and for smooth connection of trunking segments.


## Internal corner cover, trunking type WDK 60110



Type	Colour	Dim. a mm	Pack Piece	Weight kg/100 pc.	Item no.
WDK HI60110RW	Pure white	130	2	13.254	6192033
WDK HI60110CW	Cream	130	2	13.312	6160336
WDK HI60110LGR	Light grey	130	2	13.102	6182216
WDK HI60110GR	Stone grey	130	2	13.312	6022235

Internal corner cover for changing the direction of the WDK trunking.

## External corner cover, trunking type WDK 60110




Type	Colour	Dim. a mm	Pack Piece	Weight kg/100 pc.	Item no.
WDK HA60110RW	Pure white	100	2	13.226	6192335
WDK HA60110CW	Cream	100	2	13.017	6160921
WDK HA60110LGR	Light grey	100	2	13.226	6182615
WDK HA60110GR	Stone grey	100	2	13.049	6022146

External corner hood for changing the direction of the WDK trunking.



## Flat angle cover, trunking type WDK 60110

Type	Colour	Dim. mm	Pack Piece	Weight kg/100 pc.	Item no.
WDK HF60110RW	Pure white	149	2	14.273	6192939
WDK HF60110CW	Cream	149	2	14.399	6161529
WDK HF60110LGR	Light grey	149	2	14.399	6183425
WDK HF60110GR	Stone grey	149	2	14.399	6022332




Flat angle hood for changing the direction of the WDK trunking.



## T and intersection cover, for trunking type WDK 60110

Type	Colour	Dim. a mm	Dim. b mm	Pack Piece	Weight kg/100 pc.	Item no.
WDK HK60110RW	Pure white	272	114	2	22.905	6192637
WDK HK60110CW	Cream	272	114	2	22.905	6162223
WDK HK60110LGR	Light grey	272	114	2	22.905	6183034
WDK HK60110GR	Stone grey	272	114	2	22.905	6023029




T and intersection cover for changing the direction of the WDK trunking. The fitting is preperforated at the side for the connection of different trunking cross-sections.



## End piece, trunking type WDK 60110


Type	Colour	Dim. a mm	Dim. b mm	Pack Piece	Weight kg/100 pc.	Item no.
WDK HE60110RW	Pure white	110	60	10	2.937	6193307
WDK HE60110CW	Cream	110	60	10	2.934	6162827
WDK HE60110LGR	Light grey	110	60	10	2.912	6183824
WDK HE60110GR	Stone grey	110	60	10	2.951	6022588



End piece for closing the WDK trunking.

## Trunking height 60 mm, trunking width 130 mm, device installation

## Trunking, type WDK 60130




Type	Colour	Length mm	Pack m	Weight kg/100 m	Item no.
WDK60130RW	Pure white	2000	16	135.000	6191223
WDK60130CW	Cream	2000	16	135.000	6021859
WDK60130LGR	Light grey	2000	16	135.000	6027148
WDK60130GR	Stone grey	2000	16	135.000	6022022

Trunking cover and base with base perforation.




## Internal corner cover, trunking type WDK 60130



Type	Colour	Dim. a mm	Pack Piece	Weight kg/100 pc.	Item no.
WDK HI60130RW	Pure white	130	2	13.526	6192041
WDK HI60130CW	Cream	130	2	13.526	6160344
WDK HI60130LGR	Light grey	130	2	13.526	6182224
WDK HI60130GR	Stone grey	130	2	13.526	6022251

Internal corner cover for changing the direction of the WDK trunking.


## External corner cover, trunking type WDK 60130



Type	Colour	Dim. a mm	Pack Piece	Weight kg/100 pc.	Item no.
WDK HA60130RW	Pure white	100	2	14.327	6192343
WDK HA60130CW	Cream	100	2	14.327	6160948
WDK HA60130LGR	Light grey	100	2	14.327	6182623
WDK HA60130GR	Stone grey	100	2	14.327	6022162

External corner hood for changing the direction of the WDK trunking.

## Flat angle cover, trunking type WDK 60130




Type	Colour	Dim. a mm	Pack Piece	Weight kg/100 pc.	Item no.
WDK HF60130RW	Pure white	170	2	17.118	6192947
WDK HF60130CW	Cream	170	2	17.272	6161537
WDK HF60130LGR	Light grey	170	2	17.272	6183433
WDK HF60130GR	Stone grey	170	2	17.272	6022359

Flat angle hood for changing the direction of the WDK trunking.



## T and intersection cover, for trunking type WDK 60130

Type	Colour	Dim. a mm	Dim. b mm	Pack Piece	Weight kg/100 pc.	Item no.
WDK HK60130RW	Pure white	272	65	2	23.968	6192645
WDK HK60130CW	Cream	272	65	2	23.968	6162231
WDK HK60130LGR	Light grey	272	65	2	23.968	6183042
WDK HK60130GR	Stone grey	272	65	2	23.968	6023045



T and intersection cover for changing the direction of the WDK trunking. The fitting is preperforated at the side for the connection of different trunking cross-sections.



## End piece, trunking type WDK 60130


Type	Colour	Dim. a mm	Dim. b mm	Pack Piece	Weight kg/100 pc.	Item no.
WDK HE60130RW	Pure white	130	61	10	3.610	6193315
WDK HE60130CW	Cream	130	61	10	3.596	6162835
WDK HE60130LGR	Light grey	130	61	10	3.655	6183832
WDK HE60130GR	Stone grey	130	61	10	3.578	6022529



End piece to close the WDK trunking.

## Trunking height 60 mm, trunking width 150 mm, device installation

## Trunking, type WDK 60150




Type	Colour	Length mm	Pack m	Weight kg/100 m	Item no.
WDK60150RW	Pure white	2000	8	175.000	6191231
WDK60150CW	Cream	2000	8	175.000	6021883
WDK60150LGR	Light grey	2000	8	175.000	6027156
WDK60150GR	Stone grey	2000	8	175.000	6022030

Trunking cover and base with base perforation.




## Internal corner cover, trunking type WDK 60150



Type	Colour	Dim. a mm	Pack Piece	Weight kg/100 pc.	Item no.
WDK HI60150RW	Pure white	130	2	14.449	6192068
WDK HI60150CW	Cream	130	2	14.449	6160379
WDK HI60150LGR	Light grey	130	2	14.449	6182232
WDK HI60150GR	Stone grey	130	2	14.449	6024432

Internal corner cover for changing the direction of the WDK trunking.

## External corner cover, trunking type WDK 60150




Type	Colour	Dim. a mm	Pack Piece	Weight kg/100 pc.	Item no.
WDK HA60150RW	Pure white	100	2	17.452	6192351
WDK HA60150CW	Cream	100	2	17.452	6160972
WDK HA60150LGR	Light grey	100	2	17.452	6182631
WDK HA60150GR	Stone grey	100	2	17.452	6024521

External corner hood for changing the direction of the WDK trunking.



## Flat angle cover, trunking type WDK 60150



Type	Colour	Dim. a mm	Pack Piece	Weight kg/100 pc.	Item no.
WDK HF60150RW	Pure white	190	2	19.910	6192955
WDK HF60150CW	Cream	190	2	19.910	6161561
WDK HF60150LGR	Light grey	190	2	19.910	6183441
WDK HF60150GR	Stone grey	190	2	19.910	6024599


Flat angle hood for changing the direction of the WDK trunking.





## T and intersection cover, for trunking type WDK 60150

Type	Colour	Dim. a mm	Dim. b mm	Pack Piece	Weight kg/100 pc.	Item no.
WDK HK60150RW	Pure white	291	155	2	26.831	6192653
WDK HK60150CW	Cream	291	155	2	26.831	6162274
WDK HK60150LGR	Light grey	291	155	2	26.831	6183050
WDK HK60150GR	Stone grey	291	155	2	26.831	6024769




T and intersection cover for changing the direction of the WDK trunking. The fitting is preperforated at the side for the connection of different trunking cross-sections.



## End piece, trunking type WDK 60150


Type	Colour	Dim. a mm	Dim. b mm	Pack Piece	Weight kg/100 pc.	Item no.
WDK HE60150RW	Pure white	150	60	10	4.118	6193323
WDK HE60150CW	Cream	150	60	10	4.223	6162878
WDK HE60150LGR	Light grey	150	60	10	4.827	6183840
WDK HE60150GR	Stone grey	150	60	10	4.223	6024823



End piece to close the WDK trunking.

## Trunking height 60 mm, trunking width 170 mm, device installation

## Trunking, type WDK 60170




Type	Colour	Length mm	Pack m	Weight kg/100 m	Item no.
WDK60170RW	Pure white	2000	8	178.000	6191258
WDK60170CW	Cream	2000	8	178.000	6021867
WDK60170LGR	Light grey	2000	8	178.000	6027164
WDK60170GR	Stone grey	2000	8	178.000	6022049

Trunking cover and base with base perforation.




## Internal corner cover, trunking type WDK 60170



Type	Colour	Dim. a mm	Pack Piece	Weight kg/100 pc.	Item no.
WDK HI60170RW	Pure white	130	2	12.472	6192076
WDK HI60170CW	Cream	130	2	12.472	6160352
WDK HI60170LGR	Light grey	130	2	12.472	6182240
WDK HI60170GR	Stone grey	130	2	12.472	6022286

Internal corner cover for changing the direction of the WDK trunking.


## External corner cover, trunking type WDK 60170



Type	Colour	Dim. a mm	Pack Piece	Weight kg/100 pc.	Item no.
WDK HA60170RW	Pure white	100	2	17.750	6192378
WDK HA60170CW	Cream	100	2	17.750	6160956
WDK HA60170LGR	Light grey	100	2	17.750	6182658
WDK HA60170GR	Stone grey	100	2	17.750	6022189

External corner hood for changing the direction of the WDK trunking.

## Flat angle cover, trunking type WDK 60170




Type	Colour	Dim. a mm	Pack Piece	Weight kg/100 pc.	Item no.
WDK HF60170RW	Pure white	211	2	22.774	6192963
WDK HF60170CW	Cream	211	2	22.774	6161545
WDK HF60170LGR	Light grey	211	2	22.774	6183468
WDK HF60170GR	Stone grey	211	2	22.774	6022375

Flat angle hood for changing the direction of the WDK trunking.



## T and intersection cover, for trunking type WDK 60170

Type	Colour	Dim. a mm	Dim. b mm	Pack Piece	Weight kg/100 pc.	Item no.
WDK HK60170RW	Pure white	291	66	2	32.600	6192661
WDK HK60170CW	Cream	291	66	2	32.600	6162258
WDK HK60170LGR	Light grey	291	66	2	32.600	6183069
WDK HK60170GR	Stone grey	291	66	2	32.600	6023061




T and intersection cover for changing the direction of the WDK trunking. The fitting is preperforated at the side for the connection of different trunking cross-sections.



## End piece, trunking type WDK 60170


Type	Colour	Dim. a mm	Dim. b mm	Pack Piece	Weight kg/100 pc.	Item no.
WDK HE60170RW	Pure white	170	60	10	4.859	6193331
WDK HE60170CW	Cream	170	60	10	4.859	6162843
WDK HE60170LGR	Light grey	170	60	10	4.859	6183859
WDK HE60170GR	Stone grey	170	60	10	4.859	6022545



End piece to close the WDK trunking.

## Trunking height 60 mm, trunking width 210 mm, device installation

## Trunking, type WDK 60210




Type	Colour	Length mm	Pack m	Weight kg/100 m	Item no.
WDK60210RW	Pure white	2000	8	258.000	6191266
WDK60210CW	Cream	2000	8	258.000	6021875
WDK60210LGR	Light grey	2000	8	258.000	6027172
WDK60210GR	Stone grey	2000	8	258.000	6022065

Trunking cover and base with base perforation.




## Internal corner cover, trunking type WDK 60210



Type	Colour	Dim. a mm	Pack Piece	Weight kg/100 pc.	Item no.
WDK HI60210RW	Pure white	130	2	17.594	6192084
WDK HI60210CW	Cream	130	2	17.594	6160360
WDK HI60210LGR	Light grey	130	2	17.594	6182259
WDK HI60210GR	Stone grey	130	2	17.594	6022294

Internal corner cover for changing the direction of the WDK trunking.


## External corner cover, trunking type WDK 60210



Type	Colour	Dim. a mm	Pack Piece	Weight kg/100 pc.	Item no.
WDK HA60210RW	Pure white	100	2	20.357	6192386
WDK HA60210CW	Cream	100	2	20.357	6160964
WDK HA60210LGR	Light grey	100	2	20.357	6182666
WDK HA60210GR	Stone grey	100	2	20.357	6022197

External corner hood for changing the direction of the WDK trunking.

## Flat angle cover, trunking type WDK 60210




Type	Colour	Dim. a mm	Pack Piece	Weight kg/100 pc.	Item no.
WDK HF60210RW	Pure white	250	2	30.182	6192971
WDK HF60210CW	Cream	250	2	38.000	6161553
WDK HF60210LGR	Light grey	250	2	38.000	6183476
WDK HF60210GR	Stone grey	250	2	38.000	6022391

Flat angle hood for changing the direction of the WDK trunking.



## T and intersection cover, for trunking type WDK 60210

Type	Colour	Dim. a mm	Dim. b mm	Pack Piece	Weight kg/100 pc.	Item no.
WDK HK60210RW	Pure white	291	66	2	35.280	6192688
WDK HK60210CW	Cream	291	66	2	35.280	6162266
WDK HK60210LGR	Light grey	291	66	2	35.280	6183077
WDK HK60210GR	Stone grey	291	66	2	35.280	6023126




T and intersection cover for changing the direction of the WDK trunking. The fitting is preperforated at the side for the connection of different trunking cross-sections.



## End piece, trunking type WDK 60210


Type	Colour	Dim. a mm	Dim. b mm	Pack Piece	Weight kg/100 pc.	Item no.
WDK HE60210RW	Pure white	210	60	10	5.475	6193358
WDK HE60210CW	Cream	210	60	10	5.674	6162851
WDK HE60210LGR	Light grey	210	60	10	5.646	6183867
WDK HE60210GR	Stone grey	210	60	10	5.479	6022561



End piece to close the WDK trunking.

## Trunking height 60 mm, trunking width 230 mm

## Trunking, type WDK 60230




Type	Colour	Length mm	Pack m	Weight kg/100 m	Item no.
WDK60230RW	Pure white	2000	8	298.000	6191274
WDK60230CW	Cream	2000	8	298.000	6021891
WDK60230LGR	Light grey	2000	8	298.000	6027180
WDK60230GR	Stone grey	2000	8	298.000	6022057

Trunking cover and base with base perforation.

Four cover fixing devices included.




## Internal corner cover, trunking type WDK 60230



Type	Colour	Dim. a mm	Pack Piece	Weight kg/100 pc.	Item no.
WDK HI60230RW	Pure white	130	2	22.509	6192092
WDK HI60230CW	Cream	130	2	22.509	6160395
WDK HI60230LGR	Light grey	130	2	22.509	6182267
WDK HI60230GR	Stone grey	130	2	22.509	6024440

Internal corner cover for changing the direction of the WDK trunking.


## External corner cover, trunking type WDK 60230



Type	Colour	Dim. a mm	Pack Piece	Weight kg/100 pc.	Item no.
WDK HA60230RW	Pure white	100	2	24.645	6192394
WDK HA60230CW	Cream	100	2	24.645	6160980
WDK HA60230LGR	Light grey	100	2	24.645	6182674
WDK HA60230GR	Stone grey	100	2	24.645	6024548

External corner hood for changing the direction of the WDK trunking.

## T and intersection cover, for trunking type WDK 60210



Type	Colour	Dim. a mm	Dim. b mm	Pack Piece	Weight kg/100 pc.	Item no.
WDK HK60230RW	Pure white	291	235	2	39.600	6192696
WDK HK60230CW	Cream	291	235	2	39.600	6162290
WDK HK60230LGR	Light grey	291	235	2	39.600	6183085
WDK HK60230GR	Stone grey	291	235	2	39.600	6024777


T and intersection cover for changing the direction of the WDK trunking. The fitting is preperforated at the side for the connection of different trunking cross-sections.





## Flat angle cover, trunking type WDK 60230

Type	Colour	Dim. mm	Pack Piece	Weight kg/100 pc.	Item no.
WDK HF60230RW	Pure white	270	2	47.856	6192998
WDK HF60230CW	Cream	270	2	47.856	6161596
WDK HF60230LGR	Light grey	270	2	47.856	6183484
WDK HF60230GR	Stone grey	270	2	47.856	6024602




Flat angle hood for changing the direction of the WDK trunking.



## End piece, trunking type WDK 60230

Type	Colour	Dim. a mm	Dim. b mm	Pack Piece	Weight kg/100 pc.	Item no.
WDK HE60230RW	Pure white	230	60	10	6.283	6193366
WDK HE60230CW	Cream	230	60	10	6.283	6162886
WDK HE60230LGR	Light grey	230	60	10	6.283	6183875
WDK HE60230GR	Stone grey	230	60	10	6.283	6024831




End piece to close the WDK trunking.

The end pieces are pushed onto the trunking and kept in place by the spring action.

## Trunking height 80 mm, trunking width 170 mm

## Trunking, type WDK 80170




Type	Colour	Length mm	Pack m	Weight kg/100 m	Item no.
WDK80170RW	Pure white	2000	8	214.000	6191304
WDK80170CW	Cream	2000	8	214.000	6026176
WDK80170LGR	Light grey	2000	8	214.000	6027229
WDK80170GR	Stone grey	2000	8	214.000	6026184

Wall installation trunking as trunking base with base perforation and matching trunking cover.



## End piece, trunking type WDK 80170




Type	Colour	Dim. a mm	Dim. b mm	Pack Piece	Weight kg/100 pc.	Item no.
WDK HE80170RW	Pure white	150	170	10	11.900	6193387
WDK HE80170CW	Cream	150	170	10	11.900	6163009
WDK HE80170LGR	Light grey	150	170	10	11.900	6183913
WDK HE80170GR	Stone grey	150	170	10	11.900	6024858

End piece to close the WDK trunking.



## T piece, for trunking type WDK 80170




Type	Colour	Dim. a mm	Pack Piece	Weight kg/100 pc.	Item no.
WDK T80170RW	Pure white	400	2	120.000	6183994

T piece to change the direction of the WDK trunking.



## External corner, trunking type WDK 80170




Type	Colour	Dim. a mm	Pack Piece	Weight kg/100 pc.	Item no.
WDK A80170GR	Stone grey	331	1	130.000	6024689
WDK A80170CW	Cream	331	1	130.000	6024654
WDK A80170LGR	Light grey	331	1	130.000	6160485
WDK A80170RW	Pure white	331	1	130.000	6160493
WDK A80210GR	Stone grey	329	1	160.000	6161104
WDK A80210CW	Cream	329	1	160.000	6160550
WDK A80210LGR	Light grey	329	1	160.000	6161112
WDK A80210RW	Pure white	329	1	160.000	6161155

External corner hood for changing the direction of the WDK trunking.



**T piece, for trunking type WDK 80170**


Type	Colour	Dim. a mm	Pack Piece	Weight kg/100 pc.	Item no.
WDK T80170GR	Stone grey	400	2	120.000	6193414
WDK T80170CW	Cream	400	2	120.000	6193404
WDK T80170LGR	Light grey	400	2	120.000	6163094
WDK T80210GR	Stone grey	400	2	130.000	6193415
WDK T80210CW	Cream	400	2	130.000	6193406
WDK T80210LGR	Light grey	400	2	130.000	6163096



T piece to change the direction of the WDK trunking.

**Flat angle, trunking type WDK 80170**


Type	Colour	Dim. a mm	Pack Piece	Weight kg/100 pc.	Item no.
WDK F80170GR	Stone grey	470	1	170.000	6182764
WDK F80170CW	Cream	470	1	170.000	6182748
WDK F80170LGR	Light grey	470	1	170.000	6183523
WDK F80170RW	Pure white	470	1	170.000	6183531
WDK F80210CW	Cream	560.5	1	220.000	6183574



Flat angle for changing the direction of the WDK trunking.

**Internal corner cover, trunking type WDK 80170**


Type	Colour	Dim. a mm	Pack Piece	Weight kg/100 pc.	Item no.
WDK I80170GR	Stone grey	329	1	100.000	6193080
WDK I80170CW	Cream	329	1	100.000	6193078
WDK I80170LGR	Light grey	329	1	100.000	6193825
WDK I80170RW	Pure white	329	1	100.000	6193827



Internal corner cover for changing the direction of the WDK trunking.

## Trunking height 80 mm, trunking width 210 mm

## Trunking, type WDK 80210




Type	Colour	Length mm	Pack m	Weight kg/100 m	Item no.
WDK80210RW	Pure white	2000	8	240.000	6191312
WDK80210CW	Cream	2000	8	240.000	6026206
WDK80210LGR	Light grey	2000	8	240.000	6027237
WDK80210GR	Stone grey	2000	8	240.000	6026192

Wall installation trunking as trunking base with base perforation and matching trunking cover.

Four cover fixing devices included.



## End piece, trunking type WDK 80210




Type	Colour	Dim. a mm	Dim. b mm	Pack Piece	Weight kg/100 pc.	Item no.
WDK HE80210RW	Pure white	150	80	10	14.500	6193391
WDK HE80210CW	Cream	150	210	10	14.500	6163017
WDK HE80210LGR	Light grey	150	210	10	14.500	6183921
WDK HE80210GR	Stone grey	150	210	10	14.500	6024874

End piece to close the WDK trunking.



## Flat angle, trunking type WDK 80210




Type	Colour	Dim. a mm	Pack Piece	Weight kg/100 pc.	Item no.
WDK F80210GR	Stone grey	560.5	1	220.000	6192107
WDK F80210LGR	Light grey	560.5	1	220.000	6192111
WDK F80210RW	Pure white	560.5	1	220.000	6192115

Flat angle for changing the direction of the WDK trunking.



## T piece, for trunking type WDK 80210




Type	Colour	Dim. a mm	Pack Piece	Weight kg/100 pc.	Item no.
WDK T80210RW	Pure white	400	2	130.000	6183996

T piece to change the direction of the WDK trunking.




## Internal corner cover, trunking type WDK 80210



Type	Colour	Dim. a mm	Pack Piece	Weight kg/100 pc.	Item no.
WDK I80210GR	Stone grey	329	1	120.000	6193860
WDK I80210CW	Cream	329	1	120.000	6193831
WDK I80210LGR	Light grey	329	1	120.000	6193864
WDK I80210RW	Pure white	329	1	120.000	6193866


Internal corner cover for changing the direction of the WDK trunking.





## Trunking height 100 mm, trunking width 130 mm

## Trunking, type WDK 100130




Type	Colour	Length mm	Pack m	Weight kg/100 m	Item no.
WDK100130RW	Pure white	2000	8	214.000	6191347
WDK100130CW	Cream	2000	8	214.000	6026273
WDK100130LGR	Light grey	2000	8	214.000	6027245
WDK100130GR	Stone grey	2000	8	214.000	6026281

Wall installation trunking as trunking base with base perforation and matching trunking cover.

Four cover fixing devices included.



## T piece, for trunking type WDK 100130




Type	Colour	Dim. a mm	Pack Piece	Weight kg/100 pc.	Item no.
WDK T100130RW	Pure white	400	1	120.000	6183990

T piece to change the direction of the WDK trunking.



## End piece, trunking type WDK 100130




Type	Colour	Dim. a mm	Dim. b mm	Pack Piece	Weight kg/100 pc.	Item no.
WDK HE100130RW	Pure white	150	130	10	8.200	6193395
WDK HE100130CW	Cream	150	130	10	8.200	6163041
WDK HE100130LGR	Light grey	150	130	10	8.200	6183956
WDK HE100130GR	Stone grey	150	130	10	8.200	6024882

End piece to close the WDK trunking.



## External corner, trunking type WDK 100130




Type	Colour	Dim. a mm	Pack Piece	Weight kg/100 pc.	Item no.
WDK A100130GR	Stone grey	348	1	136.100	6024476
WDK A100130CW	Cream	348	1	136.100	6024468
WDK A100130LGR	Light grey	348	1	136.100	6024484
WDK A100130RW	Pure white	348	1	136.100	6024506
WDK A100230GR	Stone grey	348	1	193.200	6024581
WDK A100230CW	Cream	348	1	193.200	6024573
WDK A100230LGR	Light grey	348	1	193.200	6024611
WDK A100230RW	Pure white	348	1	193.200	6024630

External corner hood for changing the direction of the WDK trunking.



**T piece, for trunking type WDK 100130**


Type	Colour	Dim. a mm	Pack	Weight Piece kg/100 pc.	Item no.
WDK T100130GR	Stone grey	400	1	120.000	6193410
WDK T100130CW	Cream	400	1	120.000	6193400
WDK T100130LGR	Light grey	400	1	120.000	6163090
WDK T100230GR	Stone grey	600	1	248.800	6193412
WDK T100230CW	Cream	600	1	248.800	6193402
WDK T100230LGR	Light grey	600	1	248.800	6163092



T piece to change the direction of the WDK trunking.

**Flat angle, trunking type WDK 100130**


Type	Colour	Dim. a mm	Pack	Weight Piece kg/100 pc.	Item no.
WDK F100130GR	Stone grey	300	1	109.900	6161716
WDK F100130CW	Cream	300	1	109.900	6161708
WDK F100130LGR	Light grey	300	1	109.900	6161759
WDK F100130RW	Pure white	300	1	109.900	6161775
WDK F100230GR	Stone grey	400	1	188.500	6182349
WDK F100230CW	Cream	400	1	188.500	6182314
WDK F100230LGR	Light grey	400	1	188.500	6182365
WDK F100230RW	Pure white	400	1	188.500	6182713



Flat angle for changing the direction of the WDK trunking.

**Internal corner cover, trunking type WDK 100130**


Type	Colour	Dim. a mm	Pack	Weight Piece kg/100 pc.	Item no.
WDK I100130GR	Stone grey	250	2	79.300	6192421
WDK I100130CW	Cream	250	2	79.300	6192417
WDK I100130LGR	Light grey	250	2	79.300	6192425
WDK I100130RW	Pure white	250	2	79.300	6192429



Internal corner cover for changing the direction of the WDK trunking.

## Trunking height 100 mm, trunking width 230 mm

## Trunking, type WDK 100230




Type	Colour	Length mm	Pack m	Weight kg/100 m	Item no.
WDK100230RW	Pure white	2000	4	338.000	6191355
WDK100230CW	Cream	2000	4	338.000	6026338
WDK100230LGR	Light grey	2000	4	338.000	6027253
WDK100230GR	Stone grey	2000	4	338.000	6026311

Wall installation trunking as trunking base with base perforation and matching trunking cover.

Four cover fixing devices included.



## End piece, trunking type WDK 100230




Type	Colour	Dim. a mm	Dim. b mm	Pack Piece	Weight kg/100 pc.	Item no.
WDK HE100230RW	Pure white	230	100	5	10.409	6193399
WDK HE100230CW	Cream	230	100	5	10.237	6163076
WDK HE100230LGR	Light grey	230	100	5	10.237	6183980
WDK HE100230GR	Stone grey	230	100	5	10.237	6024904

End piece to close the WDK trunking.



## T piece, for trunking type WDK 100230




Type	Colour	Dim. a mm	Pack Piece	Weight kg/100 pc.	Item no.
WDK T100230RW	Pure white	600	1	248.800	6183992

T piece to change the direction of the WDK trunking.




## Internal corner cover, trunking type WDK 100230



Type	Colour	Dim. a mm	Pack Piece	Weight kg/100 pc.	Item no.
WDK I100230GR	Stone grey	250	2	109.000	6193030
WDK I100230CW	Cream	250	2	109.000	6193026
WDK I100230LGR	Light grey	250	2	109.000	6193034
WDK I100230RW	Pure white	250	2	109.000	6193081


Internal corner cover for changing the direction of the WDK trunking.





## Device boxes

### WDK device socket, type 2390




Colour  
**Type**  
2390 Light grey

Pack Weight  
Piece kg/100 pc. **Item no.**  
5 4.398 6023207

Accessory mounting box for the installation of devices with support rings and support clamps in WDK cable routing trunking of 60 mm trunking height. The device socket is placed on the floor connectors and fastened in the centre with a bolt.

### WDK CEE device socket





Colour  
**Type**  
2392 Light grey

Pack Weight  
Piece kg/100 pc. **Item no.**  
5 10.500 6024009

Underfloor box for mounting CEE sockets in WDK trunking. Also suitable as concealed installation box for CEE sockets.

### WDK CEE adapter flange 16 A





Dim. Dim.  
a b  
**Type** Colour mm mm  
2393 16 Light grey 110 96

Pack Weight  
Piece kg/100 pc. **Item no.**  
5 2.401 6024025

Adapter flange for mounting CEE 16 A sockets. During the mounting of the CEE mounting box, the adapter flange is mounted behind the trunking cover for accessory mounting boxes. Suitable for 400 V CEE 16 A 5-pin 6h, art. no. 6109874.

### WDK CEE adapter flange 32 A




Dim. Dim.  
a b  
**Type** Colour mm mm  
2393 32 Stone grey 110 96

Pack Weight  
Piece kg/100 pc. **Item no.**  
5 4.000 6024033

Adapter flange for CEE 32 A sockets.

### Device support, Modul 45



Colour  
**Type**  
WDK GT1M45RW Pure white

Pack Weight  
Piece kg/100 pc. **Item no.**  
1 6.000 6154893

Single device support for mounting on WDK wall and ceiling trunking of the types WDK 12022, WDK 15030, WDK 15040 and WDK 20050. The device is only suitable for accepting Modul 45 devices.

PA


CE

Type	Colour
2393 UP	Light grey

## CEE adapter flange 16 A, concealed

Pack	Weight	
Piece	kg/100 pc.	Item no.
5	4.416	6024106

The cover plate, together with the concealed installation box, allows tidy wall closure.




PVC

CE UK CA D'VE

Type	Colour	Length mm
2371 40	Light grey	2000

## Partition for WDK trunking, trunking height 40 mm




PVC

CE UK CA D'VE

Type	Colour	Length mm
2371 60	Light grey	2000

## Partition for WDK trunking, trunking height 60 mm




PVC

CE UK CA D'VE

Type	Colour	Length mm
2371 80	Light grey	2000

## Partition for WDK trunking, trunking height 80 mm




PVC

CE UK CA D'VE


Type	Colour	Length mm
2371 100	Light grey	2000

## Partition for WDK trunking, trunking height 100 mm



## Covers

### Cover for single accessory mounting box for WDK trunking, trunking height 110 mm



Type	Colour	Length mm	Pack Piece	Weight kg/100 pc.	Item no.
D2-1 110RW	Pure white	300	1	8.000	6194036
D2-1 110CW	Cream	300	10	8.000	6169309

Cover section, single, for device installation in WDK trunking in conjunction with the device installation socket, type 2390.



### Cover for single accessory mounting box for WDK trunking, trunking height 130 mm




Type	Colour	Length mm	Pack Piece	Weight kg/100 pc.	Item no.
D2-1 130RW	Pure white	300	1	9.000	6194044
D2-1 130CW	Cream	300	10	9.000	6169317

Cover section, single, for device installation in WDK trunking in conjunction with the device installation socket, type 2390.



### Cover for single accessory mounting box for WDK trunking, trunking height 150 mm




Type	Colour	Length mm	Pack Piece	Weight kg/100 pc.	Item no.
D2-1 150RW	Pure white	300	1	10.000	6194052

Cover section, single, for device installation in WDK trunking in conjunction with the device installation socket, type 2390.



### Cover for single accessory mounting box for WDK trunking, trunking height 170 mm




Type	Colour	Length mm	Pack Piece	Weight kg/100 pc.	Item no.
D2-1 170RW	Pure white	300	1	13.400	6194060

Cover section, single, for device installation in WDK trunking in conjunction with the device installation socket, type 2390.



### Cover for double accessory mounting box for WDK trunking, trunking height 110 mm



Type	Colour	Length mm	Pack Piece	Weight kg/100 pc.	Item no.
D2-2 110RW	Pure white	300	1	6.500	6194109
D2-2 110CW	Cream	300	10	6.500	6169376
D2-2 110GR	Stone grey	300	10	6.500	6159370

Cover section, double, for device installation in WDK trunking in conjunction with the device installation socket, type 2390.







## Cover for double accessory mounting box for WDK trunking, trunking height 130 mm

Type	Colour	Length mm	Pack Piece	Weight kg/100 pc.	Item no.
D2-2 130RW	Pure white	300	1	7.500	6194117
D2-2 130CW	Cream	300	10	7.500	6169384


Cover section, double, for device installation in WDK trunking in conjunction with the device installation socket, type 2390.



## Cover for double accessory mounting box for WDK trunking, trunking height 150 mm

Type	Colour	Length mm	Pack Piece	Weight kg/100 pc.	Item no.
D2-2 150RW	Pure white	300	1	9.000	6194125
D2-2 150CW	Cream	300	10	9.000	6169368



Cover section, double, for device installation in WDK trunking in conjunction with the device installation socket, type 2390.



## Cover for double accessory mounting box for WDK trunking, trunking height 170 mm

Type	Colour	Length mm	Pack Piece	Weight kg/100 pc.	Item no.
D2-2 170RW	Pure white	300	1	12.000	6194133



Cover section, double, for device installation in WDK trunking in conjunction with the device installation socket, type 2390.



## Cover for double accessory mounting box for WDK trunking, trunking height 210 mm

Type	Colour	Length mm	Pack Piece	Weight kg/100 pc.	Item no.
D2-2 210RW	Pure white	300	1	17.700	6194141


Cover section, double, for device installation in WDK trunking in conjunction with the device installation socket, type 2390.



## Cover for triple accessory mounting box for WDK trunking, trunking height 110 mm


Type	Colour	Length mm	Pack Piece	Weight kg/100 pc.	Item no.
D2-3 110RW	Pure white	300	1	5.000	6194184
D2-3 110CW	Cream	300	10	5.000	6169430

Cover section, triple, for device installation in WDK trunking in conjunction with the device installation socket, type 2390.



## Covers


### Cover for triple accessory mounting box for WDK trunking, trunking height 130 mm



Type	Colour	Length mm	Pack Piece	Weight kg/100 pc.	Item no.
D2-3 130RW	Pure white	300	1	6.200	6194192
D2-3 130CW	Cream	300	10	6.200	6169449

Cover section, triple, for device installation in WDK trunking in conjunction with the device installation socket, type 2390.



### Cover for triple accessory mounting box for WDK trunking, trunking height 150 mm



Type	Colour	Length mm	Pack Piece	Weight kg/100 pc.	Item no.
D2-3 150RW	Pure white	300	10	9.500	6194206
D2-3 150CW	Cream	300	10	9.500	6169422

Cover section, triple, for device installation in WDK trunking in conjunction with the device installation socket, type 2390.


### Cover for triple accessory mounting box for WDK trunking, trunking height 170 mm



Type	Colour	Length mm	Pack Piece	Weight kg/100 pc.	Item no.
D2-3 170RW	Pure white	300	1	10.300	6194214

Cover section, triple, for device installation in WDK trunking in conjunction with the device installation socket, type 2390.


### Cover for WDK trunking, trunking width 40 mm



Type	Colour	Length mm	Pack m	Weight kg/100 m	Item no.
2410 40GR	Stone grey	2000	2	11.300	6022669
2410 40CW	Cream	2000	2	11.300	6027601
2410 40RW	Pure white	2000	2	11.300	6191568

Cover for closing the trunking.

### Cover for WDK trunking, trunking width 60 mm



Type	Colour	Length mm	Pack m	Weight kg/100 m	Item no.
2410 60GR	Stone grey	2000	2	15.400	6022685
2410 60CW	Cream	2000	2	15.400	6027660
2410 60LGR	Light grey	2000	2	15.400	6028136
2410 60RW	Pure white	2000	2	15.400	6191592


Cover for closing the trunking.



### Cover for WDK trunking, trunking width 90 mm

Type	Colour	Length mm	Pack m	Weight kg/100 m	Item no.
2410 90GR	Stone grey	2000	2	26.500	6022707
2410 90CW	Cream	2000	2	26.500	6027636

Cover for closing the trunking.



### Cover for WDK trunking, trunking width 110 mm

Type	Colour	Length mm	Pack m	Weight kg/100 m	Item no.
2410 110CW	Cream	2000	2	34.000	6027644

Cover for closing the trunking.



### Cover for WDK trunking, trunking width 130 mm

Type	Colour	Length mm	Pack m	Weight kg/100 m	Item no.
2410 130GR	Stone grey	2000	2	42.000	6022723
2410 130CW	Cream	2000	2	42.000	6027652
2410 130RW	Pure white	2000	2	42.000	6191657



Cover for closing the trunking.



### Cover for WDK trunking, trunking width 150 mm

Type	Colour	Length mm	Pack m	Weight kg/100 m	Item no.
2410 150GR	Stone grey	2000	2	54.000	6022731
2410 150RW	Pure white	2000	2	54.000	6191673


Cover for closing the trunking.



### Cover for WDK trunking, trunking width 170 mm


Type	Colour	Length mm	Pack m	Weight kg/100 m	Item no.
2410 170CW	Cream	2000	52	56.700	6027679

Cover for closing the trunking.



## Covers

### Cover for WDK trunking, trunking width 210 mm




Type	Colour	Length mm	Pack m	Weight kg/100 m	Item no.
2410 210GR	Stone grey	2000	2	72.200	6022774
2410 210CW	Cream	2000	2	72.200	6027687
2410 210RW	Pure white	2000	2	72.200	6191738

Cover for closing the trunking.



### Cover for WDK trunking, trunking width 230 mm




Type	Colour	Length mm	Pack m	Weight kg/100 m	Item no.
2410 230CW	Cream	2000	28	78.500	6027504

Cover for closing the trunking.



### Cover for single accessory mounting box for WDK trunking, trunking height 170 mm





Type	Colour	Length mm	Pack Piece	Weight kg/100 pc.	Item no.
D2-1 170CW	Cream	300	10	13.400	6169325

Cover section, single, for device installation in WDK trunking in conjunction with the device installation socket, type 2390.



## Cover clips

### Cover clip for WDKH trunking, trunking width 60 mm





Type	Colour	Dim. a mm	Dim. b mm	Pack Piece	Weight kg/100 pc.	Item no.
OTK H60	Pure white	48.8	24.8	10	0.400	6176122

Cover clip for better and easier laying of lines in the WDKH trunking.



### Cover clip for WDKH trunking, trunking width 90 mm



Type	Colour	Dim. a mm	Dim. b mm	Pack Piece	Weight kg/100 pc.	Item no.
OTK H90	Pure white	75.7	28.8	10	0.900	6176125

Cover clip for better and easier laying of lines in the WDKH trunking.







### Cover clip for WDKH trunking, trunking width 110 mm

Type	Colour	Dim. a mm	Dim. b mm	Pack Piece	Weight kg/100 pc.	Item no.
OTK H110	Pure white	95.7	28.8	10	1.200	6176128



Cover clip for better and easier laying of lines in the WDKH trunking.



### Cover clip for WDKH trunking, trunking width 150 mm

Type	Colour	Dim. a mm	Dim. b mm	Pack Piece	Weight kg/100 pc.	Item no.
OTK H150	Pure white	136.2	36	10	2.050	6176131


Cover clip for better and easier laying of lines in the WDKH trunking.



### Cover clip for WDK trunking, trunking width 60 mm

Type	Colour	Dim. a mm	Dim. b mm	Pack Piece	Weight kg/100 pc.	Item no.
2370 60	Light grey	48.8	24.8	20	0.500	6022995



Cover clip for better and easier laying of lines in the WDK trunking.



### Cover clip for WDK trunking, trunking width 90 mm

Type	Colour	Dim. a mm	Dim. b mm	Pack Piece	Weight kg/100 pc.	Item no.
2370 90	Light grey	75.7	28.8	20	1.100	6023509



Cover clip for better and easier laying of lines in the WDK trunking.



### Cover clip for WDK trunking, trunking width 110 mm



Type	Colour	Dim. a mm	Dim. b mm	Pack Piece	Weight kg/100 pc.	Item no.
2370 110	Light grey	95.7	28.8	20	1.400	6023517

Cover clip for better and easier laying of lines in the WDK trunking.



## Cover clips

### Cover clip for WDK trunking, trunking width 130 mm




Type	Colour	Dim. a mm	Dim. b mm	Pack Piece	Weight kg/100 pc.	Item no.
2370 130	Light grey	116.2	36	20	2.500	6023525

Cover clip for better and easier laying of lines in the WDK trunking.



### Cover clip for WDK trunking, trunking width 150 mm




Type	Colour	Dim. a mm	Dim. b mm	Pack Piece	Weight kg/100 pc.	Item no.
2370 150	Light grey	136.2	36	20	2.050	6023533

Cover clip for better and easier laying of lines in the WDK trunking.



### Cover clip for WDK trunking, trunking width 170 mm




Type	Colour	Dim. a mm	Dim. b mm	Pack Piece	Weight kg/100 pc.	Item no.
2370 170	Light grey	156.7	36	20	3.300	6023541

Cover clip for better and easier laying of lines in the WDK trunking.



### Cover clip for WDK trunking, trunking width 210 mm




Type	Colour	Dim. a mm	Dim. b mm	Pack Piece	Weight kg/100 pc.	Item no.
2370 210	Light grey	197.2	36	20	3.900	6023576

Cover clip for better and easier laying of lines in the WDK trunking.



### Cover clip for WDK trunking, trunking width 230 mm



Type	Colour	Dim. a mm	Dim. b mm	Pack Piece	Weight kg/100 pc.	Item no.
2370 230	Light grey	216.2	36	20	4.800	6023584

Cover clip for better and easier laying of lines in the WDK trunking.



St

CE

**Shears for WDK trunking, straight cut**

Type  
SK2545

Pack	Weight	
Piece	kg/100 pc.	Item no.
1	40.000	6028403

Cutters for WDK trunking up to dimensions 25 x 45 mm.



St

CE

**Shears for WDK trunking, mitre cut**

Type  
SG2545

Pack	Weight	
Piece	kg/100 pc.	Item no.
1	50.000	6028411

Shears for mitre cuts of the WDK trunking up to the dimensions 25 x 45 mm.

**Adapter**

PA


CE

**WDK adapter, device installation for 71GD series**

Type  
MA45WDK

Pack	Weight	
Piece	kg/100 pc.	Item no.
1	1.200	6024070

Adapter for the installation of accessory mounting boxes of the 71GD... series in WDK wall and ceiling trunking. The use of accessory mounting boxes, type 71GD8 and 71GD9, permit standardised installation of Modul 45 devices. Devices can be installed in the trunking heights 110, 130 and 150 mm. Combined with device covers of the AR45-... series, finished cover sections of the OT GE ... series can cover the switching and connection devices.



PP


CE

**Mounting aid for WDK trunking**

Colour  
Type  
WDK MH | Pastel orange

Pack	Weight	
Piece	kg/100 pc.	Item no.
3	0.524	6028430

Mounting aid WDK for mounting WDK trunking single-handedly.

**Anchors**


PA  
CE

**Knock-in anchor**

Dowel Ø Type	mm	Length mm	Pull-out N min/concrete
910 SD 6X35	6	35	260

Pack	Weight	
Piece	kg/100 pc.	Item no.
100	0.310	2351056


Knock-in anchor: steel, electrogalvanised and transparently passivated.



## Universal trunking

### Cover, universal trunking

PVC





Type	Colour	Length mm	Pack m	Weight kg/100 m	Item no.
2410 110LGR	Light grey	2000	2	34.000	6028152
2410 110GR	Stone grey	2000	2	34.000	6022715

Cover for creating the universal trunking.

### Front cover, universal trunking

PVC




Type	Colour	Length mm	Pack m	Weight kg/100 m	Item no.
2410 170RW	Pure white	2000	2	56.700	6191703
2410 170LGR	Light grey	2000	2	56.700	6028187
2410 170GR	Stone grey	2000	2	56.700	6022758

Front cover for creating the universal trunking.

### End piece, universal trunking

PVC




Type	Colour	Pack Piece	Weight kg/100 pc.	Item no.
RK-E1117LGR	Light grey	2	13.500	6156231
RK-E1117GR	Stone grey	2	13.500	6156223

End piece for fastening and side closing of the universal trunking. The required fastening clips, type 2955 GL, are included.

### Cover clip, universal trunking

St FS



Type	Pack Piece	Weight kg/100 pc.	Item no.
RK-K1117	2	9.000	6156207

Cover clip for fixing the covers of the universal trunking. These are required to prevent the covers from sagging.


PVC

CE

Type	Colour	Length mm	Pack m	Weight kg/100 m	Item no.
2410 110RW	Pure white	2000	2	34.000	6191630

Cover for creating the universal trunking.

## Cover, universal trunking





## Corner duct, duct height 35

PVC



### ECK 35 corner trunking, trunking width 35




Type	Colour	Length mm	Width mm	Height mm	Pack m	Weight kg/100 m	Item no.
ECK 3535 rws	Pure white	2000	50	35	60	18.400	6131155
ECK 3535 rws	Pure white	2500	50	35	75	18.400	6131154
ECK 3535 cws	Cream	2000	50	35	60	18.400	6131153
ECK 3535 cws	Cream	2500	50	35	75	18.400	6131152

Corner trunking for vertical/horizontal cable routing in indoor corner areas.

### Internal corner TRI IE350350

PVC




Type	Colour	Length mm	Width mm	Height mm	Pack Piece	Weight kg/100 pc.	Item no.
TRI IE350350 rws	Pure white	68	68	5	10	1.580	6131171

Internal corner as a fitting for changing the direction of the RAUTRIGO corner trunking.

### End piece TRI ES350350

PVC




Type	Colour	Length mm	Width mm	Height mm	Pack Piece	Weight kg/100 pc.	Item no.
TRI ES350350 rws	Pure white	55	35	25	10	0.300	6131179

End piece as a fitting for the RAUTRIGO corner trunking.

### Cover TRI 3535 OT

PVC




Type	Colour	Length mm	Width mm	Height mm	Pack m	Weight kg/100 m	Item no.
TRI 3535 OT rws	Pure white	2000	10	50	120	9.333	6131190

Cover for closing the RAUTRIGO corner trunking.

### Transition piece TRI C 35-16

PVC



Type	Colour	Length mm	Width mm	Height mm	Pack Piece	Weight kg/100 pc.	Item no.
TRI C 35-16 rws	Pure white	60	55	40	10	1.200	6131182

Transition piece for transition from corner trunking 35 to MKS 1616.


PVC

CE

## Transition piece, TRI C 35-16 to SL 20/50

Type	Colour	Length mm	Width mm	Height mm	Pack Piece	Weight kg/100 pc.	Item no.
TRI C 35-50 rws	Pure white	95	60	60	10	1.760	6131185

Transition piece for transition from corner trunking 35 to SL 20/50 skirting trunking.



## Corner duct, duct height 50



PVC

CE

## ECK 50 corner trunking, trunking width 50

Type	Colour	Length mm	Width mm	Height mm	Pack m	Weight kg/100 m	Item no.
ECK 5050 rws	Pure white	2500	80	50	45	39.500	6131165
ECK 5050 rws	Pure white	2000	80	50	30	39.500	6131164
ECK 5050 cws	Cream	2500	80	50	45	39.500	6131162
ECK 5050 cws	Cream	2000	80	50	30	39.500	6131163

Corner trunking for vertical/horizontal cable routing in indoor corner areas.




PVC

CE

## Internal corner TRI IE500500

Type	Colour	Length mm	Width mm	Height mm	Pack Piece	Weight kg/100 pc.	Item no.
TRI IE5050 rws	Pure white	85	90	90	10	2.580	6131172

Internal corner as a fitting for changing the direction of the 50 corner trunking.





PVC

CE

## Cover TRI 5050 OT

Type	Colour	Length mm	Width mm	Height mm	Pack m	Weight kg/100 m	Item no.
TRI 5050 OT rws	Pure white	2000	12	80	96	15.400	6131191






# Plastic cable routing trunking, halogen-free

	Nominal height 10	122
	Nominal height 15	124
	Nominal height 20	126
	Nominal height 30	128
	Nominal height 40	130
	Nominal height 60	132
	Accessories, plastic cable routing trunking, halogen-free	138

## Trunking height 10 mm, trunking width 20 mm, halogen-free

## Trunking, type WDKH 10020




Type	Colour	Length mm	Pack m	Weight kg/100 m	Item no.
WDKH-10020RW	Pure white	2000	96	8.500	6175375

Trunking cover and base with base perforation made of halogen-free plastic.



## Trunking, type WDKH 10020




Type	Colour	Length mm	Pack m	Weight kg/100 m	Item no.
WDKH-10020RW T	Pure white	2000	84	9.500	6175377

Duct cover and base with base perforation made of halogen-free plastic. With self-adhesive film for fastening on the underside.



## Internal corner cover, trunking type WDKH 10020




Type	Colour	Dim. a mm	Pack Piece	Weight kg/100 pc.	Item no.
WDKH-I10020RW	Pure white	30	4	0.252	6175572

Internal corner cover for changing the direction of the halogen-free WDKH trunking.



## External corner cover, trunking type WDKH 10020



Type	Colour	Dim. a mm	Pack Piece	Weight kg/100 pc.	Item no.
WDKH-A10020RW	Pure white	30	4	0.332	6175612


External corner cover for changing the direction of the halogen-free WDKH trunking.



PC/  
ABS**T piece cover, for trunking type WDKH 10020**


Type	Colour	Dim. a mm	Dim. b mm	Pack Piece	Weight kg/100 pc.	Item no.
WDKH-T10020RW	Pure white	45	34	4	0.298	6175684

T and intersection cover for changing the direction of the halogen-free WDK-H trunking.

PC/  
ABS**Flat angle cover, trunking type WDKH 10020**


Type	Colour	Dim. a mm	Pack Piece	Weight kg/100 pc.	Item no.
WDKH-F10020RW	Pure white	40	4	0.308	6175648

Flat angle hood for changing the direction of the halogen-free WDKH trunking.

PC/  
ABS**End piece, trunking type WDKH 10020**


Type	Colour	Dim. a mm	Dim. b mm	Pack Piece	Weight kg/100 pc.	Item no.
WDKH-E10020RW	Pure white	22	11	10	0.092	6175540

End piece for closing the WDKH trunking.



## Trunking height 15 mm, trunking height 30 mm, halogen-free

## Trunking, type WDKH 15030




Type	Colour	Length mm	Pack m	Weight kg/100 m	Item no.
WDKH-15030RW	Pure white	2000	48	15.000	6175390
WDKH-15030LGR	Light grey	2000	48	15.000	6175457

Trunking cover and base with base perforation made of halogen-free plastic.



## Trunking, type WDKH 15030




Type	Colour	Length mm	Pack m	Weight kg/100 m	Item no.
WDKH-15030RW T	Pure white	2000	48	16.000	6175392

Trunking cover and base with base perforation made of halogen-free plastic.



## Internal corner cover, trunking type WDKH 15030




Type	Colour	Dim. mm	Pack Piece	Weight kg/100 pc.	Item no.
WDKH-I15030RW	Pure white	38.5	4	0.677	6175578

Internal corner cover for changing the direction of the halogen-free WDKH trunking.



## External corner cover, trunking type WDKH 15030



Type	Colour	Dim. mm	Pack Piece	Weight kg/100 pc.	Item no.
WDKH-A15030RW	Pure white	38.5	4	0.948	6175618



External corner cover for changing the direction of the halogen-free WDKH trunking.



PC/  
ABS**T piece cover, for trunking type WDK 15030**



Type	Colour	Dim. a mm	Dim. b mm	Pack Piece	Weight kg/100 pc.	Item no.
WDKH-T15030RW	Pure white	73	53	4	0.954	6175690

T and intersection cover for changing the direction of the halogen-free WDK-H trunking.

PC/  
ABS**Flat angle cover, trunking type WDKH 15030**


Type	Colour	Dim. a mm	Pack Piece	Weight kg/100 pc.	Item no.
WDKH-F15030RW	Pure white	53	4	0.833	6175654

Flat angle hood for changing the direction of the halogen-free WDKH trunking.

PC/  
ABS**End piece, trunking type WDKH 15030**


Type	Colour	Dim. a mm	Dim. b mm	Pack Piece	Weight kg/100 pc.	Item no.
WDKH-E15030RW	Pure white	30	17	10	0.200	6175546

End piece for closing the WDK-H trunking.



## Trunking height 20 mm, trunking width 20 mm, halogen-free

## Trunking, type WDKH 20020





Type	Colour	Length mm	Pack m	Weight kg/100 m	Item no.
WDKH-20020RW	Pure white	2000	48	8.800	6175400
WDKH-20020LGR	Light grey	2000	48	8.800	6175460

Trunking cover and base with base perforation made of halogen-free plastic.



## Internal corner cover, trunking type WDKH 20020





Type	Colour	Dim. a mm	Pack Piece	Weight kg/100 pc.	Item no.
WDKH-I20020RW	Pure white	38.5	4	0.540	6175581
WDKH-I20020LGR	Light grey	38.5	4	0.450	6175964

Internal corner cover for changing the direction of the halogen-free WDKH trunking.



## External corner cover, trunking type WDKH 20020




Type	Colour	Dim. a mm	Pack Piece	Weight kg/100 pc.	Item no.
WDKH-A20020RW	Pure white	38.5	4	0.578	6175624
WDKH-A20020LGR	Light grey	38.5	4	0.520	6176000

External corner cover for changing the direction of the halogen-free WDKH trunking.



## T piece cover for trunking type WDKH 20020




Type	Colour	Dim. a mm	Dim. b mm	Pack Piece	Weight kg/100 pc.	Item no.
WDKH-T20020RW	Pure white	57	39	4	0.659	6175694
WDKH-T20020LGR	Light grey	57	39	4	0.659	6176072

T and intersection cover for changing the direction of the halogen-free WDKH trunking.



## Flat angle cover, trunking type WDKH 20020



Type	Colour	Dim. a mm	Pack Piece	Weight kg/100 pc.	Item no.
WDKH-F20020RW	Pure white	38	4	0.502	6175658
WDKH-F20020LGR	Light grey	38	4	0.502	6176036

Flat angle hood for changing the direction of the halogen-free WDKH trunking.






## End piece, trunking type WDKH 20020


Type	Colour	Dim.		Pack Piece	Weight kg/100 pc.	Item no.
		a mm	b mm			
WDKH-E20020RW	Pure white	19	18	10	0.087	6175550
WDKH-E20020LGR	Light grey	19	18	10	0.089	6175928

End piece for closing the WDK-H trunking.



Trunking height 30 mm, trunking width 45 mm, halogen-free

## Trunking, type WDKH 30045





Type	Colour	Length mm	Pack m	Weight kg/100 m	Item no.
WDKH-30045RW	Pure white	2000	48	24.900	6175405
WDKH-30045LGR	Light grey	2000	48	24.900	6175463

Trunking cover and base with base perforation made of halogen-free plastic.



## Internal corner cover, trunking type WDKH 30045




Type	Colour	Dim. mm	Pack Piece	Weight kg/100 pc.	Item no.
WDKH-I30045RW	Pure white	60	4	1.144	6175590
WDKH-I30045LGR	Light grey	60	4	1.144	6175968

Internal corner cover for changing the direction of the halogen-free WDKH trunking.



## External corner cover, trunking type WDKH 30045




Type	Colour	Dim. mm	Pack Piece	Weight kg/100 pc.	Item no.
WDKH-A30045RW	Pure white	57	4	2.000	6175626
WDKH-A30045LGR	Light grey	57	4	2.000	6176004

External corner cover for changing the direction of the halogen-free WDKH trunking.



## Flat angle cover, trunking type WDKH 30045




Type	Colour	Dim. mm	Pack Piece	Weight kg/100 pc.	Item no.
WDKH-F30045RW	Pure white	60	4	1.652	6175662
WDKH-F30045LGR	Light grey	60	4	1.652	6176040

Flat angle hood for changing the direction of the halogen-free WDKH trunking.



## T and intersection cover, for trunking type WDK 30045



Type	Colour	Dim. a mm	Dim. b mm	Pack Piece	Weight kg/100 pc.	Item no.
WDKH-T30045RW	Pure white	88	68	4	1.803	6175698
WDKH-T30045LGR	Light grey	88	68	4	1.803	6176076

T and intersection cover for changing the direction of the halogen-free WDK-H trunking.







## End piece, trunking type WDKH 30045


Type	Colour	Dim.		Pack Piece	Weight kg/100 pc.	Item no.
		a mm	b mm			
WDKH-E30045RW	Pure white	45	30	10	0.435	6175554
WDKH-E30045LGR	Light grey	45	30	10	0.500	6175932

End piece for closing the WDK-H trunking.



## Trunking height 40 mm, trunking width 60 mm, halogen-free

## Trunking, type WDKH 40060




Type	Colour	Length mm	Pack m	Weight kg/100 m	Item no.
WDKH-40060RW	Pure white	2000	32	44.000	6175410
WDKH-40060LGR	Light grey	2000	32	44.000	6175466
WDKH40060RW 2500	Pure white	2000	1	11.000	6175412

Trunking cover and base with base perforation made of halogen-free plastic including cover fixing devices.



## Internal corner cover, trunking type WDKH 40060




Type	Colour	Dim. a mm	Pack Piece	Weight kg/100 pc.	Item no.
WDKH-I40060RW	Pure white	85	2	6.427	6175594
WDKH-I40060LGR	Light grey	85	2	6.427	6175972

Internal corner cover for changing the direction of the halogen-free WDKH trunking.



## External corner cover, trunking type WDKH 40060




Type	Colour	Dim. a mm	Pack Piece	Weight kg/100 pc.	Item no.
WDKH-A40060RW	Pure white	45	2	7.423	6175630
WDKH-A40060LGR	Light grey	45	2	7.423	6176008

External corner cover for changing the direction of the halogen-free WDKH trunking.



## Flat angle cover, trunking type WDKH 40060




Type	Colour	Dim. a mm	Pack Piece	Weight kg/100 pc.	Item no.
WDKH-F40060RW	Pure white	85	2	7.048	6175666
WDKH-F40060LGR	Light grey	85	2	7.048	6176044

Flat angle hood for changing the direction of the halogen-free WDKH trunking.



## T and intersection cover, for trunking type WDKH 40060



Type	Colour	Dim. a mm	Dim. b mm	Pack Piece	Weight kg/100 pc.	Item no.
WDKH-T40060RW	Pure white	190	66	2	8.413	6175702
WDKH-T40060LGR	Light grey	190	66	2	8.413	6176080

T and intersection cover for changing the direction of the halogen-free WDKH trunking. The fitting is preperforated at the side for the connection of different trunking cross-sections.






## End piece, trunking type WDKH 40060


Type	Colour	Dim.		Pack Piece	Weight kg/100 pc.	Item no.
		a mm	b mm			
WDKH-E40060RW	Pure white	40	60	10	0.992	6175558
WDKH-E40060LGR	Light grey	40	60	10	0.992	6175936

End piece for closing the WDK-H trunking.



## Trunking height 60 mm, trunking width 90 mm, halogen-free



## Trunking, type WDKH 60090



Type	Colour	Length mm	Pack m	Weight kg/100 m	Item no.
WDKH-60090RW	Pure white	2000	24	81.500	6175415
WDKH-60090LGR	Light grey	2000	24	81.500	6175469
WDKH60090RW 2500	Pure white	2000	1	203.750	6175417

Trunking cover and base with base perforation made of halogen-free plastic including cover fixing devices.


## Internal corner cover, trunking type WDKH 60090



Type	Colour	Dim. mm	Pack Piece	Weight kg/100 pc.	Item no.
WDKH-I60090RW	Pure white	130	2	11.123	6175598
WDKH-I60090LGR	Light grey	130	2	11.123	6175976

Internal corner cover for changing the direction of the halogen-free WDKH trunking.


## External corner cover, trunking type WDKH 60090



Type	Colour	Dim. mm	Pack Piece	Weight kg/100 pc.	Item no.
WDKH-A60090RW	Pure white	69	2	10.373	6175634
WDKH-A60090LGR	Light grey	69	2	10.700	6176012

External corner cover for changing the direction of the halogen-free WDKH trunking.


## Flat angle cover, trunking type WDKH 60090



Type	Colour	Dim. mm	Pack Piece	Weight kg/100 pc.	Item no.
WDKH-F60090RW	Pure white	129	2	9.696	6175670
WDKH-F60090LGR	Light grey	129	2	9.696	6176048

Flat angle hood for changing the direction of the halogen-free WDKH trunking.

## T and intersection cover, for trunking type WDKH 60090



Type	Colour	Dim. mm	Pack Piece	Weight kg/100 pc.	Item no.
WDKH-T60090RW	Pure white	230	2	21.500	6175706
WDKH-T60090LGR	Light grey	230	2	21.500	6176084



T and intersection cover for changing the direction of the halogen-free WDKH trunking. The fitting is preperforated at the side for the connection of different trunking cross-sections.



## End piece, trunking type WDKH 60090


Type	Colour	Dim.		Pack Piece	Weight kg/100 pc.	Item no.
		a mm	b mm			
WDKH-E60090RW	Pure white	90	60	10	2.024	6175562
WDKH-E60090LGR	Light grey	90	60	10	2.024	6175940

End piece for closing the WDK-H trunking.



## Trunking height 60 mm, trunking width 110 mm, halogen-free


## Trunking, type WDKH 60110



Type	Colour	Length mm	Pack m	Weight kg/100 m	Item no.
WDKH-60110RW	Pure white	2000	16	95.900	6175420
WDKH-60110LGR	Light grey	2000	16	95.900	6175472

Trunking cover and base with base perforation made of halogen-free plastic including cover fixing devices.


## Internal corner cover, trunking type WDKH 60110



Type	Colour	Dim. mm	Pack Piece	Weight kg/100 pc.	Item no.
WDKH-I60110RW	Pure white	130	2	11.315	6175602
WDKH-I60110LGR	Light grey	130	2	11.315	6175980

Internal corner cover for changing the direction of the halogen-free WDKH trunking.


## External corner cover, trunking type WDKH 60110



Type	Colour	Dim. mm	Pack Piece	Weight kg/100 pc.	Item no.
WDKH-A60110RW	Pure white	100	2	11.437	6175638
WDKH-A60110LGR	Light grey	100	2	11.338	6176016

External corner cover for changing the direction of the halogen-free WDKH trunking.


## Flat angle cover, trunking type WDKH 60110



Type	Colour	Dim. mm	Pack Piece	Weight kg/100 pc.	Item no.
WDKH-F60110RW	Pure white	149	2	12.984	6175674
WDKH-F60110LGR	Light grey	149	2	13.022	6176052

Flat angle hood for changing the direction of the halogen-free WDKH trunking.

## T and intersection cover, for trunking type WDKH 60110



Type	Colour	Dim. a mm	Dim. b mm	Pack Piece	Weight kg/100 pc.	Item no.
WDKH-T60110RW	Pure white	272	114	2	20.921	6175710
WDKH-T60110LGR	Light grey	272	114	2	20.921	6176088


T and intersection cover for changing the direction of the halogen-free WDKH trunking. The fitting is preperforated at the side for the connection of different trunking cross-sections.



## End piece, trunking type WDKH 60110


Type	Colour	Dim.		Pack Piece	Weight kg/100 pc.	Item no.
		a mm	b mm			
WDKH-E60110RW	Pure white	110	60	10	2.556	6175566
WDKH-E60110LGR	Light grey	110	60	10	2.528	6175944

End piece for closing the WDK-H trunking.



Trunking height 60 mm, trunking width 150 mm, halogen-free

## Trunking, type WDKH 60150




Type	Colour	Length mm	Pack m	Weight kg/100 m	Item no.
WDKH-60150RW	Pure white	2000	8	146.650	6175425
WDKH-60150LGR	Light grey	2000	8	146.650	6175475

Trunking cover and base with base perforation made of halogen-free plastic including cover fixing devices.



## Internal corner cover, trunking type WDKH 60150




Type	Colour	Dim. mm	Pack Piece	Weight kg/100 pc.	Item no.
WDKH-I60150RW	Pure white	130	2	12.521	6175606
WDKH-I60150LGR	Light grey	130	2	12.521	6175984

Internal corner cover for changing the direction of the halogen-free WDKH trunking.



## External corner cover, trunking type WDKH 60150




Type	Colour	Dim. mm	Pack Piece	Weight kg/100 pc.	Item no.
WDKH-A60150RW	Pure white	100	2	15.180	6175642
WDKH-A60150LGR	Light grey	100	2	15.180	6176020

External corner cover for changing the direction of the halogen-free WDKH trunking.



## Flat angle cover, trunking type WDKH 60150




Type	Colour	Dim. mm	Pack Piece	Weight kg/100 pc.	Item no.
WDKH-F60150RW	Pure white	190	2	18.643	6175678
WDKH-F60150LGR	Light grey	190	2	18.643	6176056

Flat angle hood for changing the direction of the halogen-free WDKH trunking.



## T and intersection cover, for trunking type WDKH 60150



Type	Colour	Dim. a mm	Dim. b mm	Pack Piece	Weight kg/100 pc.	Item no.
WDKH-T60150RW	Pure white	291	155	2	23.463	6175714
WDKH-T60150LGR	Light grey	291	155	2	23.463	6176092

T and intersection cover for changing the direction of the halogen-free WDKH trunking. The fitting is preperforated at the side for the connection of different trunking cross-sections.






## End piece, trunking type WDKH 60150


Type	Colour	Dim.		Pack Piece	Weight kg/100 pc.	Item no.
		a mm	b mm			
WDKH-E60150RW	Pure white	150	60	10	3.613	6175570
WDKH-E60150LGR	Light grey	150	60	10	3.736	6175948

End piece for closing the WDK-H trunking.



## Partitions


### Partition, halogen-free, for trunking height 40 mm



Type	Colour	Length mm	Pack m	Weight kg/100 m	Item no.
WDKH-TW40LGR	Light grey	2000	2	13.350	6175500

Partition to divide the WDKH trunking of 40 mm trunking height for the installation of different voltage levels.

### Partition, halogen-free, for trunking height 60 mm





Type	Colour	Length mm	Pack m	Weight kg/100 m	Item no.
WDKH-TW60LGR	Light grey	2000	2	20.650	6175504

Partition to divide the WDKH trunking of 60 mm trunking height for the installation of different voltage levels.

## Cover clips


### Cover clip for WDKH trunking, trunking width 60 mm



Type	Colour	Dim. a mm	Dim. b mm	Pack Piece	Weight kg/100 pc.	Item no.
OTK H60	Pure white	48.8	24.8	10	0.400	6176122

Cover clip for better and easier laying of lines in the WDKH trunking.



### Cover clip for WDKH trunking, trunking width 90 mm



Type	Colour	Dim. a mm	Dim. b mm	Pack Piece	Weight kg/100 pc.	Item no.
OTK H90	Pure white	75.7	28.8	10	0.900	6176125

Cover clip for better and easier laying of lines in the WDKH trunking.

### Cover clip for WDKH trunking, trunking width 110 mm



Type	Colour	Dim. a mm	Dim. b mm	Pack Piece	Weight kg/100 pc.	Item no.
OTK H110	Pure white	95.7	28.8	10	1.200	6176128


Cover clip for better and easier laying of lines in the WDKH trunking.



### Cover clip for WDKH trunking, trunking width 150 mm

Type	Colour	Dim. a mm	Dim. b mm	Pack Piece	Weight kg/100 pc.	Item no.
OTK H150	Pure white	136.2	36	10	2.050	6176131


Cover clip for better and easier laying of lines in the WDKH trunking.



### Cover clip for WDK trunking, trunking width 60 mm

Type	Colour	Dim. a mm	Dim. b mm	Pack Piece	Weight kg/100 pc.	Item no.
2370 60	Light grey	48.8	24.8	20	0.500	6022995



Cover clip for better and easier laying of lines in the WDK trunking.



### Cover clip for WDK trunking, trunking width 90 mm

Type	Colour	Dim. a mm	Dim. b mm	Pack Piece	Weight kg/100 pc.	Item no.
2370 90	Light grey	75.7	28.8	20	1.100	6023509



Cover clip for better and easier laying of lines in the WDK trunking.



### Cover clip for WDK trunking, trunking width 110 mm

Type	Colour	Dim. a mm	Dim. b mm	Pack Piece	Weight kg/100 pc.	Item no.
2370 110	Light grey	95.7	28.8	20	1.400	6023517


Cover clip for better and easier laying of lines in the WDK trunking.



### Cover clip for WDK trunking, trunking width 130 mm

Type	Colour	Dim. a mm	Dim. b mm	Pack Piece	Weight kg/100 pc.	Item no.
2370 130	Light grey	116.2	36	20	2.500	6023525

Cover clip for better and easier laying of lines in the WDK trunking.



## Cover clips

### Cover clip for WDK trunking, trunking width 150 mm




Type	Colour	Dim. a mm	Dim. b mm	Pack Piece	Weight kg/100 pc.	Item no.
2370 150	Light grey	136.2	36	20	2.050	6023533

Cover clip for better and easier laying of lines in the WDK trunking.



### Cover clip for WDK trunking, trunking width 170 mm



Type	Colour	Dim. a mm	Dim. b mm	Pack Piece	Weight kg/100 pc.	Item no.
2370 170	Light grey	156.7	36	20	3.300	6023541

Cover clip for better and easier laying of lines in the WDK trunking.



### Cover clip for WDK trunking, trunking width 210 mm



Type	Colour	Dim. a mm	Dim. b mm	Pack Piece	Weight kg/100 pc.	Item no.
2370 210	Light grey	197.2	36	20	3.900	6023576

Cover clip for better and easier laying of lines in the WDK trunking.




### Cover clip for WDK trunking, trunking width 230 mm




Type	Colour	Dim. a mm	Dim. b mm	Pack Piece	Weight kg/100 pc.	Item no.
2370 230	Light grey	216.2	36	20	4.800	6023584

Cover clip for better and easier laying of lines in the WDK trunking.







# Metal cable routing trunking

	Nominal height 20	144
	Nominal height 30	150
	Nominal height 40	152
	Nominal height 60	156
	Nominal height 80	164
	Accessories, metal cable routing trunking	166


# System description



LKM metal cable routing trunking has two areas of application. The stable system for the routing and protection of cables is used in the field of machines and systems. The completed system allows simple installation at a later date, also with pre-terminated connectors, offering reliable protection against mechanical loads and

soiling. The LKM cable routing trunking of type LKM 20030 and 60100 are also tested as a cable-specific routing type for the maintenance of electrical function according to DIN 4102 Part 12.

# Installation principle



- |    |   |
|----|---|
| 1  | Trunking  |
| 2  | Duct clamp for the maintenance of electrical function |
| 3  | Joint connector                                       |
| 4  | Internal corner                                       |
| 5  | External corner                                       |
| 6  | T piece   |
| 7  | Flat angle  |
| 8  | End piece   |
| 9  | Edge protection ring                                  |
| 10 | Partition   |
| 11 | Cable brackets  |
| 12 | Duct clamp  |

# Mounting aid



## Machines application area

In the area of machines, the LKM metal cable trunking is used to provide additional protection for the cables.



## Corridor, stairwell application area

The stable LKM metal cable trunking can be used anywhere, in which cables require mechanical protection.



## Machine trunking mounting

Screw the LKM metal cable trunking to the machine, for example, using cylinder head bolts of type 341.



## Wall trunking mounting

Knock-in anchors of type 910/SD can be used to fasten the LKM trunking directly on the wall.



## Installation of internal corner

As with the LKM trunking, the fittings are mounted at the appropriate points.




## Installation of joint connectors

After installing the LKM trunking, lock the joint connector into the parts to be connected from inside. This guarantees the equipotential bonding between these two parts.



## Installation of partition

Insert the partition into the straps located on the floor. This guarantees equipotential bonding without any additional aids.



## Installation of cable fixing holder

The cable bracket is mounted using the trunking fastening screw. The cables can be held using cable ties, type 565.



## Installation of duct clamp

The duct clamp is placed on the loop perforation in the base and then locked into the cover contour. If a partition wall is also installed, the partition wall must be separated into sections.



## Equipotential bonding

Equipotential bonding is guaranteed between the cover and the base through the special cover contour. The LKM trunking is earthed using the connection strap located in the base.



## Installation of edge protection ring


Place the edge protection ring on the open ends of the LKM trunking. It prevents damage to the cables within.



Type	Colour	Length mm	Pack m	Weight kg/100 m	Item no.
LKM20020FS	—	2000	2	46.000	6246966
LKM20020RW	Pure white	2000	2	52.000	6248462

Trunking cover and base with base perforation.  
Equipotential bonding is guaranteed between the cover and the base without any additional aids.


### Cable trunking, type LKM 20020



Type	mm	mm	Dim. a	Dim. b	Pack Piece	Weight kg/100 pc.	Item no.
LKM SV20	45	20			10	0.190	6247431

Joint connector to connect the bases. This creates the equipotential bonding between the trunking bases.


### Joint connector LKM SV20



### Edge protection ring KSR 20020, for LKM cable trunking type 20020

Type	Colour	mm	mm	Dim. a	Dim. b	Pack Piece	Weight kg/100 pc.	Item no.
KSR20020	Grey	24	28			5	0.900	6249842

Edge protection ring for the open ends of LKM cable trunking.



## Trunking height 20 mm, trunking width 30 mm

### Cable trunking, type LKM 20030




30  
24

Type	Colour	Length mm	Pack m	Weight kg/100 m	Item no.
LKM20030FS	–	2000	2	58.000	6246974
LKM20030RW	Pure white	2000	2	58.000	6248470

Duct cover and base with base perforation. Equipotential bonding is guaranteed between the cover and the base without any additional aids. The LKM cable duct, type LKM 20030, has been tested for the maintenance of electrical function as a routing system according to DIN 4102 Part 12. Please note the cable types tested in the BSS fire protection systems division!



### Joint connector LKM SV30




Type	Dim. a mm	Dim. b mm
LKM SV30	54	30

Pack Piece	Weight kg/100 pc.	Item no.
10	0.400	6247434

Joint connector to connect the bases. This creates the equipotential bonding between the duct bases.



### Edge protection ring KSR 20030, for LKM cable duct type 20030




Type	Colour	Dim. a mm	Dim. b mm
KSR20030	Grey	34	28

Pack Piece	Weight kg/100 pc.	Item no.
5	1.100	6249844


Edge protection ring for the open ends of LKM cable trunking.





## Trunking height 30 mm, trunking width 30 mm

### Cable trunking, type LKM 30030





Type	Colour	Length mm	Pack m	Weight kg/100 m	Item no.
LKM30030FS	–	2000	2	62.000	6246985
LKM30030RW	Pure white	2000	2	62.000	6248489

Trunking cover and base with base perforation.  
Equipotential bonding is guaranteed between the cover and the base without any additional aids.



### Joint connector LKM SV30




Type	Dim. a mm	Dim. b mm	Pack Piece	Weight kg/100 pc.	Item no.
LKM SV30	54	30	10	0.400	6247434

Joint connector to connect the bases. This creates the equipotential bonding between the duct bases.



### End piece, for cable trunking type LKM 30030




Type	Colour	Dim. a mm	Dim. b mm	Pack Piece	Weight kg/100 pc.	Item no.
LKM E30030FS	–	30	30	10	1.000	6247876
LKM E30030RW	Pure white	30	30	10	1.000	6249410

End piece for closing the LKM ducts.




### Edge protection ring KSR 30030, for LKM cable trunking 30030



Type	Colour	Dim. a mm	Dim. b mm	Pack Piece	Weight kg/100 pc.	Item no.
KSR30030	Grey	34	34	5	1.300	6249847


Edge protection ring for the open ends of LKM cable trunking.





# Trunking height 40 mm, trunking width 40 mm

## Cable trunking, type LKM 40040




Type	Colour	Length mm	Pack m	Weight kg/100 m	Item no.
LKM40040FS	–	2000	2	117.000	6246990
LKM40040RW	Pure white	2000	2	127.600	6248497

Trunking cover and base with base perforation.  
Equipotential bonding is guaranteed between the cover and the base without any additional aids.



## Joint connector LKM SV40




Type	Dim. a mm	Dim. b mm	Pack Piece	Weight kg/100 pc.	Item no.
LKM SV40	76	30	10	1.000	6247458

Joint connector to connect the bases. This creates the equipotential bonding between the duct bases.



## Internal corner, for cable trunking type LKM 40040




Type	Colour	Dim. a mm	Pack Piece	Weight kg/100 pc.	Item no.
LKM I40040FS	–	160	1	28.000	6247652
LKM I40040RW	Pure white	160	1	28.000	6249167

Internal corner for changing the direction of the LKM trunking.



## External corner, for cable trunking ducts type LKM 40040



Type	Colour	Dim. a mm	Pack Piece	Weight kg/100 pc.	Item no.
LKM A40040FS	–	120	1	38.600	6247563
LKM A40040RW	Pure white	120	1	38.600	6249086

External corner including cover for changing the direction of the LKM trunking.



## T piece, for cable trunking type LKM 40040



Type	Colour	Dim. a mm	Pack Piece	Weight kg/100 pc.	Item no.
LKM T40040FS	–	300	1	39.700	6247725
LKM T40040RW	Pure white	300	1	39.700	6249256

T piece including cover for changing the direction of the LKM ducts.






## Flat angle, for cable trunking type LKM 40040

Type	Colour	Dim. a mm	Pack Piece	Weight kg/100 pc.	Item no.
LKM F40040FS	-	140	1	37.100	6247490
LKM F40040RW	Pure white	140	1	37.100	6248993


Flat angle including cover for changing the direction of the LKM ducts.



## End piece, for cable trunking type LKM 40040

Type	Colour	Dim. a mm	Dim. b mm	Pack Piece	Weight kg/100 pc.	Item no.
LKM E40040FS	-	40	44	10	2.500	6247881
LKM E40040RW	Pure white	40	44	10	2.500	6249418


End piece for closing the LKM ducts.



## Edge protection ring KSR 40040, for LKM cable trunking type 40040


Type	Colour	Dim. a mm	Dim. b mm	Pack Piece	Weight kg/100 pc.	Item no.
KSR40040	Grey	44	48	5	1.800	6249846

Edge protection ring for the open ends of LKM cable trunking.



# Trunking height 40 mm, trunking width 60 mm

## Cable trunking, type LKM 40060



Type	Colour	Length mm	Pack m	Weight kg/100 m	Item no.
LKM40060FS	–	2000	2	151.200	6247016
LKM40060RW	Pure white	2000	2	151.200	6248519

Trunking cover and base with base perforation.  
Equipotential bonding is guaranteed between the cover and the base without any additional aids.



## Joint connector LKM SV40




Type	Dim. a mm	Dim. b mm	Pack Piece	Weight kg/100 pc.	Item no.
LKM SV40	76	30	10	1.000	6247458

Joint connector to connect the bases. This creates the equipotential bonding between the duct bases.



## Internal corner, for cable trunking type LKM 40060




Type	Colour	Dim. a mm	Pack Piece	Weight kg/100 pc.	Item no.
LKM I40060FS	–	160	1	31.400	6247660
LKM I40060RW	Pure white	160	1	31.400	6249175

Internal corner for changing the direction of LKM ducts.



## External corner, for cable routing trunking type LKM 40060



Type	Colour	Dim. a mm	Pack Piece	Weight kg/100 pc.	Item no.
LKM A40060FS	–	120	1	46.300	6247571
LKM A40060RW	Pure white	120	1	46.300	6249094

External corner including cover for changing the direction of the LKM ducts.



## T piece, for cable trunking type LKM 40060



Type	Colour	Dim. a mm	Pack Piece	Weight kg/100 pc.	Item no.
LKM T40060FS	–	300	1	46.800	6247733
LKM T40060RW	Pure white	300	1	46.800	6249264


T piece including cover for changing the direction of the LKM ducts.





Type	Colour	Dim. a mm
LKM F40060FS	-	140
LKM F40060RW	Pure white	140

## Flat angle, for cable trunking type LKM 40060




Flat angle including cover for changing the direction of the LKM ducts.



Type	Colour	Dim. a mm	Dim. b mm
LKM E40060FS	-	60	44
LKM E40060RW	Pure white	60	44

## End piece, for cable trunking type LKM 40060




End piece for closing the LKM ducts.



Type	Colour	Dim. a mm	Dim. b mm
KSR40060	Grey	64	48


## Edge protection ring KSR 40060, for LKM cable trunking type 40060



Edge protection ring for the open ends of LKM cable trunking.

## Trunking height 60 mm, trunking width 60 mm

### Cable trunking, type LKM 60060




Type	Colour	Length mm	Pack m	Weight kg/100 m	Item no.
LKM60060FS	–	2000	2	174.700	6247091
LKM60060RW	Pure white	2000	2	174.700	6248608

Trunking cover and base with base perforation.  
Equipotential bonding is guaranteed between the cover and the base without any additional aids. Note: LKM 60060 has no loop perforation in the base, a partition cannot be installed.



### Joint connector LKM SV60




Type	Dim. a mm	Dim. b mm	Pack Piece	Weight kg/100 pc.	Item no.
LKM SV60	75	49	10	1.600	6247466

Joint connector to connect the bases. This creates the equipotential bonding between the duct bases.



### Internal corner, for cable trunking type LKM 60060





Type	Colour	Dim. a mm	Pack Piece	Weight kg/100 pc.	Item no.
LKM I60060FS	–	160	1	31.900	6248128
LKM I60060RW	Pure white	160	1	31.900	6249612

Internal corner for changing the direction of the LKM trunking.



### External corner, for cable trunking type LKM 60060




Type	Colour	Dim. a mm	Pack Piece	Weight kg/100 pc.	Item no.
LKM A60060FS	–	120	1	55.800	6248047
LKM A60060RW	Pure white	120	1	55.800	6249558

External corner including cover for changing the direction of the LKM ducts.



### T piece, for cable trunking type LKM 60060



Type	Colour	Dim. a mm	Pack Piece	Weight kg/100 pc.	Item no.
LKM T60060FS	–	300	1	54.200	6248187
LKM T60060RW	Pure white	300	1	54.200	6249671

T piece including cover for changing the direction of the LKM trunking.






## Flat angle, for cable trunking type LKM 60060

Type	Colour	Dim. a mm	Pack Piece	Weight kg/100 pc.	Item no.
LKM F60060FS	-	140	1	54.700	6247989
LKM F60060RW	Pure white	140	1	54.700	6249485


Flat angle including cover for changing the direction of the LKM ducts.



## End piece, for cable trunking type LKM 60060

Type	Colour	Dim. a mm	Dim. b mm	Pack Piece	Weight kg/100 pc.	Item no.
LKM E60060FS	-	60	64	10	4.500	6248284
LKM E60060RW	Pure white	60	64	10	4.500	6249795


End piece for closing the LKM ducts.



## Edge protection ring KSR60060, for LKM cable trunking type 60060


Type	Colour	Dim. a mm	Dim. b mm	Pack Piece	Weight kg/100 pc.	Item no.
KSR60060	Grey	64	68	5	2.400	6249850

Edge protection ring for the open ends of LKM cable trunking.



# Trunking height 60 mm, trunking width 100 mm

## Cable duct, type LKM 60100




Type	Colour	Length mm	Pack m	Weight kg/100 m	Item no.
LKM60100FS	–	2000	2	221.700	6247113
LKM60100RW	Pure white	2000	2	221.700	6248624

Duct cover and base with base perforation. Equipotential bonding is guaranteed between the cover and the base without any additional aids. The LKM cable duct, type LKM 60100, has been tested for the maintenance of electrical function as a routing system according to DIN 4102 Part 12. Please note the cable types tested in the BSS fire protection systems division!



## Joint connector LKM SV60




Type	Dim. a mm	Dim. b mm	Pack Piece	Weight kg/100 pc.	Item no.
LKM SV60	75	49	10	1.600	6247466

Joint connector to connect the bases. This creates the equipotential bonding between the duct bases.



## Internal corner, for cable trunking type LKM 60100




Type	Colour	Dim. a mm	Pack Piece	Weight kg/100 pc.	Item no.
LKM I60100FS	–	160	1	39.400	6248144
LKM I60100RW	Pure white	160	1	39.400	6249639

Internal corner for changing the direction of the LKM trunking.



## External corner, for cable trunking type LKM 60100




Type	Colour	Dim. a mm	Pack Piece	Weight kg/100 pc.	Item no.
LKM A60100FS	–	120	1	73.100	6248063
LKM A60100RW	Pure white	120	1	73.100	6249574

External corner including cover for changing the direction of the LKM ducts.



## T piece for cable trunking type LKM 60100



Type	Colour	Dim. a mm	Pack Piece	Weight kg/100 pc.	Item no.
LKM T60100FS	–	300	1	69.200	6248209
LKM T60100RW	Pure white	300	1	69.200	6249701

T piece including cover for changing the direction of the LKM ducts.






## Flat angle, for cable trunking type LKM 60100

Type	Colour	Dim. a mm	Pack Piece	Weight kg/100 pc.	Item no.
LKM F60100FS	-	140	1	63.400	6248004
LKM F60100RW	Pure white	140	1	63.400	6249507


Flat angle including cover for changing the direction of the LKM ducts.



## End piece, for cable trunking type LKM 60100

Type	Colour	Dim. a mm	Dim. b mm	Pack Piece	Weight kg/100 pc.	Item no.
LKM E60100FS	-	100	64	10	6.200	6248306
LKM E60100RW	Pure white	100	64	10	6.500	6249817


End piece for closing the LKM ducts.



## Edge protection ring KSR60100, for LKM cable duct type 60100


Type	Colour	Dim. a mm	Dim. b mm	Pack Piece	Weight kg/100 pc.	Item no.
KSR60100	Grey	104	68	5	3.400	6249852

Edge protection ring for the open ends of LKM cable trunking.



## Trunking height 60 mm, trunking width 150 mm

### Cable trunking, type LKM 60150




Type	Colour	Length mm	Pack m	Weight kg/100 m	Item no.
LKM60150FS	–	2000	2	280.100	6247148
LKM60150RW	Pure white	2000	2	280.100	6248640

Trunking cover and base with base perforation.  
Equipotential bonding is guaranteed between the cover and the base without any additional aids.



### Joint connector LKM SV60




Type	Dim. a mm	Dim. b mm	Pack Piece	Weight kg/100 pc.	Item no.
LKM SV60	75	49	10	1.600	6247466

Joint connector to connect the bases. This creates the equipotential bonding between the duct bases.



### Internal corner, for cable trunking type LKM 60150




Type	Colour	Dim. a mm	Pack Piece	Weight kg/100 pc.	Item no.
LKM I60150FS	–	160	1	48.400	6248152
LKM I60150RW	Pure white	160	1	48.400	6249647

Internal corner for changing the direction of the LKM trunking.



### External corner, for cable trunking type LKM 60150




Type	Colour	Dim. a mm	Pack Piece	Weight kg/100 pc.	Item no.
LKM A60150FS	–	120	1	91.300	6248071
LKM A60150RW	Pure white	120	1	91.300	6249582

External corner including cover for changing the direction of the LKM ducts.



### T piece, for cable trunking type LKM 60150



Type	Colour	Dim. a mm	Pack Piece	Weight kg/100 pc.	Item no.
LKM T60150FS	–	300	1	87.600	6248217
LKM T60150RW	Pure white	300	1	87.600	6249728

T piece including cover for changing the direction of the LKM ducts.






Type	Colour	Dim. a mm
LKM F60150FS	-	140
LKM F60150RW	Pure white	140

## Flat angle, for cable trunking type LKM 60150

Pack	Weight	
Piece	kg/100 pc.	Item no.
1	113.500	6248012
1	113.500	6249515

Flat angle including cover for changing the direction of the LKM ducts.




Type	Colour	Dim. a mm	Dim. b mm
LKM E60150FS	-	150	64
LKM E60150RW	Pure white	150	64

## End piece, for cable trunking type LKM 60150

Pack	Weight	
Piece	kg/100 pc.	Item no.
10	8.400	6248314
10	9.000	6249825

End piece for closing the LKM ducts.




## Edge protection ring KSR60150, for LKM cable trunking type 60150

Type	Colour	Dim. a mm	Dim. b mm
KSR60150	Grey	154	68


Pack	Weight	
Piece	kg/100 pc.	Item no.
5	4.400	6249854

Edge protection ring for the open ends of LKM cable trunking.



# Trunking height 60 mm, trunking width 200 mm

## Cable trunking, type LKM 60200




Type	Colour	Length mm	Pack m	Weight kg/100 m	Item no.
LKM60200FS	–	2000	2	338.700	6247164
LKM60200RW	Pure white	2000	2	338.700	6248667

Trunking cover and base with base perforation.  
Equipotential bonding is guaranteed between the cover and the base without any additional aids.



## Joint connector LKM SV60




Type	Dim. a mm	Dim. b mm	Pack Piece	Weight kg/100 pc.	Item no.
LKM SV60	75	49	10	1.600	6247466

Joint connector to connect the bases. This creates the equipotential bonding between the duct bases.



## Internal corner, for cable trunking type LKM 60200




Type	Colour	Dim. a mm	Pack Piece	Weight kg/100 pc.	Item no.
LKM I60200FS	–	160	1	57.500	6248160
LKM I60200RW	Pure white	160	1	57.500	6249655

Internal corner for changing the direction of the LKM trunking.



## External corner, for cable trunking type LKM 60200




Type	Colour	Dim. a mm	Pack Piece	Weight kg/100 pc.	Item no.
LKM A60200FS	–	120	1	114.000	6248098
LKM A60200RW	Pure white	120	1	114.000	6249590

External corner including cover for changing the direction of the LKM ducts.



## T piece, for cable trunking type LKM 60200



Type	Colour	Dim. a mm	Pack Piece	Weight kg/100 pc.	Item no.
LKM T60200FS	–	300	1	106.000	6248225
LKM T60200RW	Pure white	300	1	106.000	6249736

T piece including cover for changing the direction of the LKM trunking.






## Flat angle, for cable trunking type LKM 60200

Type	Colour	Dim. a mm	Pack Piece	Weight kg/100 pc.	Item no.
LKM F60200FS	-	140	1	154.400	6248020
LKM F60200RW	Pure white	140	1	154.400	6249523


Flat angle including cover for changing the direction of the LKM ducts.



## End piece, for cable trunking type LKM 60200

Type	Colour	Dim. a mm	Dim. b mm	Pack Piece	Weight kg/100 pc.	Item no.
LKM E60200FS	-	200	64	10	10.800	6248322
LKM E60200RW	Pure white	200	64	10	11.500	6249833


End piece for closing the LKM ducts.



## Edge protection ring KSR 60200, for LKM cable trunking type 60200


Type	Colour	Dim. a mm	Dim. b mm	Pack Piece	Weight kg/100 pc.	Item no.
KSR60200	Grey	204	68	5	4.700	6249856

Edge protection ring for the open ends of LKM cable trunking.



## Trunking height 80 mm, trunking width 80 mm

### Cable trunking, type LKM 80080




Type	Colour	Length mm	Pack m	Weight kg/100 m	Item no.
LKM80080FS	–	2000	2	215.000	6247194
LKM80080RW	Pure white	2000	2	238.000	6248694

Trunking cover and base with base perforation.  
Equipotential bonding is guaranteed between the cover and the base without any additional aids.




### Joint connector LKM SV80



Type	Dim. a mm	Dim. b mm	Pack Piece	Weight kg/100 pc.	Item no.
LKM SV80	75	66	10	1.300	6247472

Joint connector to connect the bases. This creates the equipotential bonding between the duct bases.

### Internal corner, for cable trunking type LKM 80080




Type	Colour	Dim. a mm	Pack Piece	Weight kg/100 pc.	Item no.
LKM I80080FS	–	160	1	38.700	6248336
LKM I80080RW	Pure white	160	1	38.700	6248436

Internal corner for changing the direction of LKM trunking.



### External corner, for cable trunking type LKM 80080




Type	Colour	Dim. a mm	Pack Piece	Weight kg/100 pc.	Item no.
LKM A80080FS	–	120	1	75.300	6248332
LKM A80080RW	Pure white	120	1	75.300	6248432

External corner including cover for changing the direction of the LKM ducts.



### T piece, for cable trunking type LKM 80080



Type	Colour	Dim. a mm	Pack Piece	Weight kg/100 pc.	Item no.
LKM T80080FS	–	300	1	67.200	6248340
LKM T80080RW	Pure white	300	1	67.200	6248450


T piece including cover for changing the direction of the LKM ducts.






Type	Colour	Dim. a mm	Pack Piece	Weight kg/100 pc.	Item no.
LKM F80080FS	-	140	1	80.000	6248328
LKM F80080RW	Pure white	140	1	80.000	6248428

Flat angle including cover for changing the direction of the LKM ducts.




Type	Colour	Dim. a mm	Dim. b mm	Pack Piece	Weight kg/100 pc.	Item no.
LKM E80080FS	-	80	80	1	7.000	6248344
LKM E80080RW	Pure white	80	80	1	7.000	6248454

End piece for closing the LKM ducts.




Type	Colour	Dim. a mm	Dim. b mm	Pack Piece	Weight kg/100 pc.	Item no.
KSR80080	Grey	84	84	5	3.800	6249865

Edge protection ring for the open ends of LKM cable trunking.



## Partitions

### Partition LKM/TWS45



Type	Length mm	a mm	Pack m	Weight kg/100 m	Item no.
LKM TWS45	2000	45	2	47.900	6249871

Partition to divide the LKM cable trunking, 60 mm trunking height, for different voltage levels.



### Partition LKM TWS55



Type	Length mm	a mm	Pack m	Weight kg/100 m	Item no.
LKM TWS55	2000	55	2	53.000	6249876

Partition to divide the LKM cable routing trunking, 60 mm trunking height, for different voltage levels.



### Partition LKM TWS75




Type	Length mm	a mm	Pack m	Weight kg/100 m	Item no.
LKM TWS75	2000	60	2	114.000	6249880

Partition to divide the LKM cable routing trunking, 80 mm trunking height, for different voltage levels.



## Duct clamps

### Duct clamp, LKM, trunking width 80




Type	Dim. a mm	Dim. b mm	Dim. c mm	Pack Piece	Weight kg/100 pc.	Item no.
LKM K65	25	60	65	20	2.330	6249882

The trunking clamp keeps the inserted cables in the trunking, thus simplifying installation on walls and ceilings. The trunking clamps are plugged onto the loop perforation and locked on the side wall. Suitable for trunking width 80 mm.



### Duct clamp, LKM, trunking width 100



Type	Dim. a mm	Dim. b mm	Dim. c mm	Pack Piece	Weight kg/100 pc.	Item no.
LKM K80	25	81	49	20	2.700	6249884

The duct clamp keeps the inserted cables in the duct, thus simplifying installation on walls and ceilings. The duct clamps are plugged onto the loop perforation and locked on the side wall. Suitable for duct width 100 mm.






Dim. Dim. Dim.  
a b c

Type	mm	mm	mm
LKM K140	25	141	49

Pack Weight  
Piece kg/100 pc. Item no.  
20 3.600 6249888

The duct clamp keeps the inserted cables in the trunking, thus simplifying installation on walls and ceilings. The duct clamps are plugged onto the loop perforation and locked on the side wall. Suitable for trunking width 150 mm and 200 mm.




## Duct clamp, LKM, for maintenance of electrical function E30 - E90

Type	
LKM KF 60100	

Pack Weight  
Piece kg/100 pc. Item no.  
10 9.800 6249881

Duct clamp for the metal cable routing trunking type LKM 60100, prevents the cables falling out during installation. The duct clamp is essential if the trunking is used in cable systems with integrated maintenance of electrical function to DIN 4102, Part 12. Easy mounting through insertion into the loop perforation and interconnection in the side wall.





## LKM cable bracket, trunking width 60

Type	Dim.	Dim.	For trunking dimension
	a	b	
LKM Z60	46	30	60x60 mm

Pack Weight  
Piece kg/100 pc. Item no.  
10 1.100 6249906

Cable bracket to fix cables in vertical routing.




## LKM cable bracket, trunking width 100

Type	Dim.	Dim.	For trunking dimension
	a	b	
LKM Z100	96	30	60x100 mm

Pack Weight  
Piece kg/100 pc. Item no.  
10 2.100 6249922

Cable bracket to fix cables in vertical routing.




## LKM cable bracket, trunking width 150


Type	Dim.	Dim.	For trunking dimension
	a	b	
LKM Z150	146	30	60x150 mm

Pack Weight  
Piece kg/100 pc. Item no.  
10 3.000 6249965

Cable bracket to fix cables in vertical routing.




## LKM cable bracket, trunking width 200




Type	Dim. a mm	Dim. b mm	For trunking dimension	Pack Piece	Weight kg/100 pc.	Item no.
<b>LKM Z200</b>	166	30	60x200 mm	10	3.600	<b>6249981</b>

Cable bracket to fix cables in vertical routing.



Skirting trunking




# Skirting trunking

	Trunking width 50	172
	Trunking width 70	182
	Trunking width 110	188
	Trunking width 105	192
	Floor trunking	200

# System overview

**For all applications in single or multiple-occupier dwellings, whether a new building or renovation:**

- The product range comprises the dimensions 20 x 50 mm, 20 x 70 mm and 20 x 110 mm
- Connection solutions for all standard devices in support ring and support clamp design
- Length of the standard profiles 2 m
- Versions available in RAL 9010 (trunking width: 50, 70 and 110 mm)
- Matching accessories to maintain the protection classes



1	Trunking
2	Internal corner
3	External corner
4	Cover coupling
5	Device support with integrated double socket
6	Device support, empty, for standard devices of support ring design
7	Device support, including panel, for the installation of central plate devices according to DIN 49075, with support clamp



# Mounting aid


Device support for universal devices



Apply the device support to the top of the base and screw to the wall.



Connect and screw on the holder.



Select the adapter plate according to the height of the skirting board. No adapter plate is available for SL 20 x 110.



Clip the front plate onto the cover.




Mount the connection cover.



Mounted device support.

# Mounting aid


Device support with pre-terminated double socket



At trunking heights of 50 mm, apply the device support to the mounted skirting trunking base in such a way that the two struts serve as spacers. Then, drill the hole and screw to the wall (image without mounted socket base).



Connect the device support.



Place the device support directly on the base. When using the 70 mm-high SL trunking, break out the two bars (spacers).



When using the SL duct of 50 mm duct height before mounting the device tank, insert the supplied adapter plate on both sides.



Hang the device tank in the SL base.




Place the device panel, including the screw, in the opening of the device tank and screw it tight.




After mounting, an electrical test must be performed by an authorised electrical engineer.

# Mounting aid


Device support for devices with support clamp



Apply the device support to the top of the base and screw to the wall.



Connect and screw on the holder.



Select the adapter plate according to the height of the skirting board. No adapter plate is available for SL 20 x 110.



Clip the front plate onto the cover.



Mount the connection cover.



Mounted device support.


PVC



DKE

Type	Colour	Length mm	Width mm	Height mm	Pack m	Weight kg/100 m	Item no.
SL 2050 rws	Pure white	2000	50	20	2	35.100	6132193
SL 2050 cws	Cream	2000	50	20	2	40.290	6132201

SL skirting trunking for covered cable routing in internal areas. The colour of the trunking bases can vary depending on the production method.



### Internal corner SL IE2050


PVC



DKE

Type	Colour	Length mm	Width mm	Height mm	Pack Piece	Weight kg/100 pc.	Item no.
SL IE2050 rws	Pure white	46	46	52	10	0.400	6132248
SL IE2050 cws	Cream	46	46	52	10	0.400	6132249

Internal corner as a fitting for changing the direction of the skirting trunking.



### External corner SL AE2050


PVC



DKE

Type	Colour	Length mm	Width mm	Height mm	Pack Piece	Weight kg/100 pc.	Item no.
SL AE2050 rws	Pure white	37	37	51	10	1.160	6132265
SL AE2050 cws	Cream	37	37	51	10	1.160	6132266

External corner as a fitting for changing the direction of the skirting trunking.



### End piece SL ESLi2050


PVC



DKE

Type	Colour	Length mm	Width mm	Height mm	Pack Piece	Weight kg/100 pc.	Item no.
SL ESLi2050 rws	Pure white	22	18	52	10	0.500	6132293
SL ESLi2050 cws	Cream	22	18	52	10	0.500	6132294

End piece (left) as a fitting for the skirting trunking.



### End piece SL ESRe2050


PVC



DKE


Type	Colour	Length mm	Width mm	Height mm	Pack Piece	Weight kg/100 pc.	Item no.
SL ESRe2050 rws	Pure white	22	18	52	10	0.500	6132277
SL ESRe2050 cws	Cream	22	18	52	10	0.500	6132278

End piece (right) as a fitting for the skirting trunking.



# Skirting trunking SL, trunking width 50


## Coupling SL KUP2050



Type	Colour	Length mm	Width mm	Height mm	Pack Piece	Weight kg/100 pc.	Item no.
SL KUP2050 rws	Pure white	24	22	52	10	0.400	6132225
SL KUP2050 cws	Cream	24	22	52	10	0.400	6132226

Trunking coupling for SL, SL-L and SL-T skirting trunking. For connecting the interfaces of the individual trunking covers.

## Cover SL 2050



Type	Colour	Length mm	Width mm	Height mm	Pack m	Weight kg/100 m	Item no.
SL 2050 OT cws	Cream	2000	20	3	120	17.270	6132308
SL 2050 OT rws	Pure white	2000	50	20	2	15.700	6132150
SLL 2050 cws	Cream	2000	50	20	2	19.660	6132157
SLL 2050 rws	Pure white	2000	50	20	2	19.660	6132158
SLL 2070 rws	Pure white	2000	50	70	2	24.880	6132159


Cover for skirting trunking.

PVC



Type	Colour	Length mm	Width mm	Height mm	Pack m	Weight kg/100 m	Item no.
SLL 2050 rws	Pure white	2000	50	20	2	41.160	6132212
SLL 2050 cws	Cream	2000	50	20	2	41.160	6132211

SL-L skirting trunking for covered cable routing in internal areas. The colour of the trunking bases can vary depending on the production method.




PVC



Type	Colour	Length mm	Width mm	Height mm	Pack Piece	Weight kg/100 pc.	Item no.	
SLL IE2050 rws	Pure white	45	45	60		10	0.900	6132240
SLL IE2050 cws	Cream	45	45	60		10	0.900	6132241

Internal corner as a fitting for changing the direction of the skirting trunking.




PVC



Type	Colour	Length mm	Width mm	Height mm	Pack Piece	Weight kg/100 pc.	Item no.	
SLL AE2050 rws	Pure white	46	46	60		10	1.750	6132260
SLL AE2050 cws	Cream	46	46	60		10	1.320	6132261


External corner as a fitting for changing the direction of the skirting trunking.



# Skirting trunking SLT, trunking width 50




## Skirting trunking SLT 2050



Type	Colour	Length mm	Width mm	Height mm	Pack m	Weight kg/100 m	Item no.
SLT 2050 rws	Pure white	2000	50	20	2	40.200	6132218
SLT 2050 cws	Cream	2000	50	20	2	40.200	6132217

SL-T skirting trunking for covered cable routing in internal areas. The colour of the trunking bases can vary depending on the production method.


## End piece SLT ESLi2050



Type	Colour	Length mm	Width mm	Height mm	Pack Piece	Weight kg/100 pc.	Item no.
SLT ESLi2050 rws	Pure white	30	20	52	10	0.600	6132288
SLT ESLi2050 cws	Cream	30	20	52	10	0.600	6132289


End piece (left) as a fitting for the skirting trunking.

## End piece SLT ESRe2050




Type	Colour	Length mm	Width mm	Height mm	Pack Piece	Weight kg/100 pc.	Item no.
SLT ESRe2050 rws	Pure white	30	20	52	10	0.600	6132302
SLT ESRe2050 cws	Cream	30	20	52	10	0.600	6132303

End piece (right) as a fitting for the skirting trunking.



# Skirting trunking SL, trunking width 70


## Skirting trunking SL 2070



Type	Colour	Length mm	Width mm	Height mm	Pack m	Weight kg/100 m	Item no.
SL 2070 rws	Pure white	2000	70	20	2	48.000	6132267
SL 2070 cws	Cream	2000	70	20	2	48.000	6132208
SL 2070 lgr	Light grey	2000	70	20	2	48.000	6132269

SL skirting trunking for covered cable routing in internal areas. The colour of the trunking bases can vary depending on the production method.


## Internal corner SL IE2070



Type	Colour	Length mm	Width mm	Height mm	Pack Piece	Weight kg/100 pc.	Item no.
SL IE2070 rws	Pure white	46	46	73	10	0.700	6132253
SL IE2070 cws	Cream	46	46	73	10	0.700	6132254
SL IE2070 lgr	Light grey	46	46	73	10	0.700	6132255

Internal corner as a fitting for changing the direction of the skirting trunking.


## External corner SL AE2070



Type	Colour	Length mm	Width mm	Height mm	Pack Piece	Weight kg/100 pc.	Item no.
SL AE2070 rws	Pure white	37	37	69	10	1.530	6132270
SL AE2070 cws	Cream	37	37	69	10	1.530	6132271
SL AE2070 lgr	Light grey	37	37	69	10	1.300	6132272

External corner as a fitting for changing the direction of the skirting trunking.


## End piece SL ESli2070



Type	Colour	Length mm	Width mm	Height mm	Pack Piece	Weight kg/100 pc.	Item no.
SL ESli2070 rws	Pure white	22	18	72	10	0.600	6132296
SL ESli2070 cws	Cream	22	18	72	10	0.600	6132297
SL ESli2070 lgr	Light grey	22	18	72	10	0.600	6132298

End piece (left) as a fitting for the skirting trunking.

## End piece SL ESre2070



Type	Colour	Length mm	Width mm	Height mm	Pack Piece	Weight kg/100 pc.	Item no.
SL ESre2070 rws	Pure white	22	18	72	10	0.600	6132281
SL ESre2070 cws	Cream	22	18	72	10	0.600	6132282
SL ESre2070 lgr	Light grey	22	18	72	10	0.600	6132283

End piece (right) as a fitting for the skirting trunking.

PVC



## Coupling SL KUP2070


Type	Colour	Length mm	Width mm	Height mm	Pack Piece	Weight kg/100 pc.	Item no.
SL KUP2070 rws	Pure white	24	22	70	10	0.500	6132230
SL KUP2070 cws	Cream	24	22	70	10	0.500	6132231
SL KUP2070 lgr	Light grey	24	22	70	10	0.500	6132232

Trunking coupling for SL, SL-L and SL-T skirting trunking. For linking the joints of individual trunking covers.



# Skirting trunking SLL, trunking width 70


## Skirting trunking SLL 2070



Type	Colour	Length mm	Width mm	Height mm	Pack m	Weight kg/100 m	Item no.
SLL 2070 rws	Pure white	2000	70	20	2	57.396	6132215
SLL 2070 cws	Cream	2000	70	20	2	57.400	6132214

SL-L skirting trunking for covered cable routing in internal areas. The colour of the trunking bases can vary depending on the production method.


## Internal corner SLL IE2070



Type	Colour	Length mm	Width mm	Height mm	Pack Piece	Weight kg/100 pc.	Item no.
SLL IE2070 rws	Pure white	46	46	80	10	1.200	6132243
SLL IE2070 cws	Cream	46	46	80	10	1.200	6132244

Internal corner as a fitting for changing the direction of the skirting trunking.

## External corner SLL AE2070



Type	Colour	Length mm	Width mm	Height mm	Pack Piece	Weight kg/100 pc.	Item no.
SLL AE2070 rws	Pure white	78	46	46	10	1.750	6132262
SLL AE2070 cws	Cream	78	46	46	10	1.750	6132263

External corner as a fitting for changing the direction of the skirting trunking.

PVC


CE

DE

DKE

CE


## Device support SL GTO 50-70



Type	Colour	Length mm	Width mm	Height mm	Pack Piece	Weight kg/100 pc.	Item no.
SL GTO 50-70 rws	Pure white	52	111	136	1	13.300	6132229
SL GTO 50-70 cws	Cream	52	111	136	1	13.300	6132224
SL GTO 50-70 lgr	Light grey	52	111	136	1	13.300	6132223

Empty device support for the SL, SL-L and SL-T skirting trunking systems for the installation of devices in support clamp form (according to DIN 49075) in the trunking widths 50 and 70 mm.

## Device support SL2GTK5070



Type	Colour	Length mm	Width mm	Height mm	Pack Piece	Weight kg/100 pc.	Item no.
SL2GTK5070 rws	Pure white	52	111	138	1	15.000	6132179
SL2GTK5070 cws	Cream	52	111	138	1	14.000	6132178

Device support with pre-terminated double protective contact socket with increased contact protection for the skirting trunking in the trunking widths 50 and 70 mm.

PC/  
ABS


CE



## Blind cover SL BL blind

Type	Colour	Length mm	Width mm	Height mm	Pack Piece	Weight kg/100 pc.	Item no.
SL BL blind rws	Pure white	54	100	7	1	1.950	6132199
SL BL blind cws	Cream	54	100	7	1	1.950	6132252

Blanking cover for closing the service outlet.

PC/  
ABS


CE



## Antenna socket panel SL BL ANT

Type	Colour	Length mm	Width mm	Height mm	Pack Piece	Weight kg/100 pc.	Item no.
SL BL ANT rws	Pure white	100	54	5	1	2.100	6132258
SL BL ANT cws	Cream	100	54	5	1	2.100	6132195

Antenna cover for installing antenna sockets in the device tank of the skirting trunking. Cover for antenna socket.



PVC




CE



## Side closure, device tank SL GTSA5070

Type	Colour	Length mm	Width mm	Height mm	Pack Piece	Weight kg/100 pc.	Item no.
SL GTSA5070 rws	Pure white	4	27	72	10	0.320	6132234
SL GTSA5070 cws	Cream	4	27	72	10	0.320	6132197


Side cover panel for side enclosing of the service outlet.



## Skirting trunking SL, trunking width 110




### Skirting trunking SL 20110



Type	Colour	Length mm	Width mm	Height mm	Pack m	Weight kg/100 m	Item no.
SL 20110 rws	Pure white	2000	110	20	2	70.100	6132274

SL skirting trunking for covered cable routing in internal areas. The colour of the trunking bases can vary depending on the production method.


### Skirting trunking SL 20110



Type	Colour	Length mm	Width mm	Height mm	Pack m	Weight kg/100 m	Item no.
SL 20110 rws	Pure white	2000	110	20	18	70.100	6132207

SL skirting trunking for covered cable routing in internal areas. The colour of the trunking bases can vary depending on the production method.


### Internal corner SL IE20110



Type	Colour	Length mm	Width mm	Height mm	Pack Piece	Weight kg/100 pc.	Item no.
SL IE20110 rws	Pure white	46	46	109	10	0.900	6132259

Internal corner as a fitting for changing the direction of the skirting trunking.


### External corner SL AE20110



Type	Colour	Length mm	Width mm	Height mm	Pack Piece	Weight kg/100 pc.	Item no.
SL AE20110 rws	Pure white	37	37	112	10	1.800	6132275

External corner as a fitting for changing the direction of the skirting trunking.

### End piece SL ESLi20110



Type	Colour	Length mm	Width mm	Height mm	Pack Piece	Weight kg/100 pc.	Item no.
SL ESLi20110 rws	Pure white	22	18	112	10	0.900	6132300

End piece (left) as a fitting for the skirting trunking.

PVC



d'E

## End piece SL ESRe20110

Type	Colour	Length mm	Width mm	Height mm	Pack Piece	Weight kg/100 pc.	Item no.
SL ESRe20110 rws	Pure white	22	18	112	10	0.900	6132286

End piece (right) as a fitting for the skirting trunking.



PVC



## Coupling SL KUP20110

Type	Colour	Length mm	Width mm	Height mm	Pack Piece	Weight kg/100 pc.	Item no.
SL KUP20110 rws	Pure white	24	22	110	10	0.600	6132235

Trunking coupling for SL, SL-L and SL-T skirting trunking. For connecting the interfaces of the individual trunking covers.




PVC



## Device support SL 2GT20110

Type	Colour	Length mm	Width mm	Height mm	Pack Piece	Weight kg/100 pc.	Item no.
SL2GT20110 rws	Pure white	52	111	176	1	15.400	6132250

Device support with pre-terminated double protective contact socket for the skirting trunking in the trunking width 110 mm.




PVC



## Device support SL ETler20110

Type	Colour	Length mm	Width mm	Height mm	Pack Piece	Weight kg/100 pc.	Item no.
SL ETler20110rws	Pure white	50	96	184	1	13.400	6132242

Empty device support for skirting trunking for the installation of standard devices in support ring and support clamp form with 60 mm fastening track.




PVC




## Device support SL GTler20110

Type	Colour	Length mm	Width mm	Height mm	Pack Piece	Weight kg/100 pc.	Item no.
SL GTler20110rws	Pure white	52	111	177	1	14.600	6132236


Empty device support for skirting trunking for the installation of devices in support clamp form (according to DIN 49075) in trunking width 110 mm.



**Antenna socket panel SL BL ANT**


Type	Colour	Length mm	Width mm	Height mm	Pack Piece	Weight kg/100 pc.	Item no.
SL BL ANT rws	Pure white	100	54	5	1	2.100	6132258
SL BL ANT cws	Cream	100	54	5	1	2.100	6132195

Antenna cover for installing antenna sockets in the device tank of the skirting trunking. Cover for antenna socket.

**Blind cover SL BL blind**


Type	Colour	Length mm	Width mm	Height mm	Pack Piece	Weight kg/100 pc.	Item no.
SL BL blind rws	Pure white	54	100	7	1	1.950	6132199
SL BL blind cws	Cream	54	100	7	1	1.950	6132252

Blanking cover for closing the service outlet.



# System overview

## Base perforation



**Bases:**

The base perforation (slots) simplifies mounting.

**Covers:**

Either with or without sealing lip.

**Heating pipes:**

Suitable up to 20 mm external diameter. Fastening through the heating pipe support, which is engaged in the base.

**Internal/external corners:**

The bases must be given mitre cuts to exclude heat being drawn away (from the heating chamber into the electrical chamber). In the case of poor structural conditions (uneven walls, etc.), we recommend closing off any gap that may appear when separating the chambers with silicone.

**End pieces:**


Adhesion must take place for VDE-compliant mounting.

**Heating temperatures:**

The RAUDUO system is designed for a flow temperature of 70 °C and a return temperature of 55 °C (according to the VDE information report). With a flow temperature of up to 90 °C and a return temperature of up to 70 °C, the VDE report requires the device tank insulation to be replaced with "90 °C insulation foam", item no. 6132175.



# Installation options RAUDUO device tank




Device tank, empty, incl. panel (DIN 49075)




Note: The supplied panel is suitable for devices according to DIN 49075 with support bars/brackets.


UAE connection sockets




UAE 8/8




UAE 8/8 Cat 6



Blanking cover (use as clamping socket)



Cover for antenna construction (with predetermined breakout point for SAT)




Socket for SAT and BK

# Mounting of RAUDUO device tank with double socket

## Mounting steps



1



### Mounting requirement


- a) Mounted trunking base
- b) Installed heating system

2




Insert the device tank insulation in the trunking base  
(at flow temperatures over 70 °C, the solid foam variant, item no. 6132175 must be used!).

3




Position the device tank (centrally to the insulation).  
Then, draw on the drill holes, drill the holes and  
screw the device support tight.

4




Engage the potential separation plate in the trunking base. The insulation must protrude evenly on the left and the right.

5



Place the cables separately in the clamps and connect the socket and other connection devices.  
Close both trunking chambers (electrical and heating chambers) using the shared cover. The trunking covers abut the grooves of the potential separation plate on the right and left.

6




Mount the device tank with cover on the base and close with the cover.

# Skirting trunking RD, trunking width 105

## Skirting trunking Rauduo 40105

PVC

CE




Type	Length mm	Width mm	Height mm	Pack m	Weight kg/100 m	Item no.
RD 40105 natur	2000	103.4	38	2	74.000	6132205

Base of the Rauduo trunking system with 2 individual, thermally separated chambers for joint laying of electrical cables and heating pipes. With locking function for accommodating the trunking covers. The colour of the trunking bases can vary depending on the production method.

## Trunking cover Rauduo OT40105, without sealing lip

PVC

CE




Type	Colour	Length mm	Width mm	Height mm	Pack m	Weight kg/100 m	Item no.
RD OT40105 rws	Pure white	2000	105.3	40	2	46.341	6132160
RD OT40105 cws	Cream	2000	105.3	40	2	46.341	6132161

Cover for Rauduo trunking.

## Trunking cover Rauduo OT40105, with sealing lip

PVC

CE




Type	Colour	Length mm	Width mm	Height mm	Pack m	Weight kg/100 m	Item no.
RDL OT40105 rws	Pure white	2000	118	40	2	48.842	6132264
RDL OT40105 cws	Cream	2000	118	40	2	48.842	6132190

Cover for Rauduo trunking.

## Internal corner Rauduo IE40105

PVC

CE




Type	Colour	Length mm	Width mm	Height mm	Pack Piece	Weight kg/100 pc.	Item no.
RD IE40105 rws	Pure white	107	75	75	10	2.400	6132280
RD IE40105 cws	Cream	107	75	75	10	2.400	6132164

Internal corner as a fitting for changing the direction of the Rauduo trunking system.

## External corner Rauduo AE40105

PVC

CE



Type	Colour	Length mm	Width mm	Height mm	Pack Piece	Weight kg/100 pc.	Item no.
RD AE40105 rws	Pure white	107	75	75	10	3.400	6132165
RD AE40105 cws	Cream	107	75	75	10	3.400	6132166

External corner as a fitting for changing the direction of the Rauduo trunking system.


PVC

CE

## End piece Rauduo ESL40105

Type	Colour	Length mm	Width mm	Height mm	Pack Piece	Weight kg/100 pc.	Item no.
RD ESL40105 rws	Pure white	19	106	42	10	1.400	6132168
RD ESL40105 cws	Cream	19	106	42	10	1.400	6132169

End piece (left) as a fitting for the Rauduo trunking system.




PVC

CE

## End piece Rauduo ESR40105

Type	Colour	Length mm	Width mm	Height mm	Pack Piece	Weight kg/100 pc.	Item no.
RD ESR40105 rws	Pure white	19	106	42	10	1.400	6132285
RD ESR40105 cws	Cream	19	106	42	10	1.400	6132167

End piece (right) as a fitting for the Rauduo trunking system.




## Skirting trunking RD, trunking width 105

PVC



### Trunking coupling Rauduo Kup40105




Type	Colour	Length mm	Width mm	Height mm	Pack Piece	Weight kg/100 pc.	Item no.
RD KUP40105 rws	Pure white	107	42	42	10	1.300	6132176
RD KUP40105 cws	Cream	107	42	42	10	1.300	6132177

Trunking coupling for connecting the skirting trunking.

## Heating pipe support Rauduo HRT 2 20

PA




Type	Length mm	Width mm	Height mm	Pack Piece	Weight kg/100 pc.	Item no.
RD DUO HRT 2 20	52	32	40	10	1.500	6132170

Heating pipe support for guiding a universal pipe in the Rauduo trunking system.

## Insulating foam Rauduo ISO

PS




Type	Length mm	Width mm	Height mm	Pack Piece	Weight kg/100 pc.	Item no.
RD DUO ISO	200	66	38	1	0.850	6132175

Insulating foam for the Rauduo trunking system.

## Device tank Rauduo GT40105, single

PVC




Type	Colour	Length mm	Width mm	Height mm	Pack Piece	Weight kg/100 pc.	Item no.
RD GT40105 rws	Pure white	62	112	175	1	18.000	6132173
RD GT40105 cws	Cream	62	112	175	1	15.100	6132174

Device support for the Rauduo skirting trunking system for the installation of devices in support clamp form (according to DIN 49075).

## Device tank Rauduo GT40105, double

PVC



Type	Colour	Length mm	Width mm	Height mm	Pack Piece	Weight kg/100 pc.	Item no.
RD 2GT40105 rws	Pure white	62	112	175	1	17.400	6132171
RD 2GT40105 cws	Cream	62	112	175	1	17.400	6132172

Device tank with double Schuko socket for the Rauduo trunking system.


PVC

CE


## Device tank RD 2GT40105, double

Type	Colour	Length mm	Width mm	Height mm	Pack Piece	Weight kg/100 pc.	Item no.
RD 2GTK40105 rws	Pure white	62	112	175	1	17.400	6132304

Device tank with double Schuko socket for the Rauduo trunking system.




## Floor trunking, type 2650



Type	Colour	Length mm	Pack m	Weight kg/100 m	Item no.
2650	Stone grey	2000	2	43.000	6020801

Trunking cover and base with base perforation.





# Wiring trunking

	LK4 wiring trunking	204
	LK4H wiring trunking	226
	LKV wiring trunking	234
	LKV/H wiring trunking	244
	Accessories, wiring trunking	248
	Wiring trunking VF	254

# Precise measurements and tested quality

An exceptionally large range of products in the usual high quality: Wiring trunking ensures tidy wiring in a switchgear cabinet. All the trunking is made from lead-free material. And, for optimum safety, a selection of halogen-free trunking is available from our range.

Four systems are available for professional wiring installations, which can fulfil any requirements the switchgear cabinet constructor might have. A soft, burr-free slot and rounded tabs make the installation easier and also prevent injuries. Upon request, we can also offer special designs.



The LK4 and LK4/N as well as the LKV and LKV/N trunking systems have exactly predetermined points for easy breaking-out of the side retainers. All the types have, depending on their size, single or dual track perforation to their base. Tapering in the side slots of the LK4/N and LKV/N types prevents the cables from falling out.

LK4 – nominal dimensions are internal dimensions  
LKV – only external dimensions



LK4 and LK4/N

With the LK4 and LK4/N systems, OBO can offer a classic wiring trunking with 21 established metric dimensions from 15 x 15 mm to 80 x 120 mm. Precise processing enables simple attaching and detaching of the cover while, at the same time, ensuring a firm fit.




LKV and LKV/N

The LKV and LKV/N systems are termed DIN trunking, as their dimensions correspond to the old DIN standard 43659. Seventeen different dimensions from 25 x 25 mm to 100 x 100 mm are available.

## Certified

The wiring trunking is VDE-tested and UL-listed (UL file E301798).



**HALOGEN  
FREE**

In the event of fire:

- Low toxicity of the smoke gases
  - Scarcely any release of corrosive gases

LK4H



The LK4H wiring trunking is also available as a halogen-free version. The halogen-free version is available in dimensions from 30 x 30 mm to 100 x 100 mm and can fulfil any size requirements.

LKV/H



The LKV/H wiring trunking is halogen-free and available in eight different sizes from 50 x 37.5 mm to 75 x 125 mm.

# Modular system

## Wiring trunking


OBO wiring trunking stands out through a wide range of benefits which have long proven their worth in switchgear cabinet construction. Even in continuous operation, it guarantees secure connections and the reliable function of the electrical infrastructure.



### Special solutions

The starting dimension of the base perforation can be adjusted variably

- Available without base perforation
- Special lengths
- Special colours



1	Stable trunking with high-quality thicknesses
2	Exact predetermined breaking points in the strut and base area
3	Soft, burr-free slot, rounded tabs
4	Absolute dimensional accuracy of the side perforation and base perforation
5	Cut edges rounded and deburred in the closing area
6	Secure positioning of the covers through optimum closing contours
7	Wire retaining lug, allowing wiring without wire retaining brackets and preventing previously run-out wires from falling out



All the trunking systems correspond to the requirements of EN 50085-2-3 and are UL-listed.

LK4 and LK4/N UL file E301798  
LKV, LKV/N and LKvh UL file E301798  
LK4H UL ML file E523202

# Mounting benefits



## Mounting of the wiring trunking

The wiring trunking is fastened to the mounting plate of the switchgear cabinet using spreading rivets. The spreading rivets are installed using the plastic riveting tool.



## Spacer mounting

Through the mounting on spacers, it is possible to install the wiring trunking with a distance to the mounting plate.



### Wire retainers

The wire retainers can be adjusted according to the trunking width. To do this, simply break off the wire retainer at the predetermined breaking points. This means that just one wire retainer is necessary for any trunking width.



### Wire retainer mounting

The wire retainer is inserted into the side slot of the wiring trunking. This simplifies cable installation and keeps the cables in place in the wiring trunking. It also guarantees easy attachment of the cover. If installations are required at a later date, then, when the cover is removed, the cables are held in the trunking and do not fall out.



### Base perforation



Single and dual-track base perforation to EN 50085-2-3 enable precise work.



### Identification plate

Sticker as an identification plate to attach onto wiring trunking in switchgear cabinets with self-protected power circuits.

# Hole patterns and dimensions



All the VK and VKH wiring trunking always start and finish – with regards to one delivery length (2,000 mm) – with half a small fastening hole (4.5 x 8 mm).

LK4/LK4/N	Item no.	Hole pattern
LK4 15015	6178001	2
LK4 30015	6178003	2
LK4 30025	6178005	3
LK4 40025	6178010	3
LK4 40040	6178012	3
LK4 40060	6178014	3
LK4 40080	6178016	1
LK4 40100	6178018	1
LK4 60015	6178026	2
LK4/N 60015	6178201	2
LK4 60025	6178028	3
LK4/N 60025	6178203	3
LK4 60040	6178031	3
LK4/N 60040	6178205	3
LK4 60060	6178033	3
LK4/N 60060	6178207	3
LK4 60080	6178035	1
LK4/N 60080	6178209	1
LK4 60100	6178037	1
LK4/N 60100	6178211	1
LK4 60120	6178039	1
LK4/N 60120	6178213	1


LK4/LK4/N	Item no.	Hole pattern
LK4 80025	6178050	3
LK4/N 80025	6178225	3
LK4 80040	6178052	3
LK4/N 80040	6178227	3
LK4 80060	6178054	3
LK4/N 80060	6178229	3
LK4 80080	6178056	1
LK4/N 80080	6178231	1
LK4 80100	6178059	1
LK4/N 80100	6178233	1
LK4/N 80120	6178236	1
LK4/N 80120	6178236	1
LK4/N 80120	6178236	1

LKV/H	Item no.	Hole pattern
LKVH 50037	6178612	3
LKV/H 50050	6178614	3
LKV/H 50075	6178616	1
LKVH N 75037	6178622	3
LKV/H 75050	6178624	3
LKV/H 75075	6178626	1
LKV/H 75100	6178628	1
LKV/H 75125	6178630	1

LKV/LKV/N	Item no.	Hole pattern
LKV 25025	6178302	3
LKV 37025	6178305	3
LKV 37037	6178307	3
LKV 50025	6178310	3
LKV 50037	6178312	3
LKV 50050	6178314	3
LKV 50075	6178316	1

LKV/LKV/N	Item no.	Hole pattern
LKV 75025	6178320	3
LKV/N 75025	6178420	3
LKV 75037	6178322	3
LKV/N 75037	6178422	3
LKV 75050	6178324	3
LKV/N 75050	6178424	3
LKV 75075	6178326	1
LKV/N 75075	6178426	1
LKV 75100	6178328	1
LKV/N 75100	6178428	1
LKV 75125	6178330	1
LKV/N 75125	6178430	1
LKV 10037	6178334	3
LKV/N 10037	6178435	3
LKV 10050	6178336	3
LKV/N 10050	6178437	3
LKV 10075	6178338	1
LKV/N 10075	6178439	1
LKV 100100	6178341	1

# Dimensions, LK4 wiring trunking




LK4- Nominal dimension = Internal dimension

## Dimensions LK4

Item no.	Type	Item no.	Type	Dimension a mm	Dimension A mm	Dimension B mm	Dimension h mm	Dimension H mm
6178001	LK4 15015			15	17	20	15	17
6178003	LK4 30015			15	17.8	20	30	32.4
6178005	LK4 30025			25	28.6	31	30	32.8
6178010	LK4 40025			25	28.6	31	40	42.8
6178012	LK4 40040			40	43.6	46.2	40	43
6178014	LK4 40060			60	64	66.4	40	43.2
6178016	LK4 40080			80	84	87	40	43.5
6178018	LK4 40100			100	104	107.4	40	43.7
6178026	LK4 60015	6178201	LK4 N 60015	15	18.6	20	60	62.8
6178028	LK4 60025	6178203	LK4 N 60025	25	29	31	60	63
6178031	LK4 60040	6178205	LK4 N 60040	40	44	46.2	60	63
6178033	LK4 60060	6178207	LK4 N 60060	60	64	66.4	60	63.2
6178035	LK4 60080	6178209	LK4 N 60080	80	84.4	87	60	63.7
6178037	LK4 60100	6178211	LK4 N 60100	100	104.6	107.4	60	64
6178039	LK4 60120	6178213	LK4 N 60120	120	124.6	127.8	60	64.2
6178050	LK4 80025	6178225	LK4 N 80025	25	29.4	31	80	83.2
6178052	LK4 80040	6178227	LK4 N 80040	40	44.4	46.2	80	83.3
6178054	LK4 80060	6178229	LK4 N 80060	60	64.4	66.4	80	83.4
6178056	LK4 80080	6178231	LK4 N 80080	80	84.6	87	80	83.9
6178059	LK4 80100	6178233	LK4 N 80100	100	104.8	107.4	80	84.1
6178061	LK4 80120	6178236	LK4 N 80120	120	124.8	127.8	80	84.3

# Dimensions, LKV and LKvh wiring trunking




LKV- LKvh- Nominal dimension = External dimension


## Dimensions, LKV

Item no.	Type	Item no.	Type	Dimension a mm	Dimension A mm	Dimension h mm	Dimension H mm
6178302	LKV 25025			21.4	25.0	22.2	25.0
6178305	LKV 37025			21.4	25.0	34.7	1.3
6178307	LKV 37037			33.9	1.3	34.7	1.3
6178310	LKV 50025			21.4	25.0	47.2	50.0
6178312	LKV 50037			33.9	1.3	47.2	50.0
6178314	LKV 50050			46.4	50.0	47.3	50.1
6178316	LKV 50075			71.0	75.0	47.2	50.6
6178320	LKV 75025	6178420	LKV N 75025	21.0	25.0	71.4	74.4
6178322	LKV 75037	6178422	LKV N 75037	33.3	1.3	71.4	74.5
6178324	LKV 75050	6178424	LKV N 75050	45.6	50.0	71.4	74.7
6178326	LKV 75075	6178426	LKV N 75075	70.6	75.0	71.4	75.0
6178328	LKV 75100	6178428	LKV N 75100	95.2	100.0	71.4	75.5
6178330	LKV 75125	6178430	LKV N 75125	120.2	125.0	71.4	75.6
6178334	LKV 10037	6178435	LKV N 10037	33.1	1.3	96.2	99.4
6178336	LKV 10050	6178437	LKV N 10050	45.6	50.0	96.2	99.5
6178338	LKV 10075	6178439	LKV N 10075	70.2	75.0	96.2	100.0
6178341	LKV 100100	6178441	LKV N 100100	95.2	100.0	96.2	100.3

# Dimensions, LK4H (N) wiring trunking



LK4H- Nominal dimension = External dimension



Single-track up to trunking width  
60 mm


Two-track from 80 mm trunking  
width

## Dimensions, LK4H

Item no.	Type	Dimension a mm	Dimension A mm	Dimension h mm	Dimension H mm
6132540	LK4H 30030	26.6	30.0	27.5	30.4
6132544	LK4H 40025	21.6	25.0	37.6	40.5
6132546	LK4H 40040	36.4	40.0	37.4	40.5
6132548	LK4H 40060	56.2	60.0	37.3	40.5
6132550	LK4H N 60025	21.2	25.0	57.5	60.6
6132552	LK4H N 60040	36.2	40.0	57.1	60.3
6132554	LK4H N 60060	55.8	60.0	56.9	60.3
6132556	LK4H N 60080	75.8	80.0	56.8	60.3
6132560	LK4H N 80025	20.8	25.0	76.7	80.0
6132562	LK4H N 80040	35.8	40.0	76.6	80.0
6132564	LK4H N 80060	55.6	60.0	76.5	80.0
6132566	LK4H N 80080	75.4	80.0	76.3	80.0
6132568	LK4H N 80100	95.4	100.0	76.2	80.0
6132569	LK4H N 80120	115.2	120.0	76.4	80.0
6132570	LK4H N 10040	35.4	40.0	96.9	100.5
6132572	LK4H N 10060	55.6	60.0	96.8	100.3
6132574	LK4H N 10080	75.4	80.0	96.6	100.3
6132576	LK4H N 100100	95.2	100.0	96.4	100.3

# LK4 wiring trunking



## Wiring trunking, type LK4 15015



Type	Colour	Length mm	Dimension W x H mm		Pack m	Weight kg/100 m	Item no.
			15x15				
LK4 15015	Stone grey	2000			2	12.000	6178001

Wiring trunking including cover and base perforation. The nominal dimension of the system size corresponds to the internal dimension of the trunking. Special lengths on request.



## Wiring trunking, type LK4 30015



Type	Colour	Length mm	Dimension W x H mm		Pack m	Weight kg/100 m	Item no.
			15x30				
LK4 30015	Stone grey	2000			2	18.000	6178003

Wiring trunking including cover and base perforation. The nominal dimension of the system size corresponds to the internal dimension of the trunking. Special lengths on request.


## Wiring trunking, type LK4 30025



Type	Colour	Length mm	Dimension W x H mm		Pack m	Weight kg/100 m	Item no.
			25x30				
LK4 30025	Stone grey	2000			2	28.000	6178005

Wiring trunking including cover and base perforation. The nominal dimension of the system size corresponds to the internal dimension of the trunking. Special lengths on request.

## Wiring trunking, type LK4 40025



Type	Colour	Length mm	Dimension W x H mm		Pack m	Weight kg/100 m	Item no.
			25x40				
LK4 40025	Stone grey	2000			2	36.500	6178010

Wiring trunking including cover and base perforation. The nominal dimension of the system size corresponds to the internal dimension of the trunking. Special lengths on request.



PVC



Type	Colour	Dimension		Pack m	Weight kg/100 m	Item no.
		Length mm	W x H mm			
LK4 40040	Stone grey	2000	40x40	2	44.000	6178012

Wiring trunking including cover and base perforation. The nominal dimension of the system size corresponds to the internal dimension of the trunking. Special lengths on request.

### Wiring trunking, type LK4 40040





PVC



Type	Colour	Dimension		Pack m	Weight kg/100 m	Item no.
		Length mm	W x H mm			
LK4 40060	Stone grey	2000	60x40	2	57.000	6178014

Wiring trunking including cover and base perforation. The nominal dimension of the system size corresponds to the internal dimension of the trunking. Special lengths on request.

### Wiring trunking, type LK4 40060





PVC



Type	Colour	Dimension		Pack m	Weight kg/100 m	Item no.
		Length mm	W x H mm			
LK4 40080	Stone grey	2000	80x40	2	71.000	6178016

Wiring trunking including cover and base perforation. The nominal dimension of the system size corresponds to the internal dimension of the trunking. Special lengths on request.

### Wiring trunking, type LK4 40080





PVC



Type	Colour	Dimension		Pack m	Weight kg/100 m	Item no.
		Length mm	W x H mm			
LK4 40100	Stone grey	2000	100x40	2	85.500	6178018



Wiring trunking including cover and base perforation. The nominal dimension of the system size corresponds to the internal dimension of the trunking. Special lengths on request.

### Wiring trunking, type LK4 40100



## LK4 wiring trunking

### Wiring trunking, type LK4 60015




Type	Colour	Length mm	Dimension W x H mm		Pack m	Weight kg/100 m	Item no.
LK4 60015	Stone grey	2000	15x60		2	32.500	6178026

Wiring trunking including cover and base perforation. The nominal dimension of the system size corresponds to the internal dimension of the trunking. Special lengths on request.

PVC  
CE UK CA US D'E

### Wiring trunking, type LK4 60025





Type	Colour	Length mm	Dimension W x H mm		Pack m	Weight kg/100 m	Item no.
LK4 60025	Stone grey	2000	25x60		2	46.000	6178028

Wiring trunking including cover and base perforation. The nominal dimension of the system size corresponds to the internal dimension of the trunking. Special lengths on request.

PVC  
CE UK CA US D'E

### Wiring trunking, type LK4 60040




Type	Colour	Length mm	Dimension W x H mm		Pack m	Weight kg/100 m	Item no.
LK4 60040	Stone grey	2000	40x60		2	53.500	6178031

Wiring trunking including cover and base perforation. The nominal dimension of the system size corresponds to the internal dimension of the trunking. Special lengths on request.

PVC  
CE UK CA US D'E

### Wiring trunking, type LK4 60060



Type	Colour	Length mm	Dimension W x H mm		Pack m	Weight kg/100 m	Item no.
LK4 60060	Stone grey	2000	60x60		2	64.500	6178033

Wiring trunking including cover and base perforation. The nominal dimension of the system size corresponds to the internal dimension of the trunking. Special lengths on request.

PVC  
CE UK CA US D'E



PVC



Type	Colour	Dimension		Pack m	Weight kg/100 m	Item no.
		Length mm	W x H mm			
LK4 60080	Stone grey	2000	80x60	2	82.500	6178035

Wiring trunking including cover and base perforation. The nominal dimension of the system size corresponds to the internal dimension of the trunking. Special lengths on request.

### Wiring trunking, type LK4 60080





PVC



Type	Colour	Dimension		Pack m	Weight kg/100 m	Item no.
		Length mm	W x H mm			
LK4 60100	Stone grey	2000	100x60	2	100.000	6178037

Wiring trunking including cover and base perforation. The nominal dimension of the system size corresponds to the internal dimension of the trunking. Special lengths on request.

### Wiring trunking, type LK4 60100





PVC



Type	Colour	Dimension		Pack m	Weight kg/100 m	Item no.
		Length mm	W x H mm			
LK4 60120	Stone grey	2000	120x60	2	117.000	6178039

Wiring trunking including cover and base perforation. The nominal dimension of the system size corresponds to the internal dimension of the trunking. Special lengths on request.

### Wiring trunking, type LK4 60120





PVC



Type	Colour	Dimension		Pack m	Weight kg/100 m	Item no.
		Length mm	W x H mm			
LK4 80025	Stone grey	2000	25x80	2	61.000	6178050



Wiring trunking including cover and base perforation. The nominal dimension of the system size corresponds to the internal dimension of the trunking. Special lengths on request.

### Wiring trunking, type LK4 80025



## LK4 wiring trunking

### Wiring trunking, type LK4 80040




Type	Colour	Dimension		Pack	Weight	Item no.
		Length mm	W x H mm			
LK4 80040	Stone grey	2000	40x80	2	64.500	6178052

Wiring trunking including cover and base perforation. The nominal dimension of the system size corresponds to the internal dimension of the trunking. Special lengths on request.

PVC  
CE UK CA US D'E

### Wiring trunking, type LK4 80060




Type	Colour	Dimension		Pack	Weight	Item no.
		Length mm	W x H mm			
LK4 80060	Stone grey	2000	60x80	2	76.000	6178054

Wiring trunking including cover and base perforation. The nominal dimension of the system size corresponds to the internal dimension of the trunking. Special lengths on request.

PVC  
CE UK CA US D'E

### Wiring trunking, type LK4 80080





Type	Colour	Dimension		Pack	Weight	Item no.
		Length mm	W x H mm			
LK4 80080	Stone grey	2000	80x80	2	95.500	6178056

Wiring trunking including cover and base perforation. The nominal dimension of the system size corresponds to the internal dimension of the trunking. Special lengths on request.

PVC  
CE UK CA US D'E

### Wiring trunking, type LK4 80100



Type	Colour	Dimension		Pack	Weight	Item no.
		Length mm	W x H mm			
LK4 80100	Stone grey	2000	100x80	2	111.500	6178059

Wiring trunking including cover and base perforation. The nominal dimension of the system size corresponds to the internal dimension of the trunking. Special lengths on request.



PVC  
CE UK CA US D'E




		Dimension		Pack	Weight	
Type	Colour	Length mm	W x H mm	m	kg/100 m	Item no.
LK4 80120	Stone grey	2000	120x80	2	128.500	6178061

Wiring trunking including cover and base perforation. The nominal dimension of the system size corresponds to the internal dimension of the trunking. Special lengths on request.

## Wiring trunking, type LK4 80120




## Wiring trunking, type LK4/N 60015



Type	Colour	Dimension		Pack	Weight	Item no.
		Length mm	W x H mm			
LK4 N 60015	Stone grey	2000	15x60	2	41.000	6178201

Wiring trunking including cover and base perforation, tapering in the side slots stops the cables from falling out. The nominal dimension of the system size corresponds to the internal dimension of the trunking. Special lengths on request.


## Wiring trunking, type LK4/N 60025



Type	Colour	Dimension		Pack	Weight	Item no.
		Length mm	W x H mm			
LK4 N 60025	Stone grey	2000	25x60	2	48.500	6178203

Wiring trunking including cover and base perforation, tapering in the side slots stops the cables from falling out. The nominal dimension of the system size corresponds to the internal dimension of the trunking. Special lengths on request.


## Wiring trunking, type LK4/N 60040



Type	Colour	Dimension		Pack	Weight	Item no.
		Length mm	W x H mm			
LK4 N 60040	Stone grey	2000	40x60	2	56.000	6178205

Wiring trunking including cover and base perforation, tapering in the side slots stops the cables from falling out. The nominal dimension of the system size corresponds to the internal dimension of the trunking. Special lengths on request.

## Wiring trunking, type LK4/N 60060



Type	Colour	Dimension		Pack	Weight	Item no.
		Length mm	W x H mm			
LK4 N 60060	Stone grey	2000	60x60	2	68.000	6178207

Wiring trunking including cover and base perforation, tapering in the side slots stops the cables from falling out. The nominal dimension of the system size corresponds to the internal dimension of the trunking. Special lengths on request.


PVC



Type	Colour	Dimension		Pack m	Weight kg/100 m	Item no.
		Length mm	W x H mm			
LK4 N 60080	Stone grey	2000	80x60	2	87.000	6178209

Wiring trunking including cover and base perforation, tapering in the side slots stops the cables from falling out. The nominal dimension of the system size corresponds to the internal dimension of the trunking. Special lengths on request.

### Wiring trunking, type LK4/N 60080





PVC



Type	Colour	Dimension		Pack m	Weight kg/100 m	Item no.
		Length mm	W x H mm			
LK4 N 60100	Stone grey	2000	100x60	16	105.500	6178211

Wiring trunking including cover and base perforation, tapering in the side slots stops the cables from falling out. The nominal dimension of the system size corresponds to the internal dimension of the trunking. Special lengths on request.

### Wiring trunking, type LK4/N 60100





PVC



Type	Colour	Dimension		Pack m	Weight kg/100 m	Item no.
		Length mm	W x H mm			
LK4 N 60120	Stone grey	2000	120x60	8	120.500	6178213

Wiring trunking including cover and base perforation, tapering in the side slots stops the cables from falling out. The nominal dimension of the system size corresponds to the internal dimension of the trunking. Special lengths on request.

### Wiring trunking, type LK4/N 60120





PVC



Type	Colour	Dimension		Pack m	Weight kg/100 m	Item no.
		Length mm	W x H mm			
LK4 N 80025	Stone grey	2000	25x80	2	65.000	6178225



Wiring trunking including cover and base perforation, tapering in the side slots stops the cables from falling out. The nominal dimension of the system size corresponds to the internal dimension of the trunking. Special lengths on request.

### Wiring trunking, type LK4/N 80025



## LK4/N wiring trunking



### Wiring trunking, type LK4/N 80040



Type	Colour	Dimension		Pack	Weight	Item no.
		Length mm	W x H mm			
LK4 N 80040	Stone grey	2000	40x80	2	73.500	6178227

Wiring trunking including cover and base perforation, tapering in the side slots stops the cables from falling out. The nominal dimension of the system size corresponds to the internal dimension of the trunking. Special lengths on request.



### Wiring trunking, type LK4/N 80060



Type	Colour	Dimension		Pack	Weight	Item no.
		Length mm	W x H mm			
LK4 N 80060	Stone grey	2000	60x80	2	82.000	6178229

Wiring trunking including cover and base perforation, tapering in the side slots stops the cables from falling out. The nominal dimension of the system size corresponds to the internal dimension of the trunking. Special lengths on request.



### Wiring trunking, type LK4/N 80080



Type	Colour	Dimension		Pack	Weight	Item no.
		Length mm	W x H mm			
LK4 N 80080	Stone grey	2000	80x80	2	101.000	6178231

Wiring trunking including cover and base perforation, tapering in the side slots stops the cables from falling out. The nominal dimension of the system size corresponds to the internal dimension of the trunking. Special lengths on request.

### Wiring trunking, type LK4/N 80100



Type	Colour	Dimension		Pack	Weight	Item no.
		Length mm	W x H mm			
LK4 N 80100	Stone grey	2000	100x80	2	116.500	6178233

Wiring trunking including cover and base perforation, tapering in the side slots stops the cables from falling out. The nominal dimension of the system size corresponds to the internal dimension of the trunking. Special lengths on request.



PVC



Type	Colour	Dimension		Pack m	Weight kg/100 m	Item no.
		Length mm	W x H mm			
LK4 N 80120	Stone grey	2000	120x80	2	133.500	6178236

Wiring trunking including cover and base perforation, tapering in the side slots stops the cables from falling out. The nominal dimension of the system size corresponds to the internal dimension of the trunking. Special lengths on request.

### Wiring trunking, type LK4/N 80120



### Covers, LK4 wiring ducts



PVC



Type	Colour	Dim.		Pack m	Weight kg/100 m	Item no.
		a mm	Length mm			
LK4 D 15	Stone grey	20	2000	2	8.500	6178480

Trunking cover for replacement requirements.

#### Cover LK4 D 15





PVC



Type	Colour	Dim.		Pack m	Weight kg/100 m	Item no.
		a mm	Length mm			
LK4 D 25	Stone grey	31	2000	2	10.000	6178482

Trunking cover for replacement requirements.

#### Cover LK4 D 25





PVC



Type	Colour	Dim.		Pack m	Weight kg/100 m	Item no.
		a mm	Length mm			
LK4 D 40	Stone grey	46.2	2000	2	13.500	6178484

Trunking cover for replacement requirements.

#### Cover LK4 D 40





PVC




Type	Colour	Dim.		Pack m	Weight kg/100 m	Item no.
		a mm	Length mm			
LK4 D 60	Stone grey	66.4	2000	2	18.000	6178486

Trunking cover for replacement requirements.

#### Cover LK4 D 60



## Cover LK4 D 80




Type	Colour	Dim.		Pack m	Weight kg/100 m	Item no.
		a mm	Length mm			
LK4 D 80	Stone grey	87	2000	2	27.000	6178488

Trunking cover for replacement requirements.



## Cover LK4 D 100





Type	Colour	Dim.		Pack m	Weight kg/100 m	Item no.
		a mm	Length mm			
LK4 D 100	Stone grey	107.4	2000	2	35.500	6178490

Trunking cover for replacement requirements.




## Cover LK4 D 120



Type	Colour	Dim.		Pack m	Weight kg/100 m	Item no.
		a mm	Length mm			
LK4 D 120	Stone grey	127.8	2000	2	45.500	6178492

Trunking cover for replacement requirements.






## LK4H wiring trunking

PC/  
ABS  
CE


### Wiring trunking, type LK4H 30030



Type	Colour	Length mm	Width mm	Height mm	Pack m	Weight kg/100 m	Item no.
LK4H 30030	Light grey	2000	30	30	2	18.000	6132540

### Wiring trunking, type LK4H 40025



PC/  
ABS  
CE



Type	Colour	Length mm	Width mm	Height mm	Pack m	Weight kg/100 m	Item no.
LK4H 40025	Light grey	2000	25	40	2	21.000	6132544

### Wiring trunking, type LK4H 40040



PC/  
ABS  
CE



Type	Colour	Length mm	Width mm	Height mm	Pack m	Weight kg/100 m	Item no.
LK4H 40040	Light grey	2000	40	40	2	50.000	6132546

### Wiring trunking, type LK4H 40060

PC/  
ABS  
CE




Type	Colour	Length mm	Width mm	Height mm	Pack m	Weight kg/100 m	Item no.
LK4H 40060	Light grey	2000	60	40	2	35.000	6132548

PC/  
ABS

CE

Type	Colour	Length mm	Width mm	Height mm	Pack m	Weight kg/100 m	Item no.
LK4H N 60025	Light grey	2000	25	60	2	26.000	6132550



## Wiring trunking, type LK4H N 60025

PC/  
ABS

CE

Type	Colour	Length mm	Width mm	Height mm	Pack m	Weight kg/100 m	Item no.
LK4H N 60040	Light grey	2000	40	60	2	35.000	6132552



## Wiring trunking, type LK4H N 60040

PC/  
ABS

CE

Type	Colour	Length mm	Width mm	Height mm	Pack m	Weight kg/100 m	Item no.
LK4H N 60060	Light grey	2000	60	60	2	42.000	6132554



## Wiring trunking, type LK4H N 60060

PC/  
ABS

CE

Type	Colour	Length mm	Width mm	Height mm	Pack m	Weight kg/100 m	Item no.
LK4H N 60080	Light grey	2000	80	60	2	52.000	6132556


## Wiring trunking, type LK4H N 60080



## LK4H wiring trunking

PC/  
ABS  
CE


### Wiring trunking, type LK4H N 80025



Type	Colour	Length mm	Width mm	Height mm	Pack m	Weight kg/100 m	Item no.
LK4H N 80025	Light grey	2000	25	80	2	35.000	6132560

### Wiring trunking, type LK4H N 80040


PC/  
ABS  
CE



Type	Colour	Length mm	Width mm	Height mm	Pack m	Weight kg/100 m	Item no.
LK4H N 80040	Light grey	2000	40	80	2	43.000	6132562

### Wiring trunking, type LK4H N 80060



PC/  
ABS  
CE



Type	Colour	Length mm	Width mm	Height mm	Pack m	Weight kg/100 m	Item no.
LK4H N 80060	Light grey	2000	60	80	2	54.000	6132564

### Wiring trunking, type LK4H N 80080

PC/  
ABS  
CE





Type	Colour	Length mm	Width mm	Height mm	Pack m	Weight kg/100 m	Item no.
LK4H N 80080	Light grey	2000	80	80	2	62.000	6132566

PC/  
ABS

CE

Type	Colour	Length mm	Width mm	Height mm	Pack m	Weight kg/100 m	Item no.
LK4H N 80100	Light grey	2000	100	80	2	67.000	6132568



## Wiring trunking, type LK4H N 80100

PC/  
ABS

CE

Type	Colour	Length mm	Width mm	Height mm	Pack m	Weight kg/100 m	Item no.
LK4H N 80120	Light grey	1000	120	80	2	80.000	6132569


## Wiring trunking, type LK4H N 80120



## LK4H wiring trunking

PC/  
ABS  
CE



### Wiring trunking, type LK4H N 10040



Type	Colour	Length mm	Width mm	Height mm	Pack m	Weight kg/100 m	Item no.
LK4H N 10040	Light grey	2000	40	100	2	90.000	6132570

### Wiring trunking, type LK4H N 10060


PC/  
ABS  
CE



Type	Colour	Length mm	Width mm	Height mm	Pack m	Weight kg/100 m	Item no.
LK4H N 10060	Light grey	2000	60	100	2	66.000	6132572

### Wiring trunking, type LK4H N 10080



PC/  
ABS  
CE



Type	Colour	Length mm	Width mm	Height mm	Pack m	Weight kg/100 m	Item no.
LK4H N 10080	Light grey	2000	80	100	2	90.000	6132574

### Wiring trunking, type LK4H N 100100

PC/  
ABS  
CE




Type	Colour	Length mm	Width mm	Height mm	Pack m	Weight kg/100 m	Item no.
LK4H N 100100	Light grey	2000	100	100	2	90.000	6132576

PC/  
ABS

CE

Type	Colour	Length mm	Width mm	Height mm	Pack m	Weight kg/100 m	Item no.
LK4H D 25	Light grey	2000	25	10	2	8.000	6132580

Trunking cover for replacement requirements.

PC/  
ABS

CE

Type	Colour	Length mm	Width mm	Height mm	Pack m	Weight kg/100 m	Item no.
LK4H D 40	Light grey	2000	40	10	2	13.000	6132585


Trunking cover for replacement requirements.

PC/  
ABS

CE

Type	Colour	Length mm	Width mm	Height mm	Pack m	Weight kg/100 m	Item no.
LK4H D 60	Light grey	2000	60	10	2	20.000	6132582


Trunking cover for replacement requirements.

PC/  
ABS

CE

Type	Colour	Length mm	Width mm	Height mm	Pack m	Weight kg/100 m	Item no.
LK4H D 80	Light grey	2000	80	10	2	26.000	6132584



Trunking cover for replacement requirements.

PC/  
ABS

CE

Type	Colour	Length mm	Width mm	Height mm	Pack m	Weight kg/100 m	Item no.
LK4H D 100	Light grey	2000	100	10	2	30.000	6132586

Trunking cover for replacement requirements.



## Trunking retaining clip VDK HF KHUni


PC/  
ABS

CE




Type	Colour	Length mm	Width mm	Height mm	Pack Piece	Weight kg/100 pc.	Item no.
VKHK	Light grey	76	20	22	25	0.500	6132594

Wire retaining clip for HF-METRA wiring trunking.



# LKV DIN wiring trunking

## Wiring trunking, type LKV 25025




Type	Colour	Dimension		Pack	Weight	Item no.
		Length mm	W x H mm			
LKV 25025	Stone grey	2000	25x25	32	24.000	6178302

Wiring trunking to DIN EN 50085-2-3 including cover and base perforation. Special lengths on request.



## Wiring trunking, type LKV 37025





Type	Colour	Dimension		Pack	Weight	Item no.
		Length mm	W x H mm			
LKV 37025	Stone grey	2000	25x37,5	32	31.500	6178305

Wiring trunking to DIN EN 50085-2-3 including cover and base perforation. Special lengths on request.



## Wiring trunking, type LKV 37037




Type	Colour	Dimension		Pack	Weight	Item no.
		Length mm	W x H mm			
LKV 37037	Stone grey	2000	37,5x37,5	60	40.500	6178307

Wiring trunking to DIN EN 50085-2-3 including cover and base perforation. Special lengths on request.



## Wiring trunking, type LKV 50025



Type	Colour	Dimension		Pack	Weight	Item no.
		Length mm	W x H mm			
LKV 50025	Stone grey	2000	25x50	60	35.500	6178310

Wiring trunking to DIN EN 50085-2-3 including cover and base perforation. Special lengths on request.




PVC



Type	Colour	Dimension		Pack m	Weight kg/100 m	Item no.
		Length mm	W x H mm			
LKV 50037	Stone grey	2000	37,5x50	48	44.500	6178312

Wiring trunking to DIN EN 50085-2-3 including cover and base perforation. Special lengths on request.

### Wiring trunking, type LKV 50037





PVC



Type	Colour	Dimension		Pack m	Weight kg/100 m	Item no.
		Length mm	W x H mm			
LKV 50050	Stone grey	2000	50x50	36	50.000	6178314

Wiring trunking to DIN EN 50085-2-3 including cover and base perforation. Special lengths on request.

### Wiring trunking, type LKV 50050





PVC



Type	Colour	Dimension		Pack m	Weight kg/100 m	Item no.
		Length mm	W x H mm			
LKV 50075	Stone grey	2000	75x50	24	66.000	6178316

Wiring trunking to DIN EN 50085-2-3 including cover and base perforation. Special lengths on request.

### Wiring trunking, type LKV 50075




PVC



Type	Colour	Dimension		Pack m	Weight kg/100 m	Item no.
		Length mm	W x H mm			
LKV 75025	Stone grey	2000	25x75	40	48.500	6178320


Wiring trunking to DIN EN 50085-2-3 including cover and base perforation. Special lengths on request.

### Wiring trunking, type LKV 75025



## LKV DIN wiring trunking

### Wiring trunking, type LKV 75037





Type	Colour	Dimension		Pack	Weight	Item no.
		Length mm	W x H mm			
LKV 75037	Stone grey	2000	37,5x75	32	58.500	6178322

Wiring trunking to DIN EN 50085-2-3 including cover and base perforation. Special lengths on request.



### Wiring trunking, type LKV 75050





Type	Colour	Dimension		Pack	Weight	Item no.
		Length mm	W x H mm			
LKV 75050	Stone grey	2000	50x75	24	67.500	6178324

Wiring trunking to DIN EN 50085-2-3 including cover and base perforation. Special lengths on request.



### Wiring trunking, type LKV 75075





Type	Colour	Dimension		Pack	Weight	Item no.
		Length mm	W x H mm			
LKV 75075	Stone grey	2000	75x75	16	80.000	6178326

Wiring trunking to DIN EN 50085-2-3 including cover and base perforation. Special lengths on request.



### Wiring trunking, type LKV 75100



Type	Colour	Dimension		Pack	Weight	Item no.
		Length mm	W x H mm			
LKV 75100	Stone grey	2000	100x75	16	105.500	6178328

Wiring trunking to DIN EN 50085-2-3 including cover and base perforation. Special lengths on request.





PVC



Type	Colour	Dimension		Pack	Weight	Item no.
		Length mm	W x H mm			
LKV 75125	Stone grey	2000	125x75	8	128.500	6178330

Wiring trunking to DIN EN 50085-2-3 including cover and base perforation. Special lengths on request.

### Wiring trunking, type LKV 75125




PVC



Type	Colour	Dimension		Pack	Weight	Item no.
		Length mm	W x H mm			
LKV 10037	Stone grey	2000	37,5x100	32	67.000	6178334

Wiring trunking to DIN EN 50085-2-3 including cover and base perforation. Special lengths on request.

### Wiring trunking, type LKV 10037




PVC



Type	Colour	Dimension		Pack	Weight	Item no.
		Length mm	W x H mm			
LKV 10050	Stone grey	2000	50x100	24	77.000	6178336

Wiring trunking to DIN EN 50085-2-3 including cover and base perforation. Special lengths on request.

### Wiring trunking, type LKV 10050





PVC





Type	Colour	Dimension		Pack	Weight	Item no.
		Length mm	W x H mm			
LKV 10075	Stone grey	2000	75x100	16	96.000	6178338

Wiring trunking to DIN EN 50085-2-3 including cover and base perforation. Special lengths on request.

### Wiring trunking, type LKV 10075



## Wiring trunking, type LKV 100100



Type	Colour	Dimension		Pack	Weight	Item no.
		Length mm	W x H mm			
<b>LKV 100100</b>	Stone grey	2000	100x100	8	116.500	<b>6178341</b>

Wiring trunking to DIN EN 50085-2-3 including cover and base perforation. Special lengths on request.


PVC



Type	Colour	Dimension		Pack m	Weight kg/100 m	Item no.
		Length mm	W x H mm			
LKV N 75025	Stone grey	2000	25x75	40	49.500	6178420

Wiring trunking to DIN EN 50085-2-3 including cover and base perforation, tapering in the side slots stops the cables from falling out.

### Wiring trunking, type LKV N 75025




PVC



Type	Colour	Dimension		Pack m	Weight kg/100 m	Item no.
		Length mm	W x H mm			
LKV N 75037	Stone grey	2000	37,5x75	32	60.500	6178422

Wiring trunking to DIN EN 50085-2-3 including cover and base perforation, tapering in the side slots stops the cables from falling out.

### Wiring trunking, type LKV N 75037




PVC



Type	Colour	Dimension		Pack m	Weight kg/100 m	Item no.
		Length mm	W x H mm			
LKV N 75050	Stone grey	2000	50x75	24	72.500	6178424

Wiring trunking to DIN EN 50085-2-3 including cover and base perforation, tapering in the side slots stops the cables from falling out.

### Wiring trunking, type LKV N 75050





PVC



Type	Colour	Dimension		Pack m	Weight kg/100 m	Item no.
		Length mm	W x H mm			
LKV N 75075	Stone grey	2000	75x75	16	84.500	6178426



Wiring trunking to DIN EN 50085-2-3 including cover and base perforation, tapering in the side slots stops the cables from falling out.

### Wiring trunking, type LKV N 75075



## LKV/N DIN wiring trunking

### Wiring trunking, type LKV N 75100





Type	Colour	Dimension		Pack	Weight	Item no.
		Length mm	W x H mm			
LKV N 75100	Stone grey	2000	100x75	16	112.000	6178428

Wiring trunking to DIN EN 50085-2-3 including cover and base perforation, tapering in the side slots stops the cables from falling out.



### Wiring trunking, type LKV N 75125




Type	Colour	Dimension		Pack	Weight	Item no.
		Length mm	W x H mm			
LKV N 75125	Stone grey	2000	125x75	8	138.500	6178430

Wiring trunking to DIN EN 50085-2-3 including cover and base perforation, tapering in the side slots stops the cables from falling out.



### Wiring trunking, type LKV N 10037




Type	Colour	Dimension		Pack	Weight	Item no.
		Length mm	W x H mm			
LKV N 10037	Stone grey	2000	37.5x100	32	73.000	6178435

Wiring trunking to DIN EN 50085-2-3 including cover and base perforation, tapering in the side slots stops the cables from falling out.



### Wiring trunking, type LKV N 10050



Type	Colour	Dimension		Pack	Weight	Item no.
		Length mm	W x H mm			
LKV N 10050	Stone grey	2000	50x100	24	83.000	6178437

Wiring trunking to DIN EN 50085-2-3 including cover and base perforation, tapering in the side slots stops the cables from falling out.





PVC



Type	Colour	Dimension		Pack	Weight	Item no.
		Length mm	W x H mm			
LKV N 10075	Stone grey	2000	75x100	16	102.000	6178439

Wiring trunking to DIN EN 50085-2-3 including cover and base perforation, tapering in the side slots stops the cables from falling out.

### Wiring trunking, type LKV N 10075





PVC



Type	Colour	Dimension		Pack	Weight	Item no.
		Length mm	W x H mm			
LKV N 100100	Stone grey	2000	100x100	8	122.500	6178441

Wiring trunking to DIN EN 50085-2-3 including cover and base perforation, tapering in the side slots stops the cables from falling out.

### Wiring trunking, type LKV N 100100



PVC




Type	Colour	Dim. a Length mm mm		Pack	Weight	Item no.
		m	kg/100 m			
LKV D 25	Stone grey	25	2000	36	9.500	6178504

Trunking cover for replacement requirements.

### Covers, LKV wiring trunking

#### Cover LKV D 25




PVC



Type	Colour	Dim. a Length mm mm		Pack	Weight	Item no.
		m	kg/100 m			
LKV D 37	Stone grey	37.5	2000	24	15.000	6178506

Trunking cover for replacement requirements.



#### Cover LKV D 37



**Cover LKV D 50**

PVC

CE



Type	Colour	Dim.		Length mm	Pack m	Weight kg/100 m	Item no.
		a mm	Length mm				
LKV D 50	Stone grey	50	2000		24	17.500	6178508

Trunking cover for replacement requirements.

**Cover LKV D 75**

PVC

CE





Type	Colour	Dim.		Length mm	Pack m	Weight kg/100 m	Item no.
		a mm	Length mm				
LKV D 75	Stone grey	75	2000		12	23.000	6178510

Trunking cover for replacement requirements.

**Cover LKV D 100**

PVC

CE





Type	Colour	Dim.		Length mm	Pack m	Weight kg/100 m	Item no.
		a mm	Length mm				
LKV D 100	Stone grey	100	2000		12	34.500	6178512

Trunking cover for replacement requirements.

**Cover LKV D 125**


PVC

CE




Type	Colour	Dim.		Length mm	Pack m	Weight kg/100 m	Item no.
		a mm	Length mm				
LKV D 125	Stone grey	125	2000		16	47.000	6178514

Trunking cover for replacement requirements.



## LKV/H DIN wiring trunking, halogen-free


### Wiring trunking, type LKV H 50037



Type	Colour	Dimension		Pack	Weight	Item no.
		Length mm	W x H mm			
LKVH 50037	Light grey	2000	37,5x50	48	32.000	6178582




### Wiring trunking, type LKV H 50050



Type	Colour	Dimension		Pack	Weight	Item no.
		Length mm	W x H mm			
LKVH 50050	Light grey	2000	50x50	36	37.000	6178585





### Wiring trunking, type LKV H 50075



Type	Colour	Dimension		Pack	Weight	Item no.
		Length mm	W x H mm			
LKVH 50075	Light grey	2000	75x50	24	52.000	6178588



### Wiring trunking, type LKV H 75037





Type	Colour	Dimension		Pack	Weight	Item no.
		Length mm	W x H mm			
LKVH N 75037	Light grey	2000	37,5x75	32	44.000	6178552







Type	Colour	Length mm	Dimension W x H mm		Pack m	Weight kg/100 m	Item no.
LKvh N 75050	Light grey	2000	50x75		24	51.000	6178556

### Wiring trunking, type LKV H 75050





Type	Colour	Length mm	Dimension W x H mm		Pack m	Weight kg/100 m	Item no.
LKvh N 75075	Light grey	2000	75x75		16	64.000	6178559

### Wiring trunking, type LKV H 75075





Type	Colour	Length mm	Dimension W x H mm		Pack m	Weight kg/100 m	Item no.
LKvh N 75100	Light grey	2000	100x75		16	84.000	6178563

### Wiring trunking, type LKV H 75100




Type	Colour	Length mm	Dimension W x H mm		Pack m	Weight kg/100 m	Item no.
LKvh N 75125	Light grey	2000	125x75		8	98.500	6178566

### Wiring trunking, type LKV H 75125



## Covers, LKV/H wiring trunking

### Cover LKVH D 37



Type	Colour	a mm	Length mm	Pack m	Weight kg/100 m	Item no.
LKVH D 37	Light grey	37.5	2000	24	8.500	6178670

Trunking cover for replacement requirements.

### Cover LKVH D 50



Type	Colour	a mm	Length mm	Pack m	Weight kg/100 m	Item no.
LKVH D 50	Light grey	50	2000	24	11.000	6178674

Trunking cover for replacement requirements.


### Cover LKVH D 75



Type	Colour	a mm	Length mm	Pack m	Weight kg/100 m	Item no.
LKVH D 75	Light grey	75	2000	12	18.000	6178678

Trunking cover for replacement requirements.


### Cover LKVH D 100



Type	Colour	a mm	Length mm	Pack m	Weight kg/100 m	Item no.
LKVH D 100	Light grey	100	2000	12	27.500	6178682


Trunking cover for replacement requirements.

### Cover LKVH D 125





Type	Colour	a mm	Length mm	Pack m	Weight kg/100 m	Item no.
LKVH D 125	Light grey	125	2000	16	34.500	6178686

Trunking cover for replacement requirements.




## Wire retainer for type LK4 and LK4/N



Type	Colour	Dim. a mm	Dim. b mm	Pack Piece	Weight kg/100 pc.	Item no.
LK4 H	Stone grey	56	25	100	0.348	6178092

Wire retainer for wiring trunking, type LK4 and LK4/N. The wire retainer prevents already inserted cables from falling out. These predetermined breaking points allow the length to be reduced for various trunking widths to 38, 28 and 23 mm.


## Wire retainer for type LKV and LKV N



Type	Colour	Dim. a mm	Dim. b mm	Pack Piece	Weight kg/100 pc.	Item no.
LKV H	Stone grey	56	25	100	0.343	6178349

Wire retainer for wiring trunking, type LKV and LKV/N. The wire retainer prevents already inserted cables from falling out. These predetermined breaking points allow the length to be reduced for various trunking widths to 38, 28 and 23 mm.

## Wire retainer for type LKV/H



Type	Colour	Dim. a mm	Dim. b mm	Pack Piece	Weight kg/100 pc.	Item no.
LKV H H	Light grey	56	25	100	0.349	6178650

Wire retainer for halogen-free wiring trunking, type LKV/H. The wire retainer prevents already inserted cables from falling out. These predetermined breaking points allow the length to be reduced for various trunking widths to 38, 28 and 23 mm.


PP

CE

Colour

Type	Colour	Pack Piece	Weight kg/100 pc.	Item no.
KNW1	Light grey	100	0.026	6178520

The KNW1 riveting tool should be used for rapid mounting and for the optimum function.



## Spreading rivet, KSN 1




PA

CE

Colour

Type	Colour	Pack Piece	Weight kg/100 pc.	Item no.
KNW2	Light grey	100	0.070	6178525

The KNW2 riveting tool should be used for rapid mounting and for the optimum function.  
Dimension of the drill hole: 6.5 mm.



## Body-bound rivet, KSN 22




POM

CE

Colour Dimension

Type	Colour	Dimension	Pack Piece	Weight kg/100 pc.	Item no.
KNW1	Black	Ø4,5mm	1	9.300	6178527

Riveting tool for installing body-bound rivets of 4.5 mm.



## Plastic rivet tools

### Plastic rivet tool KNW1




POM

CE

Colour Dimension

Type	Colour	Dimension	Pack Piece	Weight kg/100 pc.	Item no.
KNW2	Black	Ø6mm	1	9.400	6178529

Riveting tool for mounting spreading rivets of 6 mm.



### Plastic rivet tool KNW2



## Release pliers

### Release pliers





Type	Pack	Weight	Item no.
AKZ2	Piece	kg/100 pc.	
	1	45.000	6178533

To notch the bars down to the trunking base.

St  
CE

## Spacer

### Spacer



Type	Colour	Dim. mm	Pack	Weight	Item no.
AH1	Grey	12	100	0.354	6178540
AH2	Grey	20	100	0.577	6178542

Stackable spacer for height compensation between the different component heights.

PVC  
CE

## Identification plates

### Identification plate, intrinsically safe circuits

CE



Type	Colour	Dimension mm	Pack	Weight	Item no.
VK ISCS 5012	Light blue	99x25mm	20	0.100	6178643


Sticker as an identification plate to attach onto wiring trunking in switchgear cabinets with self-protected power circuits.



Type	Version	Material thickness mm	Length mm	Bundle m	Weight kg/100 m	Item no.
2069 2M GTP	Unperforated	1	2000	50	36.040	1115650

Hat profile rail 35 x 7.5 mm to DIN EN 60715 (formerly DIN EN 50022).


### Hat profile rail, unperforated



Type	Version	Material thickness mm	Length mm	Bundle m	Weight kg/100 m	Item no.
2069 2M GTPL	Perforated	1	2000	50	33.280	1115669

Hat profile rail 35 x 7.5 mm to DIN EN 60715 (formerly DIN EN 50022).


### Hat profile rail, perforated



Type	Version	Material thickness mm	Length mm	Bundle m	Weight kg/100 m	Item no.
2069 15 1.5 GTPL	Perforated	1.5	2000	20	64.000	1115456

Hat profile rail 35 x 15 mm similar to DIN EN 60715 (formerly DIN EN 50022), but with material thickness 1.5 mm.

### Hat profile rail, perforated





## Support rails



Type	Version	Material thickness mm	Length mm	Bundle m	Weight kg/100 m	Item no.
2064 GTP 2M	Unperforated	1.5	2000	20	70.000	1115057


G rail G32 to DIN EN 60715 (previously DIN EN 50035).

### Support rail, unperforated



## Support rails

### Support rail, perforated




Type	Version	Material thickness mm	Length mm	Bundle m	Weight kg/100 m	Item no.
2064 GTPL 2M	Perforated	1.5	2000	20	69.000	1115065

G rail G32 to DIN EN 60715 (previously DIN EN 50035).



## Washers


### Washer



Type	Colour	Dim. h mm	Pack Piece	Weight kg/100 pc.	Item no.
ULS	Grey	3	100	0.170	6178548



Washer as compensation for different heights.





## Wiring trunking VF, flexible

### Wiring trunking VF 10, flexible




Type	Colour	Length mm	Width mm	Height mm	Pack Piece	Weight kg/100 pc.	Item no.
VF 10 rws	Pure white	500	11	14	1	1.300	6132600
VF 10KB rws	Pure white	500	11	14	1	1.350	6132601

Flexible wiring trunking for horizontal and vertical routing in the switchgear cabinet.

PP  
CE

### Wiring trunking VF 20, flexible




Type	Colour	Length mm	Width mm	Height mm	Pack Piece	Weight kg/100 pc.	Item no.
VF 20 rws	Pure white	500	24	24	1	2.800	6132603
VF 20KB rws	Pure white	500	24	24	1	2.950	6132604

Flexible wiring duct for horizontal and vertical routing in the switchgear cabinet.

PP  
CE UK CA

### Wiring trunking VF 30, flexible




Type	Colour	Length mm	Width mm	Height mm	Pack Piece	Weight kg/100 pc.	Item no.
VF 30 rws	Pure white	500	34	36	1	4.700	6132606
VF 30KB rws	Pure white	500	34	36	1	5.000	6132607

Flexible wiring trunking for horizontal and vertical routing in the switchgear cabinet.

PP  
CE


### Wiring trunking VF 40, flexible




Type	Colour	Length mm	Width mm	Height mm	Pack Piece	Weight kg/100 pc.	Item no.
VF 40 rws	Pure white	500	45	48	1	7.600	6132609
VF 40KB rws	Pure white	500	45	48	1	8.000	6132610

Flexible wiring trunking for horizontal and vertical routing in the switchgear cabinet.

PP  
CE



Directories




# Directories

	Test marks	258
	Pictogram explanation	260
	Alphabetical table of contents	264
	Numeric directory	270
	Type listing	274
	For the latest general conditions of sale and delivery please see <a href="http://www.obo.global/general-purchasing-conditions/">www.obo.global/general-purchasing-conditions/</a>	

# Test marks

	American Bureau of Shipping, USA		Underwriters Laboratories Inc., USA + CSA, Canada
	AENOR, Producto Certificado, Spain		Österreichischer Verband für Elektrotechnik, Austria
	STOWARZYSZENIE ELEKTRYKÓW POLSKICH, Poland		INSTITUTO ITALIANO DEL MARCHIO DI QUALITÀ, Italy
	Lightning current-tested		RINA 1861, Ship Classification, Certification and Services
	Lightning current-tested, Class H (100 kA)		Underwriters Laboratories Inc., USA
	CEBEC, Belgium		SEMKO An Inchcape Testing Services Company, Sweden
	Canadian Standards Association, Canada		Eidgenössisches Starkstrominspektorat, Switzerland
	DEMKO, Danmarks Elektriske Materielkontrol, Denmark		South African Bureau of Standards
	Deutsches Institut für Bautechnik Berlin, Germany		Shock-tested, Bundesamt für Zivilschutz, Germany
	Det Norske Veritas		Sähkötestikeskus Elinspekionscentralen Electrical Inspectorate, Finland
	ENECA Austria		Underwriters Laboratories Inc., USA
	ATEX certificate for explosive areas		Underwriters Laboratories Inc., USA
	ELEKTROTECHNICKÝ ZKUŠEBNÍ ÚSTAV, Czech Republic		Verband der Elektrotechnik, Elektronik, Informationstechnik e.V., Germany
	FIMKO, Finland		German Association of Electricians, tested safety
	Forschungs- und Materialprüfungsanstalt, Germany		5-year warranty
	Russia, GOST The State Committee for Standards		
	Test marks for technical resources, VDE Prüf- und Zertifizierungsinstitut Offenbach, Germany		
	Halogen-free; without chlorine, fluorine and bromine		
	INMETRO, Brazil		
	KEMA-KEUR, Netherlands		
	Indication of metric products		
	MAGYAR ELEKTROTECHNIKAI ELLENŐRZŐ INTÉZET Budapest, Hungary		
	NEMKO, Norway		
	AFNOR Quality symbol of the French standardisation institute		



# Pictogram explanation

## Surfaces

	Strip galvanised
	Strip galvanised/plastic-coated
	Strip galvanised zinc/aluminium, double dip
	Bright
	Bright, reworked
	Anodised
	Hot-dip galvanised
	Electrogalvanised
	Electrogalvanised/plastic-coated
	Electrogalvanised, yellow-chromatised
	Electrogalvanised, yellow passivated
	Electrogalvanised, transparently passivated
	Primed
	Painted
	Welding primed
	Hot-dip galvanised
	Hot-dip galvanised 85 µm
	Copper-plated
	Nickel-plated
	Galvanised, Deltatone 500
	Galvanised, MAGNI 565
	Zinc-aluminium coated, Galfan
	Zinc scale

## Conformity symbol

	Communautés Européennes, EC declaration of conformity according to EC directives
	RoHS-conformant

## Quality marks

	Halogen-free; without chlorine, fluorine and bromine
	Flame resistant 650 °C
	Flame resistant 750 °C
	Flame resistant 960 °C
	UV-resistant

## Specific product symbols

	Diameter 60 mm
	Diameter 68 mm
	Protection device to DIN EN 61643-11 or IEC 61643-11
	Transition from LPZ 2 to LPZ 3
	Acoustic signalling

## Applications

	Remote signalling
	Acoustic signalling
	Integrated Service Digital Network, ISDN applications
	Digital Subscriber Line, DSL applications
	Analogue telecommunication
	Category 5 TwisterPair
	Channel Performance to American EIA/TIA standard
	Measuring, controlling and regulating systems
	TV applications
	SAT-TV applications
	MultiBase base
	LifeControl
	Intrinsically safe protection device for potentially explosive areas
	Channel Performance to ISO/IEC 11801
	Power over Ethernet
	230/400 V system
	Protection rating IP 54
	Protection rating IP 65

## Lightning protection classes

	Protection device to DIN EN 61643-11 or IEC 61643-11
	Combination protection device made of type 1 and type 2
	Protection device to DIN EN 61643-11 or IEC 61643-11

## Lightning protection classes

Type 2+3	Protection device to DIN EN 61643-11 or IEC 61643-11
Type 3	Protection device to DIN EN 61643-11 or IEC 61643-11

## Lightning protection zone

LPZ 0→1	Transition from LPZ 0 to LPZ 1
LPZ 0→2	Transition from LPZ 0 to LPZ 2
LPZ 0→3	Transition from LPZ 0 to LPZ 3
LPZ 1→2	Transition from LPZ 1 to LPZ 2
LPZ 1→3	Transition from LPZ 1 to LPZ 3
LPZ 2→3	Transition from LPZ 2 to LPZ 3

## BSS maintenance of electrical function installation

	Fire-tested systems
	Escape route ceiling mounting with pressure clip
	OBO Grip, wall routing type
	OBO Grip, ceiling routing type
	Pressure clip for maintenance of electrical function, ceiling mounting

## BSS anchor

	Fire protection anchor
	Fire protection bolt tie

## BSS test marks/material class

E30	Maintenance of electrical function class E30
E90	Maintenance of electrical function class E90

## Clamp clip base shapes

	Clamp clip for C profile rail, slot width 11–12 mm
	Clamp clip for C profile rail, slot width 16–17 mm
	Clamp clip for C profile rail, slot width 18–22 mm

## Diameter

	Diameter 60 mm
	Diameter 68 mm
	Diameter 70 mm
	Diameter 74 mm

## Entries

	4 cable entries
	6 cable entries
	7 cable entries
	8 cable entries
	9 cable entries
	10 cable entries
	12 cable entries
	10 cable entries ECO
	12 cable entries ECO
	14 cable entries ECO
	16 cable entries
	18 cable entries ECO
	24 cable entries

## Gland thread

	Thread metric
	Thread Pg

## Entry size

	M20 entry
	M25 entry
	M32 entry
	M40 entry

## KTS side heights

	Cable tray, side height 35 mm
	Cable tray, side height 60 mm
	Cable tray, side height 85 mm
	Mesh cable tray, side height 35 mm
	Mesh cable tray, side height 55 mm

## Materials

	Flat steel
	Angular steel
	U steel
	Round material

# Pictogram explanation

## Nominal cross-section

	Nominal cross-section 1.5 mm <sup>2</sup>
	Nominal cross-section 1.5–2.5 mm <sup>2</sup>
	Nominal cross-section 2.5 mm <sup>2</sup>
	Nominal cross-section 2.5–4 mm <sup>2</sup>
	Nominal cross-section 4 mm <sup>2</sup>
	Nominal cross-section 4–6 mm <sup>2</sup>
	Nominal cross-section 6 mm <sup>2</sup>
	Nominal cross-section 10 mm <sup>2</sup>
	Nominal cross-section 16 mm <sup>2</sup>

## Nominal voltage

	Nominal voltage 400 V
	Nominal voltage 500 V
	Nominal voltage 660 V

## Polarity

	3-pole
	5-pole
	7-pole
	8-pole
	10-pole
	12-pole

## Slot widths

	Slot width 7.5 mm
	Slot width 11 mm
	Slot width 11–12 mm
	Slot width 12 mm
	Slot width 15 mm
	Slot width 16 mm
	Slot width 16.5 mm
	Slot width 16–17 mm
	Slot width 17 mm
	Slot width 18 mm
	Slot width 22 mm
	Slot width 35 mm

## Screw heads

	Philips screw
	Torx screw
	Phillips screw
	Pozidriv

## Firing devices

	Bolt-firing tool
	Nail device

## Protection rating

	Protection rating IP 20
	Protection rating IP 30
	Protection rating IP 31
	Protection rating IP 44
	Protection rating IP 54
	Protection rating IP 55
	Protection rating IP 65
	Protection rating IP 66
	Protection rating IP 67
	Protection rating IP 68

## Metals

	Aluminium
	Aluminium/steel
	Stainless steel, rustproof
	Stainless steel, rustproof
	Stainless steel, rustproof
	Copper
	Brass
	Steel
	Malleable iron
	Die-cast zinc

## Plastics

	Acrylonitrile butadiene styrene
	Duroplast, Aminoplast, type 131.5
	Duroplast, melamine resin, type 150
	Ethylene vinyl acetate



## Plastics

<b>FA</b>	Fibre-proof material DIN 28091
<b>GFK</b>	Fibreglass-reinforced plastic
<b>NBR SBR</b>	Rubber mixture
<b>NBR</b>	Nitrile rubber
<b>PETR</b>	Petrolatum
<b>PA</b>	Polyamide
<b>PA/ GF</b>	Polyamide, fibreglass reinforced
<b>PBPT</b>	Polybutylene terephthalate
<b>PC</b>	Polycarbonate
<b>PE</b>	Polyethylene
<b>PP</b>	Polypropylene
<b>PP/GF</b>	Polypropylene, fibreglass reinforced
<b>PS</b>	Polystyrene
<b>PVC</b>	Polyvinylchloride
<b>ZELL PE</b>	Cellular polyethylene

# Alphabetical table of contents

## A

Antenna socket panel SL BL ANT; 187, 190

## B

Blind cover SL BL blind; 187, 190

## C

Cable routing trunking MKS 18, trunking width 45; 56  
 Cable trunking ECK 35, trunking width 35; 118  
 Cable trunking ECK 50, trunking width 50; 119  
 CEE adapter flange 16 A; 106  
 CEE cover plate for installation socket, 16 A; 107  
 Coupling SL KUP20110; 189  
 Coupling SL KUP2050; 178  
 Coupling SL KUP2070; 183  
 Cover; 36-38, 40-41, 43-44, 46-47, 51-54, 59, 61-65, 67-69,  
     71, 73, 75, 77-81, 83-87, 89, 91, 93, 95-97, 99-100,  
     103-104, 107-114, 116-119, 122, 125-126, 128, 130,  
     132, 134, 136, 138-140, 178, 187, 190, 196, 223-224,  
     231, 241-242, 246  
 Cover clip; 112-114, 116, 138-140  
 Cover for single accessory mounting box, duct width; 108  
     130 mm  
 Cover for single accessory mounting box, trunking; 108  
     width 110 mm  
 Cover for triple accessory mounting box, duct width; 110  
     130 mm  
 Cover for triple accessory mounting box, duct width; 110  
     150 mm  
 Cover HFVDK OT100; 231  
 Cover HFVDK OT25; 231  
 Cover HFVDK OT40; 231  
 Cover HFVDK OT60; 231  
 Cover HFVDK OT80; 231  
 Cover SL; 178, 187, 190  
 Cover TRI 3535 OT; 118  
 Cover TRI 5050 OT; 119

## D

Device installation Modul 45; 115  
 Device support SL 2GT20110; 189  
 Device support SL 2GT2050; 185  
 Device support SL ETler20110; 189  
 Device support SL ETler2050; 185  
 Device support SL GTler20110; 189  
 Device support SL GTler2050; 186  
 Device support SL2GTK5070; 186  
 Device support, Modul 45; 106  
 Device tank RD 2GT40105, double; 199  
 Device tank RD GT40105, double; 198  
 Device tank RD GT40105, single; 198  
 Duct clamp, LKM, duct width 100; 166  
 Duct clamp, LKM, duct width 150 and 200; 167  
 Duct clamp, LKM, duct width 80; 166  
 Duct clamp, LKM, for maintenance of electrical function; 167  
 E30 - E90  
 Duct, type WDK 15030; 51  
 Duct, type WDKH -15030; 124

## E

Edge protection ring; 147-148, 150, 153, 155, 157, 159, 161,  
     163, 165  
 Edge protection ring KSR 30030; 150  
 Edge protection ring KSR, for duct type LKM 40060; 155  
 Edge protection ring KSR, for duct type LKM 60150; 161

End piece; 41, 44, 48, 50, 52, 54, 59-60, 62-63, 67, 69, 71, 73,  
     75, 77, 79, 81, 83, 85, 87, 89, 91, 93, 95, 97-98,  
     100, 102, 104, 116, 118, 123, 125, 127, 129, 131,  
     133, 135, 137, 150, 153, 155, 157, 159, 161, 163,  
     165, 177, 180, 182, 185, 188-189, 197  
 End piece RD ESL40105; 197  
 End piece RD ESR40105; 197  
 End piece SL ESLi20110; 188  
 End piece SL ESLi2050; 177  
 End piece SL ESLi2070; 182  
 End piece SL ESRe20110; 189  
 End piece SL ESRe2070; 182  
 End piece SLT ESLi2050; 180  
 End piece SLT ESLi2070; 185  
 End piece SLT ESRe2050; 180  
 End piece SLT ESRe2070; 185  
 End piece TRI ES350350; 118  
 End piece, for duct type LKM 30030; 150  
 End piece, for duct type LKM 40040; 153  
 End piece, for duct type LKM 40060; 155  
 End piece, for duct type LKM 60060; 157  
 End piece, for duct type LKM 60100; 159  
 End piece, for duct type LKM 60150; 161  
 End piece, for duct type LKM 60200; 163  
 End piece, for duct type LKM 80080; 165  
 End piece, for duct type WDK 100130; 102  
 End piece, for duct type WDK 10020; 63  
 End piece, for duct type WDK 100230; 104  
 End piece, for duct type WDK 10030; 41  
 End piece, for duct type WDK 15015; 50  
 End piece, for duct type WDK 15030; 52  
 End piece, for duct type WDK 15040; 54  
 End piece, for duct type WDK 20020; 59  
 End piece, for duct type WDK 20035; 60  
 End piece, for duct type WDK 20050; 62  
 End piece, for duct type WDK 25025; 67  
 End piece, for duct type WDK 25040; 69  
 End piece, for duct type WDK 30030; 71  
 End piece, for duct type WDK 30045; 73  
 End piece, for duct type WDK 40040; 75  
 End piece, for duct type WDK 40060; 77  
 End piece, for duct type WDK 40090; 79  
 End piece, for duct type WDK 40110; 81  
 End piece, for duct type WDK 60060; 83  
 End piece, for duct type WDK 60090; 85  
 End piece, for duct type WDK 60110; 87  
 End piece, for duct type WDK 60130; 89  
 End piece, for duct type WDK 60150; 91  
 End piece, for duct type WDK 60170; 93  
 End piece, for duct type WDK 60210; 95  
 End piece, for duct type WDK 60230; 97  
 End piece, for duct type WDK 80170; 98  
 End piece, for duct type WDK 80210; 100  
 End piece, for duct type WDKH 100202; 123  
 End piece, for duct type WDKH 15030; 125  
 End piece, for duct type WDKH 20020; 127  
 End piece, for duct type WDKH 30045; 129  
 End piece, for duct type WDKH 40060; 131  
 End piece, for duct type WDKH 60090; 133  
 End piece, for duct type WDKH 60110; 135  
 End piece, for duct type WDKH 60150; 137  
 External corner cover; 53, 63-64, 122, 128, 130  
 External corner cover, for duct type WDKH 10020; 122  
 External corner cover, for duct type WDKH 40060; 130  
 External corner cover, for trunking type WDK 10020; 63-64  
 External corner cover, for trunking type WDKH 30045; 128

# Alphabetical table of contents

- External corner hood; 40, 43, 46-47, 51, 58, 61, 66, 69-70, 72, 74, 76, 78, 80, 82, 84, 86, 88, 90, 92, 94, 96, 124, 126, 132, 134, 136  
External corner hood, for duct type WDK 10030; 40  
External corner hood, for duct type WDK 15030; 51  
External corner hood, for duct type WDK 20020; 58  
External corner hood, for duct type WDK 20050; 61  
External corner hood, for duct type WDK 25025; 66  
External corner hood, for duct type WDK 25040; 69  
External corner hood, for duct type WDK 30030; 70  
External corner hood, for duct type WDK 30045; 72  
External corner hood, for duct type WDK 40040; 74  
External corner hood, for duct type WDK 40060; 76  
External corner hood, for duct type WDK 40090; 78  
External corner hood, for duct type WDK 40110; 80  
External corner hood, for duct type WDK 60060; 82  
External corner hood, for duct type WDK 60090; 84  
External corner hood, for duct type WDK 60110; 86  
External corner hood, for duct type WDK 60130; 88  
External corner hood, for duct type WDK 60150; 90  
External corner hood, for duct type WDK 60170; 92  
External corner hood, for duct type WDK 60210; 94  
External corner hood, for duct type WDK 60230; 96  
External corner hood, for duct type WDKH 15030; 124  
External corner hood, for duct type WDKH 20020; 126  
External corner hood, for duct type WDKH 60090; 132  
External corner hood, for duct type WDKH 60110; 134  
External corner hood, for duct type WDKH 60150; 136  
External corner RD, AE40105; 196  
External corner SL AE20110; 188  
External corner SL AE2050; 177  
External corner SL AE2070; 182  
External corner SLL AE2050; 179  
External corner SLL AE2070; 184  
External corner, for duct type LKM 40040; 152  
External corner, for duct type LKM 40060; 154  
External corner, for duct type LKM 60060; 156  
External corner, for duct type LKM 60100; 158  
External corner, for duct type LKM 60150; 160  
External corner, for duct type LKM 60200; 162  
External corner, for duct type LKM 80080; 164  
External corner, trunking type WDK 100130; 102  
External corner, trunking type WDK 80170; 98
- F**  
Flat angle cover; 44, 47, 54, 63-64, 81, 97  
Flat angle cover, for duct type WDK 60230; 97  
Flat angle cover, for trunking type WDK 10020; 63-64  
Flat angle cover, for trunking type WDK 40110; 81  
Flat angle hood, for duct type WDK 10030; 40  
Flat angle hood, for duct type WDK 15030; 52  
Flat angle hood, for duct type WDK 20020; 59  
Flat angle hood, for duct type WDK 20050; 62  
Flat angle hood, for duct type WDK 25025; 66  
Flat angle hood, for duct type WDK 25040; 69  
Flat angle hood, for duct type WDK 30030; 70  
Flat angle hood, for duct type WDK 30045; 72  
Flat angle hood, for duct type WDK 40040; 74  
Flat angle hood, for duct type WDK 40060; 76  
Flat angle hood, for duct type WDK 40090; 79  
Flat angle hood, for duct type WDK 60060; 82  
Flat angle hood, for duct type WDK 60090; 85  
Flat angle hood, for duct type WDK 60110; 87  
Flat angle hood, for duct type WDK 60130; 88  
Flat angle hood, for duct type WDK 60150; 90  
Flat angle hood, for duct type WDK 60170; 92  
Flat angle hood, for duct type WDKH 60110; 134  
Flat angle hood, for duct type WDKH 60150; 136  
Flat angle hood, for duct type WDKH 60170; 138  
Flat angle hood, for duct type WDKH 60210; 123  
Flat angle hood, for duct type WDKH 10020; 126  
Flat angle hood, for duct type WDKH 15030; 125  
Flat angle hood, for duct type WDKH 20020; 126  
Flat angle hood, for duct type WDKH 30045; 128  
Flat angle hood, for duct type WDKH 40060; 130  
Flat angle hood, for duct type WDKH 60090; 132  
Flat angle hood, for duct type WDKH 60110; 134  
Flat angle hood, for duct type WDKH 60150; 136  
Flat angle hood, for trunking type WDKH 10020; 123  
Flat angle, for duct type LKM 40040; 153  
Flat angle, for duct type LKM 40060; 155  
Flat angle, for duct type LKM 60060; 157  
Flat angle, for duct type LKM 60100; 159  
Flat angle, for duct type LKM 60150; 161  
Flat angle, for duct type LKM 60200; 163  
Flat angle, for duct type LKM 80080; 165  
Flat angle, trunking type WDK 100130; 103  
Flat angle, trunking type WDK 80170; 99  
Flat angle, trunking type WDK 80210; 100  
Floor trunking, type 2650; 200  
Front cover; 116
- H**  
Hat profile rail, perforated; 251  
Hat profile rail, unperforated; 251  
Heating pipe support RD DUO HRT 2 20; 198
- I**  
Identification plate; 250  
Insulating foam RD DUO ISO; 198  
Internal corner cover; 43, 46, 53, 99-100, 103-104  
Internal corner cover, trunking type WDK 100130; 103  
Internal corner cover, trunking type WDK 100230; 104  
Internal corner cover, trunking type WDK 80170; 99  
Internal corner cover, trunking type WDK 80210; 100  
Internal corner hood, for duct type WDK 10030; 40  
Internal corner hood, for duct type WDK 15030; 51  
Internal corner hood, for duct type WDK 20020; 58  
Internal corner hood, for duct type WDK 20050; 61  
Internal corner hood, for duct type WDK 25025; 66  
Internal corner hood, for duct type WDK 25040; 68  
Internal corner hood, for duct type WDK 30030; 70  
Internal corner hood, for duct type WDK 30045; 72  
Internal corner hood, for duct type WDK 40040; 74  
Internal corner hood, for duct type WDK 40060; 76  
Internal corner hood, for duct type WDK 40090; 78  
Internal corner hood, for duct type WDK 40110; 80  
Internal corner hood, for duct type WDK 60060; 82  
Internal corner hood, for duct type WDK 60090; 84  
Internal corner hood, for duct type WDK 60110; 86  
Internal corner hood, for duct type WDK 60130; 88  
Internal corner hood, for duct type WDK 60150; 90  
Internal corner hood, for duct type WDK 60170; 92  
Internal corner hood, for duct type WDK 60210; 94  
Internal corner hood, for duct type WDK 60230; 96  
Internal corner hood, for duct type WDKH 10020; 122  
Internal corner hood, for duct type WDKH 15030; 124  
Internal corner hood, for duct type WDKH 20020; 126  
Internal corner hood, for duct type WDKH 30045; 128  
Internal corner hood, for duct type WDKH 40060; 130  
Internal corner hood, for duct type WDKH 60090; 132  
Internal corner hood, for duct type WDKH 60110; 134  
Internal corner hood, for duct type WDKH 60150; 136  
Internal corner hood, for trunking type WDK 10020; 63-64

# Alphabetical table of contents

Internal corner SL IE20110; 188

Internal corner SL IE2050; 177

Internal corner SL IE2070; 182

Internal corner SLL IE2050; 179

Internal corner SLL IE2070; 184

Internal corner TRI IE350350; 118

Internal corner TRI IE500500; 119

Internal corner, for duct type LKM 40040; 152

Internal corner, for duct type LKM 40060; 154

Internal corner, for duct type LKM 60060; 156

Internal corner, for duct type LKM 60100; 158

Internal corner, for duct type LKM 60150; 160

Internal corner, for duct type LKM 60200; 162

Internal corner, for duct type LKM 80080; 164

## J

Joint connector; 147-148, 150, 152, 154, 156, 158, 160, 162, 164

Joint connector LKM SV20; 147

Joint connector, for duct type LKM 800; 164

Joint connector, for duct, type LKM 600; 156

Joint connector, for ducts, type LKM 400; 152, 154

Joint cover; 40, 43, 46, 51, 53, 61, 63-64, 68, 78, 80, 84, 86

Joint cover, for trunking, type WDK 15030; 63-64

## K

KM/TWS55 partition; 166

Knock-in anchor; 115

KSR 20020 edge protection ring; 147

KSR edge protection ring, for duct type LKM 40040; 153

KSR edge protection ring, for duct type LKM 60060; 157

KSR edge protection ring, for duct type LKM 60100; 159

KSR edge protection ring, for duct type LKM 60200; 163

KSR edge protection ring, for duct type LKM 80080; 165

## L

LKM cable bracket, duct width 100; 167

LKM cable bracket, duct width 150; 167

LKM cable bracket, duct width 200; 168

LKM cable bracket, duct width 60; 167

LKM SV30 joint connector; 148, 150

LKM TWS45 partition; 166

## M

Mini duct with adhesive film and hinge cover MD17; 38

Mini duct with adhesive film and hinged cover MD12; 37

Mini trunking with adhesive film and hinge cover MD12; 36-37

Mini trunking with adhesive film and hinge cover MD17; 36, 38

Mini trunking with adhesive film and hinge cover MD4; 36-37

Mini trunking with adhesive film and hinge cover MD7; 36-37

Mounting aid for WDK trunking; 115

## P

Partition for trunking height 100 mm; 107

Partition for trunking height 40 mm; 107

Partition for trunking height 60 mm; 107

Partition for trunking height 80 mm; 107

Partition LKM/TWS75; 166

Partition, halogen-free 40; 138

Partition, halogen-free 60; 138

Pipe adapter Trunking on pipe 19 mm; 48

Pipe adapter Trunking on pipe 20 mm; 48

Pipe adapter, trunking to pipe, 16 mm; 48

Plastic rivet tool; 249

## R

Release pliers; 250

## S

Shears for WDK trunking, mitre cut; 115

Shears for WDK trunking, straight cut; 115

Side closure, device tank SL GTSA2050; 187

Skirting trunking RD 40105; 196

Skirting trunking SL 20110; 188

Skirting trunking SL 2050; 177

Skirting trunking SL 2070; 182

Skirting trunking SLL 2050; 179

Skirting trunking SLL 2070; 184

Skirting trunking SLT 2050; 180

Skirting trunking SLT 2070; 185

SL ESRe2050 end piece; 177

Spacer; 250

Spreading rivet, KSN 1; 249

Spreading rivet, KSN 22; 249

Support rail, perforated; 252

Support rail, unperforated; 251

## T

T and intersection cover; 75, 77, 79, 81, 83, 85, 87, 89, 91, 93, 95-96, 130, 132, 134, 136

T piece cover; 41, 44, 52, 54, 59, 62, 65, 67, 69, 71, 73, 125-126, 128

T piece hood; 47, 123

T piece, for duct type LKM 40040; 152

T piece, for duct type LKM 40060; 154

T piece, for duct type LKM 60060; 156

T piece, for duct type LKM 60100; 158

T piece, for duct type LKM 60150; 160

T piece, for duct type LKM 60200; 162

T piece, for duct type LKM 80080; 164

T piece, for trunking type WDK 100130; 102-103

T piece, for trunking type WDK 100230; 104

T piece, for trunking type WDK 80170; 98-99

T piece, for trunking type WDK 80210; 100

T-piece hood; 47, 123

Transition piece TRI C 35-16; 118

Transition piece TRI C 35-50; 119

Trunking coupling RD Kup40105; 198

Trunking cover RD OT40105; 196

Trunking cover RDL OT40105; 196

Trunking retaining clip VDK HF KHUni; 232

Trunking, type LKM 20020; 147

Trunking, type LKM 20030; 148

Trunking, type LKM 30030; 150

Trunking, type LKM 40040; 152

Trunking, type LKM 40060; 154

Trunking, type LKM 60060; 156

Trunking, type LKM 60100; 158

Trunking, type LKM 60150; 160

Trunking, type LKM 60200; 162

Trunking, type LKM 80080; 164

Trunking, type WDK 100130; 102

Trunking, type WDK 10020; 62, 64

Trunking, type WDK 100230; 104

Trunking, type WDK 10030; 40

Trunking, type WDK 12022; 42-43

Trunking, type WDK 13025; 46

Trunking, type WDK 15015; 50

Trunking, type WDK 15030; 51, 63-64

Trunking, type WDK 15040; 53

# Alphabetical table of contents

- Trunking, type WDK 20020 with adhesive film; 58  
Trunking, type WDK 20020 with base perforation; 58  
Trunking, type WDK 20035; 60  
Trunking, type WDK 20050; 61  
Trunking, type WDK 25025; 66  
Trunking, type WDK 25040; 68  
Trunking, type WDK 30030; 70  
Trunking, type WDK 30045; 72  
Trunking, type WDK 40040; 74  
Trunking, type WDK 40060; 76  
Trunking, type WDK 40090; 78  
Trunking, type WDK 40110; 80  
Trunking, type WDK 60060; 82  
Trunking, type WDK 60090; 84  
Trunking, type WDK 60110; 86  
Trunking, type WDK 60130; 88  
Trunking, type WDK 60150; 90  
Trunking, type WDK 60170; 92  
Trunking, type WDK 60210; 94  
Trunking, type WDK 60230; 96  
Trunking, type WDK 80170; 98  
Trunking, type WDK 80210; 100  
Trunking, type WDK-H 10020; 122  
Trunking, type WDKH 40060; 130  
Trunking, type WDKH-15030; 124  
Trunking, type WDKH-20020; 126  
Trunking, type WDKH-30045; 128  
Trunking, type WDKH-60090; 132  
Trunking, type WDKH-60110; 134  
Trunking, type WDKH-60150; 136  
Trunking, type WDK-N 20050; 61  
Trunking, type WDK-N 25040; 68


## W

- Washer; 252  
WDK CEE device socket; 106  
WDK CEE intermediate flange 32 A; 106  
WDK cover clip for duct width 110 mm; 113, 139  
WDK cover clip for duct width 130 mm; 114, 139  
WDK cover clip for duct width 150 mm; 114, 140  
WDK cover clip for duct width 170 mm; 114, 140  
WDK cover clip for duct width 210 mm; 114, 140  
WDK cover clip for duct width 230 mm; 114, 140  
WDK cover clip for duct width 90 mm; 113, 139  
WDK cover clip for trunking width 60 mm; 113, 139  
WDK cover for double accessory mounting box, duct; 109 height 130 mm  
WDK cover for double accessory mounting box, duct; 109 height 150 mm  
WDK cover for double accessory mounting box, duct; 109 height 170 mm  
WDK cover for double accessory mounting box, duct; 109 height 210 mm  
WDK cover for double accessory mounting box,; 108-109 trunking height 110 mm  
WDK cover for duct width 110 mm; 111  
WDK cover for duct width 130 mm; 111  
WDK cover for duct width 150 mm; 111  
WDK cover for duct width 170 mm; 111  
WDK cover for duct width 210 mm; 112  
WDK cover for duct width 230 mm; 112  
WDK cover for duct width 60 mm; 110  
WDK cover for duct width 90 mm; 111  
WDK cover for single accessory mounting box,; 108, 112 trunking height 170 mm  
WDK cover for triple accessory mounting box, duct; 110 height 170 mm

- WDK cover for trunking width 40 mm; 110  
WDK device socket, type 2390; 106  
WDKH cover clip, halogen-free 110; 113, 138  
WDKH cover clip, halogen-free 150; 113, 139  
WDKH cover clip, halogen-free 60; 112, 138  
WDKH cover clip, halogen-free 90; 112, 138  
Wire retainer for type LK4 and LK4/N; 248  
Wire retainer for type LKV and LKV/N; 248  
Wire retainer for type LKV/H; 248  
Wiring trunking HF-METRA 100, trunking width 100; 230  
Wiring trunking HF-METRA 100, trunking width 40; 230  
Wiring trunking HF-METRA 100, trunking width 60; 230  
Wiring trunking HF-METRA 100, trunking width 80; 230  
Wiring trunking HF-METRA 30, trunking width 30; 226  
Wiring trunking HF-METRA 40, trunking width 25; 226  
Wiring trunking HF-METRA 40, trunking width 40; 226  
Wiring trunking HF-METRA 40, trunking width 60; 226  
Wiring trunking HF-METRA 60, trunking width 25; 227  
Wiring trunking HF-METRA 60, trunking width 40; 227  
Wiring trunking HF-METRA 60, trunking width 60; 227  
Wiring trunking HF-METRA 60, trunking width 80; 227  
Wiring trunking HF-METRA 80, trunking width 100; 229  
Wiring trunking HF-METRA 80, trunking width 120; 229  
Wiring trunking HF-METRA 80, trunking width 25; 228  
Wiring trunking HF-METRA 80, trunking width 40; 228  
Wiring trunking HF-METRA 80, trunking width 60; 228  
Wiring trunking HF-METRA 80, trunking width 80; 228  
Wiring trunking VF 10, flexible; 254  
Wiring trunking VF 20, flexible; 254  
Wiring trunking VF 30, flexible; 254  
Wiring trunking VF 40, flexible; 254  
Wiring trunking, type 100100; 238, 241  
Wiring trunking, type 10037; 237, 240  
Wiring trunking, type 10050; 237, 240  
Wiring trunking, type 10075; 237, 241  
Wiring trunking, type 25025; 234  
Wiring trunking, type 37025; 234  
Wiring trunking, type 37037; 234  
Wiring trunking, type 50025; 234  
Wiring trunking, type 50037; 235, 244  
Wiring trunking, type 50050; 235, 244  
Wiring trunking, type 50075; 235, 244  
Wiring trunking, type 75025; 235, 239  
Wiring trunking, type 75037; 236, 239, 244  
Wiring trunking, type 75050; 236, 239, 245  
Wiring trunking, type 75075; 236, 239, 245  
Wiring trunking, type 75100; 236, 240, 245  
Wiring trunking, type 75125; 237, 240, 245  
Wiring trunking, type LK4 15015; 214  
Wiring trunking, type LK4 30015; 214  
Wiring trunking, type LK4 30025; 214  
Wiring trunking, type LK4 40025; 214  
Wiring trunking, type LK4 40040; 215  
Wiring trunking, type LK4 40060; 215  
Wiring trunking, type LK4 40080; 215  
Wiring trunking, type LK4 40100; 215  
Wiring trunking, type LK4 60015; 216  
Wiring trunking, type LK4 60025; 216  
Wiring trunking, type LK4 60040; 216  
Wiring trunking, type LK4 60060; 216  
Wiring trunking, type LK4 60080; 217  
Wiring trunking, type LK4 60100; 217  
Wiring trunking, type LK4 60120; 217  
Wiring trunking, type LK4 80025; 217  
Wiring trunking, type LK4 80040; 218

## Alphabetical table of contents

Wiring trunking, type LK4 80060; 218  
Wiring trunking, type LK4 80080; 218  
Wiring trunking, type LK4 80100; 218  
Wiring trunking, type LK4 80120; 219  
Wiring trunking, type LK4/N 60015; 220  
Wiring trunking, type LK4/N 60025; 220  
Wiring trunking, type LK4/N 60040; 220  
Wiring trunking, type LK4/N 60060; 220  
Wiring trunking, type LK4/N 60080; 221  
Wiring trunking, type LK4/N 60100; 221  
Wiring trunking, type LK4/N 60120; 221  
Wiring trunking, type LK4/N 80025; 221  
Wiring trunking, type LK4/N 80040; 222  
Wiring trunking, type LK4/N 80060; 222  
Wiring trunking, type LK4/N 80080; 222  
Wiring trunking, type LK4/N 80100; 222  
Wiring trunking, type LK4/N 80120; 223



# Numeric directory

GTIN	Item no.	Page	GTIN	Item no.	Page	GTIN	Item no.	Page	GTIN	Item no.	Page	GTIN	Item no.	Page	
5044291	price/100 <b>1115057</b>	251	6023776	/100 pc. <b>6022995</b>	113	6028993	price/m <b>6025447</b>	74	6723218	<b>6131154</b>	118	6720781	<b>6132258</b>	187	
5044352	<b>1115065</b>	252		/pc. <b>6025617</b>		6029051	<b>6025617</b>	76	6723225	<b>6131155</b>	118	6726653	<b>6132259</b>	188	
5044895	<b>1115456</b>	251	6023837	<b>6023002</b>	85	6029112	<b>6025633</b>	76	6723232	<b>6131162</b>	119	6720798	<b>6132260</b>	179	
5045434	<b>1115650</b>	251	6023950	<b>6023029</b>	87	7005146	<b>6025638</b>	76	6723249	<b>6131163</b>	119	6726660	<b>6132261</b>	179	
5045496	<b>1115669</b>	251	6024070	<b>6023045</b>	89	6029174	price/m <b>6025668</b>	82	6723256	<b>6131164</b>	119	6720804	<b>6132262</b>	184	
	/100 pc. <b>2351056</b>	115	6024193	<b>6023061</b>	93		6029778	<b>6026176</b>	98	6723263	<b>6131165</b>	119	6720811	<b>6132263</b>	184
5669197	price/m <b>6020801</b>	200	6024315	<b>6023096</b>	107	6029839	<b>6026184</b>	98	6723270	<b>6131172</b>	119	6726677	<b>6132265</b>	177	
6362530			6024377	<b>6023118</b>	107	6029891	<b>6026192</b>	100	6723270	<b>6131171</b>	118	6726684	<b>6132266</b>	177	
6016273	<b>6020887</b>	76	6024438	<b>6023126</b>	95	6030132	<b>6026273</b>	102	6723294	<b>6131179</b>	118	6727599	<b>6132267</b>	182	
6016334	<b>6020895</b>	78	6024551	<b>6023142</b>	79	6030194	<b>6026281</b>	102	6723300	<b>6131182</b>	118	6720859	<b>6132272</b>	182	
6016396	<b>6020909</b>	80	6024919	<b>6023207</b>	106	6642076	<b>6026311</b>	104	6822287	<b>6131377</b>	56	6723416	<b>6132274</b>	188	
			6025039	<b>6023223</b>	83	6642137	<b>6026338</b>	104	6822294	<b>6131380</b>	56	6720866	<b>6132275</b>	188	
6016877	<b>6021018</b>	78	6025459	<b>6023312</b>	77	6667451	<b>6026354</b>	60	6730810	<b>6132150</b>	178	6719914	<b>6132277</b>	177	
7005177	<b>6021023</b>	78	6025572	<b>6023339</b>	81	6642793	<b>6026362</b>	60	6748327	<b>6132157</b>	178	6723423	<b>6132278</b>	177	
6016990	price/m <b>6021034</b>	80	6026111	<b>6023509</b>	113	6667512	<b>6026400</b>	66	6748334	<b>6132158</b>	178	6719921	<b>6132280</b>	196	
	/pc. 6025157		6026173	<b>6023517</b>	113	6030255	<b>6026419</b>	66	6748358	<b>6132159</b>	178	6723447	<b>6132281</b>	182	
6017171	<b>6021093</b>	78	6026234	<b>6023525</b>	114	6030316	<b>6026427</b>	66	6727575	<b>6132160</b>	196	6723454	<b>6132282</b>	182	
6017652	<b>6021190</b>	78	6637874	<b>6023533</b>	114	6030439	<b>6026443</b>	68	6723393	<b>6132164</b>	196	6719945	<b>6132285</b>	197	
6018253	<b>6021336</b>	79	6026296	<b>6023541</b>	114	6030491	<b>6026451</b>	68	6723409	<b>6132165</b>	196	6724345	<b>6132286</b>	189	
6018857	<b>6021492</b>	77	6026357	<b>6023576</b>	114	6794591	<b>6026486</b>	68	6723508	<b>6132166</b>	196	6724352	<b>6132288</b>	180	
6018918	<b>6021506</b>	79	6639250	<b>6023584</b>	114	7005115	<b>6026488</b>	68	6724284	<b>6132167</b>	197	6724369	<b>6132289</b>	180	
6018970	<b>6021514</b>	81							6724291	<b>6132168</b>	197	6724376	<b>6132291</b>	185	
6019212	<b>6021697</b>	76				6667574	<b>6026796</b>	70	6724307	<b>6132169</b>	197	6724383	<b>6132293</b>	177	
6019274	<b>6021700</b>	80	6027132	<b>6024009</b>	106	6332953	<b>6026818</b>	70	6724314	<b>6132170</b>	198	6724390	<b>6132294</b>	177	
6019335	<b>6021719</b>	76	6027255	<b>6024025</b>	106	6333011	<b>6026826</b>	70	6724321	<b>6132171</b>	198	6720071	<b>6132296</b>	182	
6019397	<b>6021727</b>	80	6027316	<b>6024033</b>	106	6333073	<b>6026834</b>	70	6724338	<b>6132172</b>	198	6725366	<b>6132297</b>	182	
6019458	<b>6021735</b>	76				6667635	<b>6026842</b>	72	6725281	<b>6132173</b>	198	6725373	<b>6132298</b>	182	
6019519	<b>6021743</b>	81	5787235	<b>6024070</b>	115	6640874	<b>6026850</b>	72	6725298	<b>6132174</b>	198	6725380	<b>6132300</b>	188	
	price/m <b>6021514</b>					6640935	<b>6026869</b>	72	6725304	<b>6132175</b>	198	6725397	<b>6132302</b>	180	
6019816	<b>6021840</b>	86	6027439	<b>6024106</b>	107	6030675	<b>6026982</b>	107	6725311	<b>6132176</b>	198	6725403	<b>6132303</b>	180	
6019878	<b>6021859</b>	88	6638116	<b>6024432</b>	90	6030736	<b>6026990</b>	107	6725328	<b>6132177</b>	198	6733446	<b>6132304</b>	199	
6019939	<b>6021867</b>	92	6639496	<b>6024440</b>	96				6732869	<b>6132178</b>	186	6726509	<b>6132305</b>	185	
6019991	<b>6021875</b>	94	7250720	<b>6024468</b>	102	6667697	<b>6027016</b>	74	6732876	<b>6132179</b>	186	6726516	<b>6132306</b>	185	
6637577	<b>6021883</b>	90	7250706	<b>6024476</b>	102	6667758	<b>6027024</b>	76	6726615	<b>6132190</b>	196	6730872	<b>6132308</b>	178	
6638956	<b>6021891</b>	96	7250744	<b>6024484</b>	102	6667819	<b>6027032</b>	78	6726639	<b>6132193</b>	177	6793983	<b>6132320</b>	185	
6020119	<b>6021913</b>	84	7250768	<b>6024506</b>	102	6667871	<b>6027040</b>	80	6726646	<b>6132195</b>	187	6718856	<b>6132540</b>	226	
6020171	<b>6021948</b>	82				6667994	<b>6027105</b>	82	6726424	<b>6132197</b>	187	6718863	<b>6132544</b>	226	
			6638291	<b>6024521</b>	90	6668052	<b>6027113</b>	84	6726431	<b>6132199</b>	187	6718870	<b>6132546</b>	226	
6020232	<b>6022006</b>	84	6639670	<b>6024548</b>	96	6668113	<b>6027121</b>	86	6719211	<b>6132201</b>	177	6719044	<b>6132548</b>	226	
6020294	<b>6022014</b>	86	7250829	<b>6024573</b>	102	6668175	<b>6027148</b>	88	6719235	<b>6132205</b>	196	6719051	<b>6132550</b>	227	
6020355	<b>6022022</b>	88	7250805	<b>6024581</b>	102	6668236	<b>6027156</b>	90	6719969	<b>6132207</b>	188	6719242	<b>6132552</b>	227	
6637515	<b>6022030</b>	90				6668298	<b>6027164</b>	92	6719976	<b>6132208</b>	182	6719259	<b>6132554</b>	227	
6020416	<b>6022049</b>	92	6638475	<b>6024599</b>	90	6668359	<b>6027172</b>	94	6719990	<b>6132211</b>	179	6719266	<b>6132556</b>	227	
6638895	<b>6022057</b>	96	6639854	<b>6024602</b>	97	6668410	<b>6027180</b>	96	6720002	<b>6132212</b>	179	6719273	<b>6132560</b>	228	
6020478	<b>6022065</b>	94	7250843	<b>6024611</b>	102	6668472	<b>6027229</b>	98	6720019	<b>6132214</b>	184	6719280	<b>6132562</b>	228	
	/pc. <b>6022065</b>		7250867	<b>6024630</b>	102	6668533	<b>6027237</b>	100	6720026	<b>6132215</b>	184	6719297	<b>6132564</b>	228	
6020539	<b>6022073</b>	82	7250522	<b>6024654</b>	98	6668595	<b>6027245</b>	102	6720033	<b>6132217</b>	180	6719303	<b>6132566</b>	228	
6020713	<b>6022111</b>	84	7250508	<b>6024689</b>	98	6668656	<b>6027253</b>	104	6720040	<b>6132218</b>	180	6719310	<b>6132568</b>	227	
6020836	<b>6022146</b>	86				6642878	<b>6027300</b>	43	6720590	<b>6132221</b>	185	6734078	<b>6132569</b>	229	
6020959	<b>6022162</b>	88	6638659	<b>6024769</b>	91	6642885	<b>6027301</b>	43	6720606	<b>6132222</b>	185	6719327	<b>6132570</b>	230	
6021079	<b>6022189</b>	92	6640034	<b>6024777</b>	96				6719822	<b>6132223</b>	186	6719334	<b>6132572</b>	230	
6021130	<b>6022197</b>	94	6637935	<b>6024823</b>	91	5396703	<b>6027318</b>	64	6719839	<b>6132224</b>	186	6719341	<b>6132574</b>	230	
6021253	<b>6022219</b>	84	6639311	<b>6024831</b>	97	7005023	<b>6027321</b>	62	6720613	<b>6132225</b>	178	6719358	<b>6132576</b>	230	
6021376	<b>6022235</b>	86	6028214	<b>6024858</b>	98				6720620	<b>6132226</b>	178	6719365	<b>6132580</b>	231	
6021499	<b>6022251</b>	88	6028276	<b>6024874</b>	100	5164210	<b>6027325</b>	51	6719846	<b>6132229</b>	186	6728602	<b>6132582</b>	231	
6021611	<b>6022286</b>	92	6028337	<b>6024882</b>	102	5164227	<b>6027335</b>	53	6720644	<b>6132230</b>	183	6719372	<b>6132584</b>	231	
6021673	<b>6022294</b>	94	6651375	<b>6024904</b>	104	5164265	<b>6027360</b>	58	6719853	<b>6132231</b>	183	6734092	<b>6132585</b>	231	
6021796	<b>6022316</b>	85				5773399	<b>6027372</b>	66	6719860	<b>6132232</b>	183	6719389	<b>6132586</b>	231	
6021918	<b>6022332</b>	87	6667338	<b>6024947</b>	50	7005207	<b>6027374</b>	64	6726448	<b>6132234</b>	187	6734139	<b>6132594</b>	232	
6022038	<b>6022359</b>	88	7005054	<b>6024949</b>	50				6719884	<b>6132235</b>	189	6727698	<b>6132600</b>	254	
6022151	<b>6022375</b>	92				6639137	<b>6027504</b>	112	6719891	<b>6132236</b> </td					

# Numeric directory

GTIN	Item no.	Page	GTIN	Item no.	Page	GTIN	Item no.	Page	GTIN	Item no.	Page	GTIN	Item no.	Page
5154549	price/m <b>6150334</b>	38	6579495	/pc. <b>6158374</b>	66	6581894	/pc. <b>6161200</b>	59	6111671	/pc. <b>6169317</b>	108	5922865	/pc. <b>6176000</b>	126
6507191	<b>6150632</b>	68	6579679	<b>6158382</b>	69	6582075	<b>6161219</b>	52	6111732	<b>6169325</b>	112	5814955	<b>6176004</b>	128
6975686	<b>6150640</b>	68	6580033	<b>6158404</b>	70	6582259	<b>6161227</b>	54	6782291	<b>6169368</b>	109	5814962	<b>6176008</b>	130
6615766	<b>6150702</b>	42	6580217	<b>6158412</b>	74	6582433	<b>6161235</b>	66	6111855	<b>6169376</b>	108	5814979	<b>6176012</b>	132
6623846	<b>6150703</b>	42	6641536	<b>6158420</b>	72	6582617	<b>6161243</b>	69	6111916	<b>6169384</b>	109	5814986	<b>6176016</b>	134
	price/m /pc.		6580392	<b>6158455</b>	59	6582976	<b>6161278</b>	70	6782475	<b>6169422</b>	110	5815020	<b>6176020</b>	136
6098170	<b>6150756</b>	62	6580576	<b>6158463</b>	52	6641772	<b>6161286</b>	72	6112098	<b>6169430</b>	109	5922919	<b>6176036</b>	126
6492251	<b>6150764</b>	62	6580750	<b>6158471</b>	54	6583157	<b>6161294</b>	74	6112159	<b>6169449</b>	110	5815037	<b>6176040</b>	128
6508037	<b>6150772</b>	40	6580934	<b>6158498</b>	67	6107711	<b>6161308</b>	76				5815044	<b>6176044</b>	130
6491773	<b>6150780</b>	40	6581115	<b>6158051</b>	69	6107773	<b>6161316</b>	79				5815075	<b>6176048</b>	132
	price/m /pc.		6581474	<b>6158536</b>	71	6107834	<b>6161324</b>	81	5933779	<b>6175375</b>	122	5815082	<b>6176052</b>	134
6098293	<b>6152007</b>	64	6641895	<b>6158552</b>	73	6108138	<b>6161510</b>	85	5933953	<b>6175390</b>	124	5922971	<b>6176072</b>	126
6098354	<b>6152015</b>	40	6581832	<b>6158587</b>	59	6108190	<b>6161529</b>	87	5933991	<b>6175392</b>	124	5815105	<b>6176076</b>	128
6507610	<b>6152031</b>	51	6582013	<b>615895</b>	52	6108251	<b>6161537</b>	88	5812456	<b>6175400</b>	126	5815112	<b>6176080</b>	130
6098477	<b>6152058</b>	53	6582198	<b>6158609</b>	54	6108312	<b>6161545</b>	92	5812463	<b>6175405</b>	128	5815129	<b>6176084</b>	132
6507375	<b>6152082</b>	68	6582372	<b>6158617</b>	66	6108374	<b>6161553</b>	94	5812470	<b>6175410</b>	130	5815136	<b>6176088</b>	134
6507252	<b>6152104</b>	61	6582556	<b>6158625</b>	69	6638536	<b>6161561</b>	90	5812487	<b>6175415</b>	132	5815143	<b>6176092</b>	136
6098712	<b>6152309</b>	65	6582914	<b>6158641</b>	70	6639915	<b>6161596</b>	97	5812494	<b>6175420</b>	134		/100 pc.	
6098774	<b>6152317</b>	41	6583096	<b>6158668</b>	74	7251123	<b>6161708</b>	103	5812500	<b>6175425</b>	136	5817864	<b>6176122</b>	112
6507795	<b>6152384</b>	62	6641710	<b>6158676</b>	72	7251109	<b>6161716</b>	103	5933977	<b>6175457</b>	124	5817895	<b>6176125</b>	112
6099139	<b>6152600</b>	64	6642618	<b>6158692</b>	50	7251147	<b>6161759</b>	103	5817789	<b>6175460</b>	126	5817901	<b>6176128</b>	113
6099191	<b>6152619</b>	40	6434473	<b>6158706</b>	59	7251161	<b>6161775</b>	103	5817796	<b>6175463</b>	128	5817918	<b>6176131</b>	113
6507733	<b>6152686</b>	62	6434534	<b>6158714</b>	52				5817802	<b>6175466</b>	130			
	6434596		<b>6158722</b>	54	6580453	<b>6161901</b>	59	5817833	<b>6175469</b>	132			price/m	
6099559	<b>6153003</b>	64	6434657	<b>6158730</b>	67	6580637	<b>6161928</b>	52	5817840	<b>6175472</b>	134	6000050	<b>6178001</b>	214
6099610	<b>6153011</b>	40	6434718	<b>6158749</b>	69	6580811	<b>6161936</b>	54	5817857	<b>6175475</b>	136	6000173	<b>6178003</b>	214
6507917	<b>6153089</b>	61	6584178	<b>6158765</b>	71	6580996	<b>6161944</b>	67	5812517	<b>6175500</b>	138	6000296	<b>6178005</b>	214
6099979	<b>6153291</b>	64	6583270	<b>6158773</b>	75	6581177	<b>6161952</b>	69	5812524	<b>6175504</b>	138	6000418	<b>6178010</b>	214
6804498	<b>6153305</b>	40	6643158	<b>6158781</b>	60	6581535	<b>6161979</b>	71				6000531	<b>6178012</b>	215
6507856	<b>6153372</b>	61	6434831	<b>6158803</b>	73	6641956	<b>6161987</b>	73	5933946	<b>6175540</b>	123	6000654	<b>6178014</b>	215
6100392	<b>6153593</b>	63	6507559	<b>6158838</b>	51	6581719	<b>6161995</b>	75	5934233	<b>6175546</b>	125	6000777	<b>6178016</b>	215
6100453	<b>6153607</b>	41	6507498	<b>6158846</b>	53				5813910	<b>6175550</b>	127	6000890	<b>6178018</b>	215
6507672	<b>6153674</b>	62	6507436	<b>6158889</b>	68	6108619	<b>6162002</b>	77	5813927	<b>6175554</b>	129	6001132	<b>6178026</b>	216
	6103997		<b>6159370</b>	108	6108671	<b>6162010</b>	79	5813934	<b>6175558</b>	131	6001255	<b>6178028</b>	216	
6492138	<b>6154026</b>	63	6103997	<b>6159370</b>	108	6108732	<b>6162029</b>	81	5813941	<b>6175562</b>	133	6001378	<b>6178031</b>	216
6491650	<b>6154034</b>	40				6108978	<b>6162207</b>	83	5813958	<b>6175566</b>	135	6001491	<b>6178033</b>	216
6615773	<b>6154042</b>	43	6577637	<b>6160018</b>	58	6109036	<b>6162215</b>	85	5813965	<b>6175570</b>	137	6001613	<b>6178035</b>	217
	6577811		<b>6160026</b>	51	6109098	<b>6162223</b>	87	5933809	<b>6175572</b>	122	6001736	<b>6178037</b>	217	
6974481	<b>6154069</b>	61	6577996	<b>6160034</b>	53	6109159	<b>6162231</b>	89	5934073	<b>6175578</b>	124	6001859	<b>6178039</b>	217
6491957	<b>6154115</b>	65	6578177	<b>6160042</b>	66	6109210	<b>6162258</b>	93	5922780	<b>6175581</b>	126	6002214	<b>6178050</b>	217
6491476	<b>6154123</b>	41	6578351	<b>6160050</b>	68	6109272	<b>6162266</b>	95	5814016	<b>6175590</b>	128	6002337	<b>6178052</b>	218
6615803	<b>6154132</b>	44	6578719	<b>6160077</b>	70	6638710	<b>6162274</b>	91	5814023	<b>6175594</b>	130	6002450	<b>6178054</b>	218
	6641413		<b>6160085</b>	72	6640096	<b>6162290</b>	96	5814030	<b>6175598</b>	132	6002573	<b>6178056</b>	218	
6493272	<b>6154166</b>	62	6584598	<b>6160093</b>	74	6643219	<b>6162487</b>	60	5814047	<b>6175602</b>	134	6002696	<b>6178059</b>	218
6491896	<b>6154212</b>	63	6105915	<b>6160107</b>	76	6642670	<b>6162495</b>	50	5814054	<b>6175606</b>	136	6002818	<b>6178061</b>	219
6491414	<b>6154220</b>	40	6105977	<b>6160115</b>	78	6583454	<b>6162509</b>	59	5933830	<b>6175612</b>	122		/100 pc.	
6615810	<b>6154232</b>	44	6106035	<b>6160123</b>	80	6583577	<b>6162517</b>	52	5934127	<b>6175618</b>	124	6008339	<b>6178092</b>	248
	6106271		<b>6160301</b>	82	6583690	<b>6162525</b>	54	5922841	<b>6175624</b>	126		price/m		
6493333	<b>6154255</b>	62	6106332	<b>6160328</b>	84	6583812	<b>6162533</b>	67	5814061	<b>6175626</b>	128	6004850	<b>6178201</b>	220
6492077	<b>6154328</b>	63	6106394	<b>6160336</b>	86	6583935	<b>6162541</b>	69	5814078	<b>6175630</b>	130	6004973	<b>6178203</b>	220
6491599	<b>6154336</b>	40	6106455	<b>6160344</b>	88	6584239	<b>6162576</b>	71	5814085	<b>6175634</b>	132	6005093	<b>6178205</b>	220
6615780	<b>6154342</b>	43	6106516	<b>6160352</b>	92	6641239	<b>6162584</b>	73	5814092	<b>6175638</b>	134	6005215	<b>6178207</b>	220
	6106578		<b>6160360</b>	94	6583331	<b>6162592</b>	75	5814108	<b>6175642</b>	136	6005307	<b>6178209</b>	221	
6974542	<b>6154360</b>	61	6638178	<b>6160379</b>	90	6109517	<b>6162606</b>	77	5933885	<b>6175648</b>	123	6005406	<b>6178211</b>	221
6492015	<b>6154417</b>	63	6639557	<b>6160395</b>	96	6109579	<b>6162614</b>	79	5934158	<b>6175654</b>	125	6005505	<b>6178213</b>	221
6491537	<b>6154425</b>	40	7250546	<b>6160485</b>	98	6109630	<b>6162622</b>	81	5922896	<b>6175658</b>	126	6005802	<b>6178225</b>	221
6615797	<b>6154432</b>	43	7250560	<b>6160493</b>	98	6109876	<b>6162800</b>	83	5814115	<b>6175662</b>	128	6005932	<b>6178227</b>	222
	7250621		<b>6160550</b>	98	6109937	<b>6162819</b>	85	5814122	<b>6175666</b>	130	6006052	<b>6178229</b>	222	
6493210	<b>6154468</b>	61				6109999	<b>6162827</b>	87	5814139	<b>6175670</b>	132	6006175	<b>6178231</b>	222
6491834	<b>6154514</b>	63	6579013	<b>6160603</b>	58	6110056	<b>6162835</b>	89	5814146	<b>6175674</b>	134	6006298	<b>6178233</b>	222
6491353	<b>6154522</b>	41	6579198	<b>6160611</b>	51	6110117	<b>6162843</b>	93	5814153	<b>6175678</b>	136	6006410	<b>6178236</b>	223
6615827	<b>6154532</b>	44	6579372	<b>6160638</b>	53	6110179	<b>6162851</b>	95	5933915	<b>617</b>				

# Numeric directory

GTIN	Item no.	Page	GTIN	Item no.	Page	GTIN	Item no.	Page	GTIN	Item no.	Page	GTIN	Item no.	Page	
	price/m			/pc.			price/m			/pc.			7251581	<b>6193410</b>	103
6013319	<b>6178422</b>	239	6676453	<b>6182607</b>	84	6494590	<b>6191029</b>	53	5959137	<b>6192448</b>	47	7251697	<b>6193412</b>	103	
6013432	<b>6178424</b>	239	6676514	<b>6182615</b>	86	6794171	<b>6191037</b>	58	5959113	<b>6192449</b>	47	7251383	<b>6193414</b>	99	
6013555	<b>6178426</b>	239	6676576	<b>6182623</b>	88	6496938	<b>6191045</b>	60	5959120	<b>6192450</b>	47	7251482	<b>6193415</b>	99	
6013678	<b>6178428</b>	240	6676637	<b>6182631</b>	90	6505036	<b>6191053</b>	66	5959106	<b>6192451</b>	47		/pc.		
6013791	<b>6178430</b>	240	6676699	<b>6182658</b>	92	6794232	<b>6191061</b>	68	6796212	<b>6192459</b>	52	5959076	<b>6193496</b>	46	
6013913	<b>6178435</b>	240	6676750	<b>6182666</b>	94	6794294	<b>6191096</b>	70	6494774	<b>6192467</b>	54	5959069	<b>6193498</b>	46	
6014033	<b>6178437</b>	240	6676811	<b>6182674</b>	96	6497058	<b>6191118</b>	72	6796274	<b>6192475</b>	59	6223695	<b>6193501</b>	51	
6014156	<b>6178439</b>	241	7251260	<b>6182713</b>	103	6363490	<b>6191126</b>	74	6504978	<b>6192483</b>	67	6975266	<b>6193528</b>	53	
6015184	<b>6178441</b>	241	7250928	<b>6182748</b>	99	6794355	<b>6191134</b>	76	6796335	<b>6192491</b>	69	6507313	<b>6193560</b>	68	
6040209	<b>6178480</b>	223	7250904	<b>6182764</b>	99	6794416	<b>6191142</b>	78	6796397	<b>6192513</b>	71	5461814	<b>6193580</b>	78	
6040322	<b>6178482</b>	223		/pc.		6501199	<b>6191150</b>	80	6497232	<b>6192521</b>	73	5462170	<b>6193582</b>	78	
6040445	<b>6178484</b>	223	6672851	<b>6182801</b>	59	6363018	<b>6191193</b>	82	6796458	<b>6192548</b>	75	5461821	<b>6193586</b>	80	
6040568	<b>6178486</b>	223	6672912	<b>6182852</b>	67	6491292	<b>6191207</b>	84	6796519	<b>6192556</b>	77	5462187	<b>6193588</b>	80	
6040681	<b>6178488</b>	224	6672974	<b>6182887</b>	71	6363438	<b>6191215</b>	86	6796571	<b>6192564</b>	79	5461838	<b>6193590</b>	84	
6040803	<b>6178490</b>	224	6673032	<b>6182995</b>	73	6363377	<b>6191223</b>	88	6500833	<b>6192572</b>	81	5462217	<b>6193592</b>	84	
6040926	<b>6178492</b>	224	6673094	<b>6182917</b>	75	6491230	<b>6191231</b>	90	6351794	<b>6192610</b>	83	5461845	<b>6193596</b>	86	
6041282	<b>6178504</b>	241	6673155	<b>6182925</b>	77	6363193	<b>6191258</b>	92	6492435	<b>6192629</b>	85	5462224	<b>6193598</b>	86	
6041404	<b>6178506</b>	241	6673216	<b>6182933</b>	79	6794478	<b>6191266</b>	94	6712519	<b>6192637</b>	87	5959175	<b>6193708</b>	48	
6041527	<b>6178508</b>	242	6673278	<b>6182941</b>	81	6799459	<b>6191274</b>	96	6712571	<b>6192645</b>	89	5959168	<b>6193710</b>	48	
6041640	<b>6178510</b>	242				5042273	<b>6191304</b>	98	6492497	<b>6192653</b>	91	5959205	<b>6193728</b>	48	
6041763	<b>6178512</b>	242	6677054	<b>6183018</b>	83	5042280	<b>6191312</b>	100	6712632	<b>6192661</b>	93	5978053	<b>6193729</b>	48	
6041886	<b>6178514</b>	242	6677115	<b>6183026</b>	85	5042297	<b>6191347</b>	102	6796632	<b>6192688</b>	95	5959182	<b>6193730</b>	48	
	/100 pc.		6677177	<b>6183034</b>	87	5042303	<b>6191355</b>	104	6492558	<b>6192696</b>	96	5978060	<b>6193731</b>	48	
6014279	<b>6178520</b>	249	6677238	<b>6183042</b>	89	6502936	<b>6191568</b>	110	5959151	<b>6192740</b>	47	7250126	<b>6193825</b>	99	
6337057	<b>6178525</b>	249	6677290	<b>6183050</b>	91	6502752	<b>6191592</b>	110	5959144	<b>6192742</b>	47	7250140	<b>6193827</b>	99	
	/pc.		6677351	<b>6183069</b>	93	6796742	<b>6191630</b>	117	6796694	<b>6192750</b>	52	7250201	<b>6193831</b>	100	
6014514	<b>6178527</b>	249	6677412	<b>6183077</b>	95	6502578	<b>6191657</b>	111	6494835	<b>6192769</b>	54	7250188	<b>6193860</b>	100	
6014637	<b>6178529</b>	249	6677474	<b>6183085</b>	96	6502516	<b>6191673</b>	111	6796755	<b>6192777</b>	59	7250225	<b>6193864</b>	100	
6688791	<b>6178533</b>	250	6673391	<b>6183212</b>	59	6502455	<b>6191703</b>	116	6504916	<b>6192785</b>	66	7250249	<b>6193866</b>	100	
	/100 pc.		66773452	<b>6183255</b>	66	6502394	<b>6191738</b>	112	6796816	<b>6192793</b>	69				
6014873	<b>6178540</b>	250	6673513	<b>6183298</b>	70		/pc.		6796878	<b>6192815</b>	70		/pc.		
6014996	<b>6178542</b>	250	6673575	<b>6183301</b>	72	5959359	<b>6191833</b>	46	6497294	<b>6192823</b>	72	6448272	<b>6194036</b>	108	
6015061	<b>6178548</b>	252	6673636	<b>6183336</b>	74	5959342	<b>6191835</b>	46	6796939	<b>6192831</b>	74	6448098	<b>6194044</b>	108	
	price/m		6673698	<b>6183344</b>	76	6794652	<b>6191843</b>	51	6796991	<b>6192858</b>	76	6447978	<b>6194052</b>	108	
5803751	<b>6178552</b>	244	6673759	<b>6183352</b>	79	6494651	<b>6191851</b>	53	6797059	<b>6192866</b>	79	6447497	<b>6194060</b>	108	
5803768	<b>6178556</b>	245	6673810	<b>6183360</b>	81	6794713	<b>6191878</b>	58	6496990	<b>6192874</b>	81	6628636	<b>6194109</b>	108	
5803799	<b>6178559</b>	245	6677719	<b>6183409</b>	82	6502219	<b>6191886</b>	66	6712694	<b>6192912</b>	82	6628575	<b>6194117</b>	109	
5803805	<b>6178563</b>	245	6677771	<b>6183417</b>	85	6794775	<b>6191894</b>	68	6492619	<b>6192920</b>	85	6628513	<b>6194125</b>	109	
5803812	<b>6178566</b>	245	6677832	<b>6183425</b>	87	6794836	<b>6191924</b>	70	6712755	<b>6192939</b>	87	6628452	<b>6194133</b>	109	
5803744	<b>6178582</b>	244	6677894	<b>6183433</b>	88	6976829	<b>6191932</b>	72	6712816	<b>6192947</b>	88	6628391	<b>6194141</b>	109	
5803829	<b>6178585</b>	244	6677955	<b>6183441</b>	90	6794898	<b>6191940</b>	74	6492671	<b>6192955</b>	90	6628339	<b>6194184</b>	109	
5803836	<b>6178588</b>	244	6678013	<b>6183468</b>	92	6794959	<b>6191959</b>	76	6712878	<b>6192963</b>	92	6618910	<b>6194192</b>	110	
	/pc.		6678075	<b>6183476</b>	94	6795017	<b>6191967</b>	78	6797110	<b>6192971</b>	94	6618859	<b>6194206</b>	110	
6149100	<b>6178643</b>	250	6678136	<b>6183484</b>	97	6221110	<b>6191975</b>	80	6492732	<b>6192998</b>	97	6349814	<b>6194214</b>	110	
	/100 pc.		7250942	<b>6183523</b>	99										
6017829	<b>6178650</b>	248	7250966	<b>6183531</b>	99	6362950	<b>6192017</b>	82	7250423	<b>6193026</b>	104		price/m		
	price/m		7251024	<b>6183574</b>	99	6799879	<b>6192025</b>	84	7250386	<b>6193030</b>	104	6651672	<b>6246966</b>	147	
5981459	<b>6178670</b>	246		/pc.		6362776	<b>6192033</b>	86	7250447	<b>6193034</b>	104	6118878	<b>6246974</b>	148	
5981466	<b>6178674</b>	246	6673933	<b>6183603</b>	50	6362479	<b>6192041</b>	88	7250102	<b>6193078</b>	99	6746866	<b>6246985</b>	150	
5981473	<b>6178678</b>	246	6673995	<b>6183611</b>	59	6800056	<b>6192068</b>	90	7250072	<b>6193080</b>	99		price/m		
5981480	<b>6178682</b>	246	6674053	<b>6183654</b>	60	6362233	<b>6192076</b>	92	7250461	<b>6193081</b>	104	6651733	<b>6246990</b>	152	
5981497	<b>6178686</b>	246	6674114	<b>6183662</b>	67	6795079	<b>6192084</b>	94							
	/pc.		6674176	<b>6183697</b>	71	6800896	<b>6192092</b>	96	6056033	<b>6193088</b>	48	6311897	<b>6247016</b>	154	
	/pc.		6674237	<b>6183700</b>	73	7251000	<b>6192107</b>	100	6056026	<b>6193093</b>	48	6977369	<b>6247091</b>	156	
6674657	<b>6182011</b>	58	6674299	<b>6183727</b>	75	7251048	<b>6192111</b>	100	6797172	<b>6193099</b>	50	6312139	<b>6247113</b>	158	
6674718	<b>6182026</b>	66	6674350	<b>6183735</b>	77	7251062	<b>6192115</b>	100	6797233	<b>6193102</b>	52	6312191	<b>6247148</b>	160	
6674770	<b>6182097</b>	70	6674411	<b>6183743</b>	79		/pc.		6797562	<b>6193110</b>	54	6312252	<b>6247164</b>	162	
6674831	<b>6182100</b>	72	6674473	<b>6183751</b>	81	5959090	<b>6192139</b>	47	6797295	<b>6193129</b>	59	5691006	<b>6247194</b>	164	
6674893	<b>6182119</b>	74	6678372	<b>6183808</b>	83	5959083	<b>6192141</b>	46	6976768	<b>6193137</b>	60		/pc.		
6674954	<b>6182127</b>	76	6678433	<b>6183816</b>	85	6795253	<b>6192149</b>	51	6504794	<b>6193145</b>	67	6652754	<b>6247431</b>	147	
6675012	<b>6182135</b>	78	6678495	<b>6183824</b>	87	6494712	<b>6192157</b>	53	6797356	<b>6193153</b>	69	6118991	<b>6247434</b>	148	
6675074	<b>6182143</b>	80	6678556	<b>6183832</b>	89	6795314	<b>6192165</b>	58	6797417						

GTIN	Item no.	Page	GTIN	Item no.	Page
	/pc.			price/m	
6313037	<b>6248071</b>	160	6644896	<b>6249876</b>	166
6313099	<b>6248098</b>	162	5762898	<b>6249880</b>	166
6977185	<b>6248128</b>	156		/pc.	
6313396	<b>6248144</b>	158	5685081	<b>6249881</b>	167
6313457	<b>6248152</b>	160		/100 pc.	
6313518	<b>6248160</b>	162	5699170	<b>6249882</b>	166
6503599	<b>6248187</b>	156	6119233	<b>6249884</b>	166
6317837	<b>6248209</b>	158	6119295	<b>6249888</b>	167
6317899	<b>6248217</b>	160		/pc.	
6317950	<b>6248225</b>	162	6315376	<b>6249906</b>	167
6503353	<b>6248284</b>	157	6315499	<b>6249922</b>	167
6575596	<b>6248306</b>	159	6315611	<b>6249965</b>	167
6575657	<b>6248314</b>	161	6315673	<b>6249981</b>	168
6575718	<b>6248322</b>	163			
5699026	<b>6248328</b>	165			
5699033	<b>6248332</b>	164			
5699040	<b>6248336</b>	164			
5699057	<b>6248340</b>	164			
5699064	<b>6248344</b>	165			
5699095	<b>6248428</b>	165			
5699101	<b>6248432</b>	164			
5699118	<b>6248436</b>	164			
5699125	<b>6248450</b>	164			
5699156	<b>6248454</b>	165			
	price/m				
6651795	<b>6248462</b>	147			
6119059	<b>6248470</b>	148			
6746873	<b>6248489</b>	150			
	price/m				
6651856	<b>6248497</b>	152			
6313570	<b>6248519</b>	154			
6977307	<b>6248608</b>	156			
6313815	<b>6248624</b>	158			
6313877	<b>6248640</b>	160			
6313938	<b>6248667</b>	162			
5691013	<b>6248694</b>	164			
	/pc.				
6652570	<b>6248993</b>	153			
6313990	<b>6249000</b>	155			
6652334	<b>6249086</b>	152			
6314232	<b>6249094</b>	154			
6652211	<b>6249167</b>	152			
6314478	<b>6249175</b>	154			
6652457	<b>6249256</b>	152			
6318018	<b>6249264</b>	154			
7269388	<b>6249410</b>	150			
	/pc.				
6652693	<b>6249418</b>	153			
6575350	<b>6249426</b>	155			
6503414	<b>6249485</b>	157			
6314713	<b>6249507</b>	159			
6314775	<b>6249515</b>	161			
6314836	<b>6249523</b>	163			
6503650	<b>6249558</b>	156			
6314898	<b>6249574</b>	158			
6314959	<b>6249582</b>	160			
6315017	<b>6249590</b>	162			
6977123	<b>6249612</b>	156			
6315079	<b>6249639</b>	158			
6315130	<b>6249647</b>	160			
6315192	<b>6249655</b>	162			
6503537	<b>6249671</b>	156			
6318254	<b>6249701</b>	158			
6318315	<b>6249728</b>	160			
6318377	<b>6249736</b>	162			
6503292	<b>6249795</b>	157			
6575770	<b>6249817</b>	159			
6575831	<b>6249825</b>	161			
6575893	<b>6249833</b>	163			
6018598	<b>6249842</b>	147			
6018710	<b>6249844</b>	148			
6018833	<b>6249846</b>	153			
6863686	<b>6249847</b>	150			
	/pc.				
6018956	<b>6249848</b>	155			
6019076	<b>6249850</b>	157			
5020325	<b>6249852</b>	159			
5020387	<b>6249854</b>	161			
5020394	<b>6249856</b>	163			
5691037	<b>6249865</b>	165			
6678006	<b>6249871</b>	166			

# Type listing

Type	GTIN	Item no.	Page	Type	GTIN	Item no.	Page
2064 GTP 2M	5044291	1115057	251	price/100		/pc.	
2064 GTPL 2M	5044352	1115065	252	D2-1 130RW	6448098	6194044	108
2069 15 1.5 GTPL	5044895	1115456	251	D2-1 150RW	6447978	6194052	108
2069 2M GTP	5045434	1115650	251	D2-1 170CW	6111732	6169325	112
2069 2M GTPL	5045496	1115669	251	D2-1 170RW	6447497	6194060	108
		/100 pc.		D2-2 110CW	6111855	6169376	108
2370 110	6026173	6023517	113	D2-2 110GR	6103997	6159370	108
2370 110	6026173	6023517	139	D2-2 110RW	6628636	6194109	108
2370 130	6026234	6023525	114	D2-2 130CW	6111916	6169384	109
2370 130	6026234	6023525	139	D2-2 130RW	6628575	6194117	109
2370 150	6637874	6023533	114	D2-2 150CW	6782291	6169368	109
2370 150	6637874	6023533	140	D2-2 150RW	6628513	6194125	109
2370 170	6026296	6023541	114	D2-2 170RW	6628452	6194133	109
2370 170	6026296	6023541	140	D2-2 210RW	6628391	6194141	109
2370 210	6026357	6023576	114	D2-3 110CW	6112098	6169430	109
2370 210	6026357	6023576	140	D2-3 110RW	6628339	6194184	109
2370 210	6026357	6023576	140	D2-3 130CW	6112159	6169449	110
2370 230	6639250	6023584	114	D2-3 130RW	6618910	6194192	110
2370 230	6639250	6023584	140	D2-3 150CW	6782475	6169422	110
2370 60	6023776	6022995	113	D2-3 150RW	6618859	6194206	110
2370 60	6023776	6022995	139	D2-3 170RW	6349814	6194214	110
2370 90	6026111	6023509	113	ECK 3535 cws	6723201	6131153	118
2370 90	6026111	6023509	139	ECK 3535 cws	6723195	6131152	118
		price/m		ECK 3535 rws	6723225	6131155	118
2371 100	6030736	6026990	107	ECK 3535 rws	6723218	6131154	118
2371 40	6024315	6023096	107	ECK 5050 cws	6723232	6131162	119
2371 60	6024377	6023118	107	ECK 5050 cws	6723249	6131163	119
2371 80	6030675	6026982	107	ECK 5050 rws	6723263	6131165	119
		/pc.		ECK 5050 rws	6723256	6131164	119
2390	6024919	6023207	106	KNW1	6014514	6178527	249
2392	6027132	6024009	106	KNW2	6014637	6178529	249
2393 16	6027255	6024025	106	KSN1	6014279	/100 pc.	
2393 32	6027316	6024033	106	KSN1	6014279	6178520	249
2393 UP	6027439	6024106	107	KSN2	6337057	6178525	249
		price/m					
2410 110CW	6031030	6027644	111	KSR20020	6018598	/pc.	
2410 110GR	6023295	6022715	116	KSR20030	6018710	6249842	147
2410 110LGR	6669257	6028152	116	KSR30030	6863686	6249844	148
2410 110RW	6976942	6191630	117		6019076	6249847	150
2410 130CW	6031092	6027652	111	KSR40040	6018833	/pc.	
2410 130GR	6023356	6022723	111	KSR40060	6018956	6249846	153
2410 130RW	6502578	6191657	111	KSR60060	5020325	6249852	159
2410 150GR	6637690	6022731	111	KSR60100	5020387	6249854	161
2410 150RW	6502516	6191673	111	KSR60150	5020394	6249856	163
2410 170CW	6031214	6027679	111	KSR60200	5691037	6249865	165
2410 170GR	6023417	6022758	116				
2410 170LGR	6773893	6028187	116	KSR80080	6000050	price/m	
2410 170RW	6502455	6191703	116		6000173	6178001	214
2410 210CW	6031276	6027687	112	LK4 15015	6000173	6178003	214
2410 210GR	6023479	6022774	112	LK4 30015	6000296	6178005	214
2410 210RW	6502394	6191738	112	LK4 30025	6000418	6178010	214
2410 230CW	6639137	6027504	112	LK4 40025	6000531	6178012	215
2410 40CW	6030859	6027601	110	LK4 40040	6000654	6178014	215
2410 40GR	6023110	6022669	110	LK4 40060	6000777	6178016	215
2410 40RW	6502936	6191568	110	LK4 40080	6000890	6178018	215
2410 60CW	6031153	6027660	110	LK4 40100	6001132	6178026	216
2410 60GR	6023172	6022685	110	LK4 60015	6001255	6178028	216
2410 60LGR	6669134	6028136	110	LK4 60025	6001378	6178031	216
2410 60RW	6502752	6191592	110	LK4 60040	6001491	6178033	216
2410 90CW	6030972	6027636	111	LK4 60060	6001613	6178035	217
2410 90GR	6023233	6022707	111	LK4 60080	6001736	6178037	217
2650	6362530	6020801	200	LK4 60100	6001859	6178039	217
		/100 pc.		LK4 60120	6002214	6178050	217
910 SD 6X35	5669197	2351056	115	LK4 80025	6002337	6178052	218
AH1	6014873	6178540	250	LK4 80040	6002450	6178054	218
AH2	6014996	6178542	250	LK4 80060	6002573	6178056	218
AKZ2	6688791	6178533	250	LK4 80080	6002696	6178059	218
		/pc.		LK4 80100	6002818	6178061	219
D2-1 110CW	6111619	6169309	108	LK4 80120	6040803	6178490	224
D2-1 110RW	6448272	6194036	108	LK4 D 100	6040926	6178492	224
D2-1 130CW	6111671	6169317	108	LK4 D 120			

# Type listing

Type	GTIN	Item no.	Page		Type	GTIN	Item no.	Page
LK4 D 15	6040209	6178480	223	price/m	LKM F60060RW	6503414	6249485	157
LK4 D 25	6040322	6178482	223		LKM F60100FS	6312559	6248004	159
LK4 D 40	6040445	6178484	223		LKM F60100RW	6314713	6249507	159
LK4 D 60	6040568	6178486	223		LKM F60150FS	6312610	6248012	161
LK4 D 80	6040681	6178488	224	/100 pc.	LKM F60150RW	6314775	6249515	161
LK4 H	6008339	6178092	248		LKM F60200FS	6312672	6248020	163
		price/m			LKM F60200RW	6314836	6249523	163
LK4 N 60015	6004850	6178201	220		LKM F80080FS	5699026	6248328	165
LK4 N 60025	6004973	6178203	220		LKM F80080RW	5699095	6248428	165
LK4 N 60040	6005093	6178205	220		LKM I40040FS	6652150	6247652	152
LK4 N 60060	6005215	6178207	220		LKM I40040RW	6652211	6249167	152
LK4 N 60080	6005307	6178209	221		LKM I40060FS	6313150	6247660	154
LK4 N 60100	6005406	6178211	221		LKM I40060RW	6314478	6249175	154
LK4 N 60120	6005505	6178213	221		LKM I60060FS	6977185	6248128	156
LK4 N 80025	6005802	6178225	221		LKM I60060RW	6977123	6249612	156
LK4 N 80040	6005932	6178227	222		LKM I60100FS	6313396	6248144	158
LK4 N 80060	6006052	6178229	222		LKM I60100RW	6315079	6249639	158
LK4 N 80080	6006175	6178231	222		LKM I60150FS	6313457	6248152	160
LK4 N 80100	6006298	6178233	222		LKM I60150RW	6315130	6249647	160
LK4 N 80120	6006410	6178236	223		LKM I60200FS	6313518	6248160	162
					LKM I60200RW	6315192	6249655	162
					LKM I80080FS	5699040	6248336	164
LK4H 30030	6718856	6132540	226		LKM I80080RW	5699118	6248436	164
LK4H 40025	6718863	6132544	226					
LK4H 40040	6718870	6132546	226		LKM K140	6119295	6249888	167
LK4H 40060	6719044	6132548	226		LKM K65	5699170	6249882	166
LK4H D 100	6719389	6132586	231		LKM K80	6119233	6249884	166
LK4H D 25	6719365	6132580	231					
LK4H D 40	6734092	6132585	231		LKM KF 60100	5685081	6249881	167
LK4H D 60	6728602	6132582	231		LKM SV20	6652754	6247431	147
LK4H D 80	6719372	6132584	231		LKM SV30	6118991	6247434	148
LK4H N 100100	6719358	6132576	230		LKM SV30	6118991	6247434	150
LK4H N 10040	6719327	6132570	230		LKM SV40	6315253	6247458	152
LK4H N 10060	6719334	6132572	230		LKM SV40	6315253	6247458	154
LK4H N 10080	6719341	6132574	230		LKM SV60	6315314	6247466	156
LK4H N 60025	6719051	6132550	227		LKM SV60	6315314	6247466	158
LK4H N 60040	6719242	6132552	227		LKM SV60	6315314	6247466	160
LK4H N 60060	6719259	6132554	227		LKM SV60	6315314	6247466	162
LK4H N 60080	6719266	6132556	227		LKM SV80	5699019	6247472	164
LK4H N 80025	6719273	6132560	228		LKM T40040FS	6652396	6247725	152
LK4H N 80040	6719280	6132562	228		LKM T40040RW	6652457	6249256	152
LK4H N 80060	6719297	6132564	228		LKM T40060FS	6317592	6247733	154
LK4H N 80080	6719303	6132566	228		LKM T40060RW	6318018	6249264	154
LK4H N 80100	6719310	6132568	229		LKM T60060FS	6503599	6248187	156
LK4H N 80120	6734078	6132569	229		LKM T60060RW	6503537	6249671	156
				/pc.	LKM T60100FS	6317837	6248209	158
					LKM T60100RW	6318254	6249701	158
LKM A40040FS	6652273	6247563	152		LKM T60150FS	6317899	6248217	160
LKM A40040RW	6652334	6249086	152		LKM T60150RW	6318315	6249728	160
LKM A40060FS	6312733	6247571	154		LKM T60200FS	6317950	6248225	162
LKM A40060RW	6314232	6249094	154		LKM T60200RW	6318377	6249736	162
LKM A60060FS	6977062	6248047	156		LKM T80080FS	5699057	6248340	164
LKM A60060RW	6503650	6249558	156		LKM T80080RW	5699125	6248450	164
LKM A60100FS	6312979	6248063	158		LKM TWS45	6678006	6249871	166
LKM A60100RW	6314898	6249574	158					
LKM A60150FS	6313037	6248071	160		LKM TWS55	6644896	6249876	166
LKM A60150RW	6314959	6249582	160		LKM TWS75	5762898	6249880	166
LKM A60200FS	6313099	6248098	162					
LKM A60200RW	6315017	6249590	162		LKM Z100	6315499	6249922	167
LKM A80080FS	5699033	6248332	164		LKM Z150	6315611	6249965	167
LKM A80080RW	5699101	6248432	164		LKM Z200	6315673	6249981	168
LKM E30030FS	7269340	6247876	150		LKM Z60	6315376	6249906	167
LKM E30030RW	7269388	6249410	150					
				/pc.				
LKM E40040FS	6652631	6247881	153		LKM20020FS	6651672	6246966	147
LKM E40040RW	6652693	6249418	153		LKM20020RW	6651795	6248462	147
LKM E40060FS	6575114	6247903	155		LKM20030FS	6118878	6246974	148
LKM E40060RW	6575350	6249426	155		LKM20030RW	6119059	6248470	148
LKM E60060FS	6503353	6248284	157		LKM30030FS	6746866	6246985	150
LKM E60060RW	6503292	6249795	157		LKM30030RW	6746873	6248489	150
LKM E60100FS	6575596	6248306	159					
LKM E60100RW	6575770	6249817	159		LKM40040FS	6651733	6246990	152
LKM E60150FS	6575657	6248314	161		LKM40040RW	6651856	6248497	152
LKM E60150RW	6575831	6249825	161		LKM40060FS	6311897	6247016	154
LKM E60200FS	6575718	6248322	163		LKM40060RW	6313570	6248519	154
LKM E60200RW	6575893	6249833	163		LKM60060FS	6977369	6247091	156
LKM E80080FS	5699064	6248344	165		LKM60060RW	6977307	6248608	156
LKM E80080RW	5699156	6248454	165		LKM60100FS	6312139	6247113	158
LKM F40040FS	6652518	6247490	153		LKM60100RW	6313815	6248624	158
LKM F40040RW	6652570	6248993	153		LKM60150FS	6312191	6247148	160
LKM F40060FS	6312313	6247504	155					
LKM F40060RW	6313990	6249000	155					
LKM F60060FS	6503476	6247989	157					

# Type listing

Type	GTIN	Item no.	Page	Type	GTIN	Item no.	Page
LKM60150RW	6313877	6248640	160	RD DUO HRT 2 20	6724314	6132170	198
LKM60200FS	6312252	6247164	162	RD DUO ISO	6725304	6132175	198
LKM60200RW	6313938	6248667	162	RD ESL40105 cws	6724307	6132169	197
LKM80080FS	5691006	6247194	164	RD ESL40105 rws	6724291	6132168	197
LKM80080RW	5691013	6248694	164	RD ESR40105 cws	6724284	6132167	197
LKV 100100	6011162	6178341	238	RD ESR40105 rws	6719945	6132285	197
LKV 10037	6010806	6178334	237	RD GT40105 cws	6725298	6132174	198
LKV 10050	6010929	6178336	237	RD GT40105 rws	6725281	6132173	198
LKV 10075	6011049	6178338	237	RD IE40105 cws	6723393	6132164	196
LKV 25025	6009411	6178302	234	RD IE40105 rws	6719921	6132280	196
LKV 37025	6009534	6178305	234	RD KUP40105 cws	6725328	6132177	198
LKV 37037	6009657	6178307	234	RD KUP40105 rws	6725311	6132176	198
LKV 50025	6009732	6178310	234	RD OT40105 cws	6727582	6132161	196
LKV 50037	6009831	6178312	235	RD OT40105 rws	6727575	6132160	196
LKV 50050	6009930	6178314	235	RDL OT40105 cws	6726615	6132190	196
LKV 50075	6010073	6178316	235	RDL OT40105 rws	6720835	6132264	196
LKV 75025	6010196	6178320	235	RK-E1117GR /pc.	6543137	6156223	116
LKV 75037	6010318	6178322	236	RK-E1117LGR	6543076	6156231	116
LKV 75050	6010400	6178324	236	RK-K1117	6543199	6156207	116
LKV 75075	6010509	6178326	236	SG2545	6628278	6028411	115
LKV 75100	6010608	6178328	236	SK2545	6628216	6028403	115
LKV 75125	6010707	6178330	237	SL 20110 rws	6723416	6132274	188
LKV D 100	6041763	6178512	242	SL 20110 rws	6719969	6132207	188
LKV D 125	6041886	6178514	242	SL 2050 cws	6719211	6132201	177
LKV D 25	6041822	6178504	241	SL 2050 OT cws	6730872	6132308	178
LKV D 37	6041404	6178506	241	SL 2050 OT rws	6730810	6132150	178
LKV D 50	6041527	6178508	242	SL 2050 rws	6726639	6132193	177
LKV D 75	6041640	6178510	242	SL 2070 cws	6719976	6132208	182
		/100 pc.		SL 2070 lgr	6720842	6132269	182
LKV H	6011285	6178349	248	SL 2070 rws	6727599	6132267	182
LKV H H	6017829	6178650	248	SL AE20110 rws	6720866	6132275	188
		price/m		SL AE2050 cws	6726684	6132266	177
LKV N 100100	6015184	6178441	241	SL AE2050 rws	6726677	6132265	177
LKV N 10037	6013913	6178435	240	SL AE2070 cws	6727629	6132271	182
LKV N 10050	6014033	6178437	240	SL AE2070 lgr	6720859	6132272	182
LKV N 10075	6014156	6178439	241	SL AE2070 rws	6727612	6132270	182
LKV N 75025	6013197	6178420	239	SL BL ANT cws	6726646	6132195	187
LKV N 75037	6013319	6178422	239	SL BL ANT cws	6726646	6132195	190
LKV N 75050	6013432	6178424	239	SL BL ANT rws	6720781	6132258	187
LKV N 75075	6013555	6178426	239	SL BL ANT rws	6720781	6132258	190
LKV N 75100	6013678	6178428	240	SL BL blind cws	6720750	6132252	187
LKV N 75125	6013791	6178430	240	SL BL blind cws	6720750	6132252	190
LKVH 50037	5803744	6178582	244	SL BL blind rws	6726431	6132199	187
LKVH 50050	5803829	6178585	244	SL BL blind rws	6726431	6132199	190
LKVH 50075	5803836	6178588	244	SL BL blind rws	6726431	6132199	190
LKVH D 100	5981480	6178682	246	SL ESl20110 rws	6725380	6132300	188
LKVH D 125	5981497	6178686	246	SL ESl2050 cws	6724390	6132294	177
LKVH D 37	5981459	6178670	246	SL ESl2050 rws	6724383	6132293	177
LKVH D 50	5981466	6178674	246	SL ESl2070 cws	6725366	6132297	182
LKVH D 75	5981473	6178678	246	SL ESl2070 lgr	6725373	6132298	182
LKVH N 75037	5803751	6178552	244	SL ESl2070 rws	6720071	6132296	182
LKVH N 75050	5803768	6178556	245	SL ESl2050 cws	6724345	6132286	189
LKVH N 75075	5803799	6178559	245	SL ESl2050 rws	6723423	6132278	177
LKVH N 75100	5803805	6178563	245	SL ESl2070 cws	6719914	6132277	177
LKVH N 75125	5803812	6178566	245	SL ESl2070 rws	6723454	6132282	182
		/100 pc.		SL ESl2070 rws	6723461	6132283	182
MA45WDK	5787235	6024070	115	SL ESl2070 rws	6723477	6132284	182
MKS 1845 rws	6822287	6131377	56	SL ESl2070 rws	6720057	6132237	185
MKS MFS 1845 KB	6822294	6131380	56	SL ESl2070 rws	6720651	6132238	185
		/100 pc.		SL ESl2070 rws	6720651	6132238	185
OTK H110	5817901	6176128	113	SL ESl2070 rws	6719891	6132236	189
OTK H110	5817901	6176128	138	SL ESl2070 rws	6719839	6132224	186
OTK H150	5817918	6176131	113	SL ESl2070 rws	6719822	6132223	186
OTK H150	5817918	6176131	139	SL ESl2070 rws	6719846	6132229	186
OTK H60	5817864	6176122	112	SL ETler20110rws	6720682	6132242	189
OTK H60	5817864	6176122	138	SL ETler5070 cws	6720668	6132239	185
OTK H90	5817895	6176125	112	SL ETler5070 rws	6720057	6132237	185
OTK H90	5817895	6176125	138	SL ETler5070 rws	6720651	6132238	185
RD 2GT40105 cws	6724338	6132172	198	SL GTler20110rws	6719891	6132236	189
RD 2GT40105 rws	6724321	6132171	198	SL GTO 50-70 cws	6719839	6132224	186
RD 2GK40105 rws	6733446	6132304	199	SL GTO 50-70 rws	6719822	6132223	186
RD 40105 natur	6719235	6132205	196	SL GTSA5070 cws	6726424	6132197	187
RD AE40105 cws	6723508	6132166	196	SL GTSA5070 rws	6726448	6132234	187
RD AE40105 rws	6723409	6132165	196	SL IE20110 rws	6726653	6132259	188

# Type listing

Type	GTIN	Item no.	Page	Type	GTIN	Item no.	Page
SL IE2050 cws	6726455	6132249	177	WDK A100230RW	7250867	6024630	102
SL IE2050 rws	6720743	6132248	177	WDK A80170CW	7250522	6024654	98
SL IE2070 cws	6726486	6132254	182	WDK A80170GR	7250508	6024689	98
SL IE2070 lgr	6726493	6132255	182	WDK A80170LGR	7250546	6160485	98
SL IE2070 rws	6720767	6132253	182	WDK A80170RW	7250560	6160493	98
SL KUP20110 rws	6719884	6132235	189	WDK A80210CW	7250621	6160550	98
SL KUP2050 cws	6720620	6132226	178	WDK A80210GR	7250607	6161104	98
SL KUP2050 rws	6720613	6132225	178	WDK A80210LGR	7250645	6161112	98
SL KUP2070 cws	6719853	6132231	183	WDK A80210RW	7250669	6161155	98
SL KUP2070 lgr	6719860	6132232	183	WDK F100130CW	7251123	6161708	103
SL KUP2070 rws	6720644	6132230	183	WDK F100130GR	7251109	6161716	103
SL2GT20110 rws	6726462	6132250	189	WDK F100130LGR	7251147	6161759	103
SL2GT5070 cws	6720729	6132246	185	WDK F100130RW	7251161	6161775	103
SL2GT5070 lgr	6720736	6132247	185	WDK F100230CW	7251222	6182314	103
SL2GT5070 rws	6720712	6132245	185	WDK F100230GR	7251208	6182349	103
SL2GK5070 cws	6732869	6132178	186	WDK F100230LGR	7251246	6182365	103
SL2GK5070 rws	6732876	6132179	186	WDK F100230RW	7251260	6182713	103
SLL 2050 cws	6748327	6132157	178	WDK F80170CW	7250928	6182748	99
SLL 2050 cws	6719990	6132211	179	WDK F80170GR	7250904	6182764	99
SLL 2050 rws	6720002	6132212	179	WDK F80170LGR	7250942	6183523	99
SLL 2050 rws	6748334	6132158	178	WDK F80170RW	7250966	6183531	99
SLL 2070 cws	6720019	6132214	184	WDK F80210CW	7251024	6183574	99
SLL 2070 rws	6748358	6132159	178	WDK F80210GR	7251000	6192107	100
SLL 2070 rws	6720026	6132215	184	WDK F80210LGR	7251048	6192111	100
SLL AE2050 cws	6726660	6132261	179	WDK GT1M45RW	7251062	6192115	100
SLL AE2050 rws	6720798	6132260	179		6617296	6154893	106
SLL AE2070 cws	6720811	6132263	184			/pc.	
SLL AE2070 rws	6720804	6132262	184	WDK HA10020CW	6099979	6153291	64
SLL IE2050 cws	6720675	6132241	179	WDK HA10020RW	6492015	6154417	63
SLL IE2050 rws	6720064	6132240	179	WDK HA10030CW	6804498	6153305	40
SLL IE2070 cws	6720705	6132244	184	WDK HA10030RW	6491537	6154425	40
SLL IE2070 rws	6720699	6132243	184	WDK HA12022RW	6615797	6154432	43
						/pc.	
SLT 2050 cws	6720033	6132217	180	WDK HA13025PW	5959090	6192139	47
SLT 2050 rws	6720040	6132218	180	WDK HA13025RW	5959083	6192141	46
SLT 2070 cws	6720590	6132221	185	WDK HA15030CW	6579198	6160611	51
SLT 2070 rws	6720606	6132222	185	WDK HA15030GR	6579136	6158358	51
SLT ESLi2050 cws	6724369	6132289	180	WDK HA15040RW	6795253	6192149	51
SLT ESLi2050 rws	6724352	6132288	180	WDK HA20020CW	6579372	6160638	53
SLT ESLi2070 cws	6793983	6132320	185	WDK HA20020GR	6579310	6158366	53
SLT ESLi2070 rws	6724376	6132291	185	WDK HA20020LGR	6494712	6192157	53
SLT ESR2050 cws	6725403	6132303	180	WDK HA20020RW	6579013	6160603	58
SLT ESR2050 rws	6725397	6132302	180	WDK HA20050CW	6578955	6158331	58
SLT ESR2070 cws	6726516	6132306	185	WDK HA20050RW	6675197	6182402	58
SLT ESR2070 rws	6726509	6132305	185	WDK HA20050LGR	6795314	6192165	58
				WDK HA20050GR	6507856	6153372	61
TRI 3535 OT rws	6738526	6131190	118	WDK HA20050RW	6493210	6154468	61
TRI 5050 OT rws	6738533	6131191	119	WDK HA25025CW	6579556	6160646	66
TRI C 35-16 rws	6723300	6131182	118	WDK HA25025LGR	6579495	6158374	66
TRI C 35-50 rws	6723317	6131185	119	WDK HA30030GR	6675258	6182445	66
TRI ES350350 rws	6723294	6131179	118	WDK HA30030RW	6504855	6192173	66
TRI IE350350 rws	6738519	6131171	118	WDK HA30030LGR	6579730	6160654	69
TRI IE5050 rws	6723270	6131172	119	WDK HA30030RW	6579679	6158382	69
				WDK HA30030LGR	6795376	6192181	69
				WDK HA30030RW	6580095	6160670	70
ULS	6015061	6178548	252	WDK HA30030LGR	6580033	6158404	70
				WDK HA30030RW	6675319	6182488	70
				WDK HA30045CW	6795437	6192211	70
				WDK HA30045GR	6641598	6160689	72
VF 10 rws	6727698	6132600	254	WDK HA30045LGR	6641536	6158420	72
VF 10KB rws	6727704	6132601	254	WDK HA30045RW	6675371	6182496	72
				WDK HA30045LGR	6497171	6192238	72
VF 20 rws	6727711	6132603	254	WDK HA40040CW	6580279	6160697	74
VF 20KB rws	6727728	6132604	254	WDK HA40040LGR	6580217	6158412	74
				WDK HA40040RW	6675432	6182526	74
VF 30 rws	6727735	6132606	254	WDK HA40060CW	6795499	6192246	74
VF 30KB rws	6727742	6132607	254	WDK HA40060GR	6106813	6160700	76
				WDK HA40060LGR	6019212	6021697	76
VF 40 rws	6727759	6132609	254	WDK HA40060RW	6675494	6182534	76
VF 40KB rws	6727766	6132610	254	WDK HA40090CW	6795550	6192254	76
				WDK HA40090GR	6106875	6160719	78
VK ISCS 5012	6149100	6178643	250	WDK HA40090LGR	6017171	6021093	78
				WDK HA40090RW	6675555	6182542	78
VKHK	6734139	6132594	232	WDK HA40110CW	6795611	6192262	78
				WDK HA40110GR	6106936	6160727	80
WDK A100130CW	7250720	6024468	102	WDK HA40110LGR	6019274	6021700	80
WDK A100130GR	7250706	6024476	102	WDK HA40110RW	6675616	6182550	80
WDK A100130LGR	7250744	6024484	102	WDK HA60060CW	6220878	6192270	80
WDK A100130RW	7250768	6024506	102	WDK HA60060GR	6107179	6160905	82
WDK A100230CW	7250829	6024573	102	WDK HA60060LGR	6020539	6022073	82
WDK A100230GR	7250805	6024581	102	WDK HA60060RW	6676392	6182593	82
WDK A100230LGR	7250843	6024611	102	WDK HA60090CW	6360970	6192319	82
				WDK HA60090GR	6107230	6160913	84
				WDK HA60090LGR	6020713	6022111	84

# Type listing

Type	GTIN	Item no.	Page		Type	GTIN	Item no.	Page
			/pc.					/pc.
WDK HA60090LGR	6676453	6182607	84		WDK HE40060LGR	6674350	6183735	77
WDK HA60090RW	6801558	6192327	84		WDK HE40060RW	6797479	6193226	77
WDK HA60110CW	6107292	6160921	86		WDK HE40090CW	6109579	6162614	79
WDK HA60110GR	6020836	6022146	86		WDK HE40090GR	6018918	6021506	79
WDK HA60110LGR	6676514	6182615	86		WDK HE40090LGR	6674411	6183743	79
WDK HA60110RW	6354559	6192335	86		WDK HE40090RW	6797530	6193234	79
WDK HA60130CW	6107353	6160948	88		WDK HE40110CW	6109630	6162622	81
WDK HA60130GR	6020959	6022162	88		WDK HE40110GR	6018970	6021514	81
WDK HA60130LGR	6676576	6182623	88		WDK HE40110LGR	6674473	6183751	81
WDK HA60130RW	6353057	6192343	88		WDK HE40110RW	6974788	6193242	81
WDK HA60150CW	6638352	6160972	90		WDK HE60060CW	6109876	6162800	83
WDK HA60150GR	6638291	6024521	90		WDK HE60060GR	6022694	6022499	83
WDK HA60150LGR	6676637	6182631	90		WDK HE60060LGR	6678372	6183808	83
WDK HA60150RW	6492312	6192351	90		WDK HE60060RW	6712991	6193285	83
WDK HA60170CW	6107414	6160956	92		WDK HE60090CW	6109937	6162819	85
WDK HA60170GR	6021079	6022189	92		WDK HE60090GR	6022755	6022502	85
WDK HA60170LGR	6676699	6182658	92		WDK HE60090LGR	6678433	6183816	85
WDK HA60170RW	6351855	6192378	92		WDK HE60090RW	6492794	6193293	85
WDK HA60210CW	6107476	6160964	94		WDK HE60110CW	6109999	6162827	87
WDK HA60210GR	6021130	6022197	94		WDK HE60110GR	6022991	6022588	87
WDK HA60210LGR	6676750	6182666	94		WDK HE60110LGR	6678495	6183824	87
WDK HA60210RW	6795673	6192386	94		WDK HE60110RW	6713059	6193307	87
WDK HA60230CW	6639731	6160980	96		WDK HE60130CW	6110056	6162835	89
WDK HA60230GR	6639670	6024548	96		WDK HE60130GR	6022816	6022529	89
WDK HA60230LGR	6676811	6182674	96		WDK HE60130LGR	6678556	6183832	89
WDK HA60230RW	6492374	6192394	96		WDK HE60130RW	6713110	6193315	89
WDK HE100130CW	6110353	6163041	102		WDK HE60150CW	6637997	6162878	91
WDK HE100130GR	6028337	6024882	102		WDK HE60150GR	6637935	6024823	91
WDK HE100130LGR	6678976	6183956	102		WDK HE60150LGR	6678617	6183840	91
WDK HE100130RW	5042655	6193395	102		WDK HE60150RW	6492855	6193323	91
WDK HE10020CW	6100392	6153593	63		WDK HE60170CW	6110117	6162843	93
WDK HE10020RW	6491834	6154514	63		WDK HE60170GR	6022878	6022545	93
WDK HE100230CW	6651436	6163076	104		WDK HE60170LGR	6678679	6183859	93
WDK HE100230GR	6651375	6024904	104		WDK HE60170RW	6713172	6193331	93
WDK HE100230LGR	6679034	6183980	104		WDK HE60210CW	6110179	6162851	95
WDK HE100230RW	5042723	6193399	104		WDK HE60210GR	6022939	6022561	95
WDK HE10030CW	6100453	6153607	41		WDK HE60210LGR	6678730	6183867	95
WDK HE10030RW	6491353	6154522	41		WDK HE60210RW	6797592	6193358	95
WDK HE12022RW	6615827	6154532	44		WDK HE60230CW	6639373	6162886	97
			/pc.		WDK HE60230GR	6639311	6024831	97
WDK HE13025PW	6056033	6193088	48		WDK HE60230LGR	6678792	6183875	97
WDK HE13025RW	6056026	6193093	48		WDK HE60230RW	6492916	6193366	97
WDK HE15015CW	6642670	6162495	50		WDK HE80170CW	6110230	6163009	98
WDK HE15015GR	6642618	6158692	50		WDK HE80170GR	6028214	6024858	98
WDK HE15015LGR	6673933	6183603	50		WDK HE80170LGR	6678853	6183913	98
WDK HE15015RW	6797172	6193099	50		WDK HE80170RW	5042518	6193387	98
WDK HE15030CW	6583577	6162517	52		WDK HE80210CW	6110292	6163017	100
WDK HE15030GR	6434534	6158714	52		WDK HE80210GR	6028276	6024874	100
WDK HE15030RW	6797233	6193102	52		WDK HE80210LGR	6678914	6183921	100
WDK HE15040CW	6583690	6162525	54		WDK HE80210RW	5042587	6193391	100
WDK HE15040GR	6434596	6158722	54		WDK HF10020CW	6099139	6152600	64
WDK HE15040RW	6975624	6193110	54		WDK HF10020RW	6491896	6154212	63
WDK HE20020CW	6583454	6162509	59		WDK HF10030CW	6099191	6152619	40
WDK HE20020GR	6434473	6158706	59		WDK HF10030RW	6491414	6154220	40
WDK HE20020LGR	6673995	6183611	59		WDK HF12022RW	6615810	6154232	44
WDK HE20020RW	6797295	6193129	59					/pc.
WDK HE20035CW	6643219	6162487	60		WDK HF13025PW	5959151	6192740	47
WDK HE20035GR	6643158	6158781	60		WDK HF13025RW	5959144	6192742	47
WDK HE20035LGR	6674053	6183654	60		WDK HF15030CW	6582075	6161219	52
WDK HE20035RW	6976768	6193137	60		WDK HF15030GR	6582013	6158595	52
WDK HE20050CW	6507672	6153674	62		WDK HF15030RW	6796694	6192750	52
WDK HE20050RW	6493395	6154557	62		WDK HF15040CW	6582259	6161227	54
WDK HE25025CW	6583812	6162533	67		WDK HF15040GR	6582198	6158609	54
WDK HE25025GR	6434657	6158730	67		WDK HF15040RW	6494835	6192769	54
WDK HE25025LGR	6674114	6183662	67		WDK HF20020CW	6581894	6161200	59
WDK HE25025RW	6504794	6193145	67		WDK HF20020GR	6581832	6158587	59
WDK HE25040CW	6583935	6162541	69		WDK HF20020LGR	6673391	6183212	59
WDK HE25040GR	6434718	6158749	69		WDK HF20020RW	6796755	6192777	59
WDK HE25040RW	6797356	6193153	69		WDK HF20050CW	6507733	6152686	62
WDK HE30030CW	6584239	6162576	71		WDK HF20050RW	6493333	6154255	62
WDK HE30030GR	6584178	6158765	71		WDK HF25025CW	6582433	6161235	66
WDK HE30030LGR	6674176	6183697	71		WDK HF25025GR	6582372	6158617	66
WDK HE30030RW	6797417	6193188	71		WDK HF25025LGR	6673452	6183255	66
WDK HE30045CW	6641239	6162584	73		WDK HF25025RW	6504916	6192785	66
WDK HE30045GR	6434831	6158803	73		WDK HF25040CW	6582617	6161243	69
WDK HE30045LGR	6674237	6183700	73		WDK HF25040GR	6582556	6158625	69
WDK HE30045RW	6497355	6193196	73		WDK HF25040RW	6796816	6192793	69
WDK HE40040CW	6583331	6162592	75		WDK HF30030CW	6582976	6161278	70
WDK HE40040GR	6583270	6158773	75		WDK HF30030GR	6582914	6158641	70
WDK HE40040LGR	6674299	6183727	75		WDK HF30030LGR	6673513	6183298	70
WDK HE40040RW	6712939	6193218	75		WDK HF30030RW	6796878	6192815	70
WDK HE40060CW	6109517	6162606	77		WDK HF30045CW	6641772	6161286	72
WDK HE40060GR	6018857	6021492	77		WDK HF30045GR	6641710	6158676	72

# Type listing

Type	GTIN	Item no.	Page		Type	GTIN	Item no.	Page
		/pc.					/pc.	
WDK HF30045LGR	6673575	6183301	72		WDK HI30045LGR	6674831	6182100	72
WDK HF30045RW	6497294	6192823	72		WDK HI30045RW	6976829	6191932	72
WDK HF40040CW	6583157	6161294	74		WDK HI40040CW	6584598	6160093	74
WDK HF40040GR	6583096	6158668	74		WDK HI40040GR	6578832	6158293	74
WDK HF40040LGR	6673636	6183336	74		WDK HI40040LGR	6674893	6182119	74
WDK HF40040RW	6796939	6192831	74		WDK HI40040RW	6794898	6191940	74
WDK HF40060CW	6107711	6161308	76		WDK HI40060CW	6105915	6160107	76
WDK HF40060GR	6019458	6021735	76		WDK HI40060GR	6019335	6021719	76
WDK HF40060LGR	6673698	6183344	76		WDK HI40060LGR	6674954	6182127	76
WDK HF40060RW	6796991	6192858	76		WDK HI40060RW	6794959	6191959	76
WDK HF40090CW	6107773	6161316	79		WDK HI40090CW	6105977	6160115	78
WDK HF40090GR	6018253	6021336	79		WDK HI40090GR	6017652	6021190	78
WDK HF40090LGR	6673759	6183352	79		WDK HI40090LGR	6675012	6182135	78
WDK HF40090RW	6797059	6192866	79		WDK HI40090RW	6795017	6191967	78
WDK HF40110CW	6107834	6161324	81		WDK HI40110CW	6106035	6160123	80
WDK HF40110GR	6019519	6021743	81		WDK HI40110GR	6019397	6021727	80
WDK HF40110LGR	6673810	6183360	81		WDK HI40110LGR	6675074	6182143	80
WDK HF40110RW	6496990	6192874	81		WDK HI40110RW	6221110	6191975	80
WDK HF60060CW	6108077	6161502	82		WDK H60060CW	6106271	6160301	82
WDK HF60060GR	6022519	6022448	82		WDK H60060GR	6022212	6022383	82
WDK HF60060LGR	6677719	6183409	82		WDK H60060LGR	6675739	6182194	82
WDK HF60060RW	6712694	6192912	82		WDK H60060RW	6362950	6192017	82
WDK HF60090CW	6108138	6161510	85		WDK H60090CW	6106332	6160328	84
WDK HF60090GR	6021796	6022316	85		WDK H60090GR	6021253	6022219	84
WDK HF60090LGR	6677771	6183417	85		WDK H60090LGR	6675791	6182208	84
WDK HF60090RW	6492619	6192920	85		WDK H60090RW	6799879	6192025	84
WDK HF60110CW	6108190	6161529	87		WDK H60110CW	6106394	6160336	86
WDK HF60110GR	6021918	6022332	87		WDK H60110GR	6021376	6022235	86
WDK HF60110LGR	6677832	6183425	87		WDK H60110LGR	6675852	6182216	86
WDK HF60110RW	6712755	6192939	87		WDK H60110RW	6362776	6192033	86
WDK HF60130CW	6108251	6161537	88		WDK H60130CW	6106455	6160344	88
WDK HF60130GR	6022038	6022359	88		WDK H60130GR	6021499	6022251	88
WDK HF60130LGR	6677894	6183433	88		WDK H60130LGR	6675913	6182224	88
WDK HF60130RW	6712816	6192947	88		WDK H60130RW	6362479	6192041	88
WDK HF60150CW	6638536	6161561	90		WDK H60150CW	6638178	6160379	90
WDK HF60150GR	6638475	6024599	90		WDK H60150GR	6638116	6024432	90
WDK HF60150LGR	6677955	6183441	90		WDK H60150LGR	6675975	6182232	90
WDK HF60150RW	6492671	6192955	90		WDK H60150RW	6800056	6192068	90
WDK HF60170CW	6108312	6161545	92		WDK H60170CW	6106516	6160352	92
WDK HF60170GR	6022151	6022375	92		WDK H60170GR	6021611	6022286	92
WDK HF60170LGR	6678013	6183468	92		WDK H60170LGR	6676033	6182240	92
WDK HF60170RW	6712878	6192963	92		WDK H60170RW	6362233	6192076	92
WDK HF60210CW	6108374	6161553	94		WDK H60210CW	6106578	6160360	94
WDK HF60210GR	6022274	6022391	94		WDK H60210GR	6021673	6022294	94
WDK HF60210LGR	6678075	6183476	94		WDK H60210LGR	6676095	6182259	94
WDK HF60210RW	6797110	6192971	94		WDK H60210RW	6795079	6192084	94
WDK HF60230CW	6639915	6161596	97		WDK H60230CW	6639557	6160395	96
WDK HF60230GR	6639854	6024602	97		WDK H60230GR	6639496	6024440	96
WDK HF60230LGR	6678136	6183484	97		WDK H60230LGR	6676156	6182267	96
WDK HF60230RW	6492732	6192998	97		WDK H60230RW	6800896	6192092	96
WDK HII0020CW	6099559	6153003	64		WDK HK40060CW	6108619	6162002	77
WDK HII0020RW	6492077	6154328	63		WDK HK40060GR	6025459	6023312	77
WDK HII0030CW	6099610	6153011	40		WDK HK40060LGR	6673155	6182925	77
WDK HII0030RW	6491599	6154336	40		WDK HK40060RW	6796519	6192556	77
WDK HII2022RW	6615780	6154342	43		WDK HK40090CW	6108671	6162010	79
		/pc.			WDK HK40090GR	6024551	6023142	79
WDK HII3025PW	5959359	6191833	46		WDK HK40090LGR	6673216	6182933	79
WDK HII3025RW	5959342	6191835	46		WDK HK40090RW	6796571	6192564	79
WDK HII5030CW	6577811	6160026	51		WDK HK40110CW	6108732	6162029	81
WDK HII5030GR	6577750	6158234	51		WDK HK40110GR	6025572	6023339	81
WDK HII5030RW	6794652	6191843	51		WDK HK40110LGR	6673278	6182941	81
WDK HII5040CW	6577996	6160034	53		WDK HK40110RW	6500833	6192572	81
WDK HII5040GR	6577934	6158242	53		WDK HK60060CW	6108978	6162207	83
WDK HII5040RW	6494651	6191851	53		WDK HK60060GR	6025039	6023223	83
WDK HII20020CW	6577637	6160018	58		WDK HK60060LGR	6677054	6183018	83
WDK HII20020GR	6577576	6158226	58		WDK HK60060RW	6351794	6192610	83
WDK HII20020LGR	6674657	6182011	58		WDK HK60090CW	6109036	6162215	85
WDK HII20020RW	6794713	6191878	58		WDK HK60090GR	6023837	6023002	85
WDK HII20050CW	6507917	6153089	61		WDK HK60090LGR	6677115	6183026	85
WDK HII20050RW	6974542	6154360	61		WDK HK60090RW	6492435	6192629	85
WDK HII25025CW	6578177	6160042	66		WDK HK60110CW	6109098	6162223	87
WDK HII25025GR	6578115	6158250	66		WDK HK60110GR	6023950	6023029	87
WDK HII25025LGR	6674718	6182062	66		WDK HK60110LGR	6677177	6183034	87
WDK HII25025RW	6502219	6191886	66		WDK HK60110RW	6712519	6192637	87
WDK HII25040CW	6578351	6160050	68		WDK HK60130CW	6109159	6162231	89
WDK HII25040GR	6578290	6158269	68		WDK HK60130GR	6024070	6023045	89
WDK HII25040RW	6794775	6191894	68		WDK HK60130LGR	6677238	6183042	89
WDK HII30030CW	6578719	6160077	70		WDK HK60130RW	6712571	6192645	89
WDK HII30030GR	6578658	6158285	70		WDK HK60150CW	6638710	6162274	91
WDK HII30030LGR	6674770	6182097	70		WDK HK60150GR	6638659	6024769	91
WDK HII30030RW	6794836	6191924	70		WDK HK60150LGR	6677290	6183050	91
WDK HII30045CW	6641413	6160085	72		WDK HK60150RW	6492497	6192653	91
WDK HII30045GR	6641352	6158307	72		WDK HK60170CW	6109210	6162258	93

# Type listing


Type	GTIN	Item no.	Page		Type	GTIN	Item no.	Page
			/pc.					/pc.
WDK HK60170GR	6024193	6023061	93		WDK HTCW13025PW	5959137	6192448	47
WDK HK60170LGR	6677351	6183069	93		WDK HTCW13025RW	5959120	6192450	47
WDK HK60170RW	6712632	6192661	93		WDK I100130CW	7250300	6192417	103
WDK HK60210CW	6109272	6162266	95		WDK I100130GR	7250287	6192421	103
WDK HK60210LGR	6024438	6023126	95		WDK I100130LGR	7250324	6192425	103
WDK HK60210RW	6677412	6183077	95		WDK I100130RW	7250348	6192429	103
WDK HK60210RW	6796632	6192688	95		WDK I100230CW	7250423	6193026	104
WDK HK60230CW	6640096	6162290	96		WDK I100230GR	7250386	6193030	104
WDK HK60230GR	6640034	6024777	96		WDK I100230LGR	7250447	6193034	104
WDK HK60230LGR	6677474	6183085	96		WDK I100230RW	7250461	6193081	104
WDK HK60230RW	6492558	6192696	96		WDK I80170CW	7250102	6193078	99
WDK HPC13025PW16	5959175	6193708	48		WDK I80170GR	7250072	6193080	99
WDK HPC13025PW19	5959205	6193728	48		WDK I80170LGR	7250126	6193825	99
WDK HPC13025PW20	5978060	6193731	48		WDK I80170RW	7250140	6193827	99
WDK HPC13025RW16	5959168	6193710	48		WDK I80210CW	7250201	6193831	100
WDK HPC13025RW19	5959182	6193730	48		WDK I80210GR	7250188	6193860	100
WDK HPC13025RW20	5978053	6193729	48		WDK I80210LGR	7250225	6193864	100
WDK HS10020CW	6098293	6152007	64		WDK I80210RW	7250249	6193866	100
WDK HS10020RW	6492138	6154026	63		WDK MH	7249854	6028430	115
WDK HS10030CW	6098354	6152015	40		WDK T100130CW	7251543	6193400	103
WDK HS10030RW	6491650	6154034	40		WDK T100130GR	7251581	6193410	103
WDK HS12022RW	6615773	6154042	43		WDK T100130LGR	7251567	6163090	103
			/pc.		WDK T100130RW	7251505	6183990	102
WDK HS13025PW	5959076	6193496	46		WDK T100230CW	7251659	6193402	103
WDK HS13025RW	5959069	6193498	46		WDK T100230GR	7251697	6193412	103
WDK HS15030CW	6507610	6152031	51		WDK T100230LGR	7251673	6163092	103
WDK HS15030GR	6507559	6158838	51		WDK T100230RW	7251604	6183992	104
WDK HS15030RW	6223695	6193501	51		WDK T80170CW	7251345	6193404	99
WDK HS15040CW	6098477	6152058	53		WDK T80170GR	7251383	6193414	99
WDK HS15040GR	6507498	6158846	53		WDK T80170LGR	7251369	6163094	99
WDK HS15040RW	6975266	6193528	53		WDK T80170RW	7251307	6183994	98
WDK HS20050CW	6507252	6152104	61		WDK T80210CW	7251444	6193406	99
WDK HS20050RW	6974481	6154069	61		WDK T80210GR	7251482	6193415	99
WDK HS25040CW	6507375	6152082	68		WDK T80210LGR	7251468	6163096	99
WDK HS25040GR	6507436	6158889	68		WDK T80210RW	7251406	6183996	100
WDK HS25040RW	6507313	6193560	68					
WDK HS40090CW	5462170	6193582	78					price/m
WDK HS40090RW	5461814	6193580	78		WDK100130CW	6030132	6026273	102
WDK HS40110CW	5462187	6193588	80		WDK100130GR	6030194	6026281	102
WDK HS40110RW	5461821	6193586	80		WDK100130LGR	6668595	6027245	102
WDK HS60090CW	5462217	6193592	84		WDK100130RW	5042297	6191347	102
WDK HS60090RW	5461838	6193590	84		WDK10020CW	6098170	6150756	62
WDK HS60110CW	5462224	6193598	86		WDK10020RW	6492251	6150764	62
WDK HS60110RW	5461845	6193596	86		WDK10020SRW	5396703	6027318	64
WDK HT10020CW	6098712	6152309	65		WDK10020SSW	7005207	6027374	64
WDK HT10020RW	6491957	6154115	65		WDK10020SW	7005023	6027321	62
WDK HT10030CW	6098774	6152317	41					price/m
WDK HT10030RW	6491476	6154123	41		WDK100230CW	6642137	6026338	104
WDK HT12022RW	6615803	6154132	44		WDK100230GR	6642076	6026311	104
			/pc.		WDK100230LGR	6668656	6027253	104
WDK HT13025PW	5959113	6192449	47		WDK100230RW	5042303	6191355	104
WDK HT13025RW	5959106	6192451	47		WDK10030CW	6508037	6150772	40
WDK HT15030CW	6580637	6161928	52		WDK10030RW	6491773	6150780	40
WDK HT15030GR	6580576	6158463	52		WDK12022RW	6615766	6150702	42
WDK HT15030RW	6796212	6192459	52		WDK12022RW 2100	6623846	6150703	42
WDK HT15040CW	6580811	6161936	54		WDK12022TRW	6642878	6027300	43
WDK HT15040GR	6580750	6158471	54		WDK12022TRW 2100	6642885	6027301	43
WDK HT15040RW	6494774	6192467	54					price/m
WDK HT20020CW	6580453	6161901	59		WDK13025	5438939	6187704	46
WDK HT20020GR	6580392	6158455	59		WDK13025	5438946	6187714	46
WDK HT20020LGR	6672851	6182801	59		WDK15015BR	6642373	6024971	50
WDK HT20020RW	6796274	6192475	59		WDK15015CW	6642311	6024963	50
WDK HT20050CW	6507795	6152384	62		WDK15015GR	6642250	6024955	50
WDK HT20050RW	6493272	6154166	62		WDK15015LGR	6667338	6024947	50
WDK HT25025CW	6580996	6161944	67		WDK15015RW	6794058	6191002	50
WDK HT25025GR	6580934	6158498	67		WDK15015SW	7005054	6024949	50
WDK HT25025LGR	6672912	6182852	67					price/m
WDK HT25025RW	6504978	6192483	67		WDK15030BR	6332892	6025021	51
WDK HT25040CW	6581177	6161952	69		WDK15030CW	6332830	6025013	51
WDK HT25040GR	6581115	6158501	69		WDK15030GR	6332779	6025005	51
WDK HT25040RW	6796335	6192491	69		WDK15030LGR	6794539	6025048	51
WDK HT30030CW	6581535	6161979	71		WDK15030RW	6794119	6191010	51
WDK HT30030GR	6581474	6158536	71					price/m
WDK HT30030LGR	6672974	6182887	71		WDK15030RW2500	6406623	6191013	51
WDK HT30030RW	6796397	6192513	71					price/m
WDK HT30045CW	6641956	6161987	73		WDK15030SRW	5164210	6027325	51
WDK HT30045GR	6641895	6158552	73		WDK15040CW	6028634	6025161	53
WDK HT30045LGR	6673032	6182895	73		WDK15040GR	6028511	6025137	53
WDK HT30045RW	6497232	6192521	73		WDK15040RW	6494590	6191029	53
WDK HT40040CW	6581719	6161995	75		WDK15040SRW	5164227	6027335	53
WDK HT40040GR	6581658	6158544	75					
WDK HT40040LGR	6673094	6182917	75		WDK20020BR	6028450	6025129	58
WDK HT40040RW	6796458	6192548	75		WDK20020CW	6028573	6025153	58

# Type listing

Type	GTIN	Item no.	Page	Type	GTIN	Item no.	Page
WDK20020GR	6028399	6025110	58	WDK60210LGR	6668359	6027172	94
WDK20020LGR	6667390	6025102	58	WDK60210RW	6794478	6191266	94
WDK20020RW	6794171	6191037	58	WDK60230CW	6638956	6021891	96
WDK20020SRW	5164265	6027360	58	WDK60230GR	6638895	6022057	96
WDK20020SW	7005085	6025155	58	WDK60230LGR	6668410	6027180	96
		price/m		WDK60230RW	6799459	6191274	96
WDK20035CW	6642854	6026370	60	WDK80170CW	6029778	6026176	98
WDK20035GR	6642793	6026362	60	WDK80170GR	6029839	6026184	98
WDK20035LGR	6667451	6026354	60	WDK80170LGR	6668472	6027229	98
WDK20035RW	6496938	6191045	60	WDK80170RW	5042273	6191304	98
WDK20050CW	6438433	6168701	61	WDK80210CW	6029952	6026206	100
WDK20050RW	6801671	6168736	61	WDK80210GR	6029891	6026192	100
WDK25025CW	6030316	6026427	66	WDK80210LGR	6668533	6027237	100
WDK25025GR	6030255	6026419	66	WDK80210RW	5042280	6191312	100
WDK25025LGR	6667512	6026400	66				
WDK25025RW	6505036	6191053	66	WDKH-10020RW	5933779	6175375	122
WDK25025SRW	5773399	6027372	66	WDKH-10020RW T	5933984	6175377	122
WDK25040CW	6030491	6026451	68	WDKH-15030LGR	5933977	6175457	124
WDK25040GR	6030439	6026443	68	WDKH-15030RW	5933953	6175390	124
WDK25040LGR	6794591	6026486	68	WDKH-15030RW T	5933991	6175392	124
WDK25040RW	6794232	6191061	68	WDKH-20020LGR	5817789	6175460	126
WDK25040SW	7005115	6026488	68	WDKH-20020RW	5812456	6175400	126
		price/m		WDKH-30045LGR	5817796	6175463	128
WDK30030BR	6333073	6026834	70	WDKH-30045RW	5812463	6175405	128
WDK30030CW	6333011	6026826	70	WDKH-40060LGR	5817802	6175466	130
WDK30030GR	6332953	6026818	70	WDKH-40060RW	5812470	6175410	130
WDK30030LGR	6667574	6026796	70	WDKH40060RW 2500	6974894	6175412	130
WDK30030RW	6794294	6191096	70	WDKH-60090LGR	5817833	6175469	132
WDK30045CW	6640935	6026869	72	WDKH-60090RW	5812487	6175415	132
WDK30045GR	6640874	6026850	72	WDKH60090RW 2500	6975129	6175417	132
WDK30045LGR	6667635	6026842	72				
WDK30045RW	6497058	6191118	72	WDKH-60110LGR	5817840	6175472	134
		price/m		WDKH-60110RW	5812494	6175420	134
WDK40040BR	6028931	6025420	74	WDKH-60150LGR	5817857	6175475	136
WDK40040CW	6028870	6025412	74	WDKH-60150RW	5812500	6175425	136
WDK40040GR	6028993	6025447	74				
WDK40040LGR	6667697	6027016	74	WDKH-A10020RW	5933830	6175612	122
WDK40040RW	6363490	6191126	74	WDKH-A15030RW	5934127	6175618	124
WDK40060BR	6029051	6025617	76	WDKH-A20020LGR	5922865	6176000	126
WDK40060CW	6016273	6020887	76	WDKH-A20020RW	5922841	6175624	126
WDK40060GR	6029112	6025633	76	WDKH-A30045LGR	5814955	6176004	128
WDK40060LGR	6667758	6027024	76	WDKH-A30045RW	5814061	6175626	128
WDK40060RW	6794355	6191134	76	WDKH-A40060LGR	5814962	6176008	130
WDK40060SW	7005146	6025638	76	WDKH-A40060RW	5814078	6175630	130
		price/m		WDKH-A60090LGR	5814979	6176012	132
WDK40090CW	6016334	6020895	78	WDKH-A60090RW	5814085	6175634	132
WDK40090GR	6016877	6021018	78	WDKH-A60110LGR	5814986	6176016	134
WDK40090LGR	6667819	6027032	78	WDKH-A60110RW	5814092	6175638	134
WDK40090RW	6794416	6191142	78	WDKH-A60150LGR	5815020	6176020	136
WDK40090SW	7005177	6021023	78	WDKH-A60150RW	5814108	6175642	136
		price/m		WDKH-E10020RW	5933946	6175540	123
WDK40110CW	6016396	6020909	80	WDKH-E15030RW	5934233	6175546	125
WDK40110GR	6016990	6021034	80	WDKH-E20020LGR	5814597	6175928	127
WDK40110LGR	6667871	6027040	80	WDKH-E20020RW	5813910	6175550	127
WDK40110RW	6501199	6191150	80	WDKH-E30045LGR	5814603	6175932	129
		price/m		WDKH-E30045RW	5813927	6175554	129
WDK60060CW	6020171	6021948	82	WDKH-E40060LGR	5814610	6175936	131
WDK60060GR	6029174	6025668	82	WDKH-E40060RW	5813934	6175558	131
WDK60060LGR	6667994	6027105	82	WDKH-E60090LGR	5814627	6175940	133
WDK60060RW	6363018	6191193	82	WDKH-E60090RW	5813941	6175562	133
WDK60090CW	6020119	6021913	84	WDKH-E60110LGR	5814863	6175944	135
WDK60090GR	6020232	6022006	84	WDKH-E60110RW	5813958	6175566	135
WDK60090LGR	6668052	6027113	84	WDKH-E60150LGR	5814870	6175948	137
WDK60090RW	6491292	6191207	84	WDKH-E60150RW	5813965	6175570	137
WDK60110CW	6019816	6021840	86	WDKH-F10020RW	5933885	6175648	123
WDK60110GR	6020294	6022014	86	WDKH-F15030RW	5934158	6175654	125
WDK60110LGR	6668113	6027121	86	WDKH-F20020LGR	5922919	6176036	126
WDK60110RW	6363438	6191215	86	WDKH-F20020RW	5922896	6175658	126
WDK60130CW	6019878	6021859	88	WDKH-F30045LGR	5815037	6176040	128
WDK60130GR	6020355	6022022	88	WDKH-F30045RW	5814115	6175662	128
WDK60130LGR	6668175	6027148	88	WDKH-F40060LGR	5815044	6176044	130
WDK60130RW	6363377	6191223	88	WDKH-F40060RW	5814122	6175666	130
WDK60150CW	6637577	6021883	90	WDKH-F60090LGR	5815075	6176048	132
WDK60150GR	6637515	6022030	90	WDKH-F60090RW	5814139	6175670	132
WDK60150LGR	6668236	6027156	90	WDKH-F60110LGR	5815082	6176052	134
WDK60150RW	6491230	6191231	90	WDKH-F60110RW	5814146	6175674	134
WDK60170CW	6019939	6021867	92	WDKH-F60150LGR	5815099	6176056	136
WDK60170GR	6020416	6022049	92	WDKH-F60150RW	5814153	6175678	136
WDK60170LGR	6668298	6027164	92	WDKH-H10020RW	5933809	6175572	122
WDK60170RW	6363193	6191258	92	WDKH-H15030RW	5934073	6175578	124
WDK60210CW	6019991	6021875	94	WDKH-I20020LGR	5922803	6175964	126
WDK60210GR	6020478	6022065	94	WDKH-I20020RW	5922780	6175581	126

## Type listing

Type	GTIN	Item no.	Page
		/pc.	
WDKH-I30045LGR	5814887	6175968	128
WDKH-I30045RW	5814016	6175590	128
WDKH-I40060LGR	5814894	6175972	130
WDKH-I40060RW	5814023	6175594	130
WDKH-I60090LGR	5814900	6175976	132
WDKH-I60090RW	5814030	6175598	132
WDKH-I60110LGR	5814917	6175980	134
WDKH-I60110RW	5814047	6175602	134
WDKH-I60150LGR	5814924	6175984	136
WDKH-I60150RW	5814054	6175606	136
WDKH-T10020RW	5933915	6175684	123
WDKH-T15030RW	5934189	6175690	125
WDKH-T20020LGR	5922971	6176072	126
WDKH-T20020RW	5922926	6175694	126
WDKH-T30045LGR	5815105	6176076	128
WDKH-T30045RW	5814160	6175698	128
WDKH-T40060LGR	5815112	6176080	130
WDKH-T40060RW	5814177	6175702	130
WDKH-T60090LGR	5815129	6176084	132
WDKH-T60090RW	5814184	6175706	132
WDKH-T60110LGR	5815136	6176088	134
WDKH-T60110RW	5814191	6175710	134
WDKH-T60150LGR	5815143	6176092	136
WDKH-T60150RW	5814207	6175714	136
		price/m	
WDKH-TW40LGR	5812517	6175500	138
WDKH-TW60LGR	5812524	6175504	138
WDKMD12CW	6097692	6150179	37
WDKMD12RW	6493036	6150284	36
WDKMD12S	5154501	6150330	37
WDKMD12S	5154501	6150330	37
WDKMD17CW	6097753	6150187	38
WDKMD17RW	6492978	6150292	36
WDKMD17S	5154549	6150334	38
WDKMD4CW	6097579	6150152	37
WDKMD4RW	6493159	6150268	36
WDKMD7CW	6097630	6150160	37
WDKMD7RW	6493098	6150276	36
WDKMD7S	5154495	6150326	37
WDK-N20050CW	6438495	6168728	61
WDK-N20050RW	6802159	6168744	61
WDK-N25040CW	6507191	6150632	68
WDK-N25040RW	6975686	6150640	68





© OBO Bettermann Order no. 9178357 03/2023 EN

**OBO Bettermann  
Holding GmbH & Co. KG**  
P.O. Box 1120  
58694 Menden  
GERMANY

[www.obo-bettermann.com](http://www.obo-bettermann.com)

**Customer Service**  
Tel.: +49 23 73 89 - 17 00  
[export@obo.de](mailto:export@obo.de)

**Building Connections**

**OBO**  
BETTERMANN