

NUVO

Designed by audiophiles.
Installed by professionals.



 legrand®

A HISTORY OF EXCELLENCE.

1924

Nuvo begins as the Davitt & Hanser Music Company. Later renamed Hanser Holdings International (HHI), Nuvo has since become one of the most trusted names in music manufacturing and distribution.



1989

HHI acquires the world-renowned music amplification and engineering company Kustom.



1991

Kustom introduces the first integrated whole home audio system under the name Kustom Home Sound.

2002

HHI launches Nuvo, the new brand name of Kustom Home Sound.



2012

Legrand acquires the Nuvo brand. Today, Nuvo systems continue to deliver unparalleled innovations in sound.

DESIGNED BY AUDIOPHILES.


The Nuvo range of advanced whole home audio systems and solutions delivers a truly unparalleled listening experience. With a deep-seated passion for music and an audio lineage reaching back to 1924, the Nuvo range was born of the Kustom Home Sound brand, the same company that delivered stage amplification for professional musicians ranging from Johnny Cash to Quiet Riot. Today, Legrand continues to deliver innovative, high-performing products for professional home audio installations.

PLAYER PORTFOLIO.

Designed with the professional installer in mind, the flexible, powerful Player Portfolio system delivers incredible high-fidelity audio to every room of the home. Conveniently available in wired or wireless configurations, the single zone players and multi-zone rack-mount players make it easy to build a unified whole home audio experience in up to 16 different zones. Easy to install and even easier to enjoy, the Player Portfolio offers an unparalleled listening experience with endless music options at your fingertips.


EXPLORE A WORLD OF MUSIC.

The Player Portfolio system offers true listening freedom with built-in access to endless music options - from networked audio content and iTunes libraries, to an expansive variety of radio and streaming services. Whether it's an old favourite or the newest hit, your home will be filled with the music that moves you.



THE PLAYER ECOSYSTEM.

Simply connect a Nuvo player to the home network and your favourite speakers. To start listening, use the free Nuvo Player app to quickly connect and set up the system. Easily extend home audio to other rooms by adding players in other zones.



COMPLETE CONTROL.

Nuvo Player app

It's easy to get right to the music you love with the Nuvo Player app. By automatically displaying your favourite music services and artists, the app allows fast and simple browsing with a world of music available right at your fingertips. Play different songs in every room, or stay in perfect sync when streaming a single song throughout the home.



NUVO PLAYER APP

Manage music library, power and playlists, as well as Play, Pause, Volume, Mute, Skip Track and more

Choose music from an unlimited variety of sources


Easy browsing by song, album, genre and artist

Control music in every zone or group together to play one song throughout the home

Download the app for free from iTunes and Google Play

In-wall keypads

Enjoy intuitive control where you need it most with the Nuvo keypads. With a fixed on-wall location, this device adds a whole new layer of convenience to the Player Portfolio system, providing instant access to music for anyone in the home. Installation is a breeze with a single PoE connection.



P20 KEYPAD

Accessible in-wall control of a single zone

Control Play, Pause, Volume, Mute and Track Navigation

A single button allows quick access to five preset favorites

Capacitive touch backlit display

Connects easily with a single RJ45 802.11 af PoE cable

Designed for Arteor and Synergy wall plates

PEAK PERFORMANCE. PEAK PROFITABILITY.

P5000 Professional Series Players

Deliver a powerful experience with Nuvo's high-performing, Professional Series Players. Designed exclusively for integrators, the 5000 Series Professional Series Players are purpose-built for custom audio installations. Now compatible with Apple Airplay 2, these players offer built-in access to endless streaming music services.



P5050 PROFESSIONAL SERIES PLAYER

3 zone, with 50-watts per zone at 8 ohms, compatible with Apple Airplay 2

Seamless integration into advanced automation systems

Side-mounted heat sinks with no fans support the space and energy efficient 1U rack design

P5050 Specifications

Power	25w per channel @ 8 ohms 50w per channel @ 4 ohms
Network	Wired
# of Zones	3
# of Channels	2 per zone
Input	3.5mm analog x 3, USB x 3
Preamp Output	3.5mm analog



P5100 PROFESSIONAL SERIES PLAYER

3 zone, with 100-watts per zone at 8 ohms, compatible with Apple Airplay 2

Back-lit touch screen supports easy setup with visible system status, zone names, and more

Seamless integration into advanced automation systems

Side-mounted heat sinks with no fans support the space and energy efficient 1U rack design

P5100 Specifications

Power	50w per channel @ 8 ohms 100w per channel @ 4 ohms
Network	Wired
# of Zones	3
# of Channels	2 per zone
Input	Auto-sensing 3.5mm analog or optical x 3 (Tos-link to 3.5mm adapters included), USB x 3
Preamp Output	Auto-sensing 3.5mm analog or optical x 3 (Tos-link to 3.5mm adapters included)



P5200 PROFESSIONAL SERIES PLAYER

3 zone, with 200-watts per zone at 8 ohms, compatible with Apple Airplay 2

Back-lit touch screen supports easy setup with visible system status, zone names, and more

Seamless integration into advanced automation systems

Side-mounted heat sinks with no fans support the space and energy efficient 2U rack design

P5200 Specifications

Power	100w per channel @ 8 ohms 200w per channel @ 4 ohms
Network	Wired
# of Zones	3
# of Channels	2 per zone
Input	Auto-sensing 3.5mm analog or optical x 3 (Tos-link to 3.5mm adapters included), USB x 3
Preamp Output	Auto-sensing 3.5mm analog or optical x 3 (Tos-link to 3.5mm adapters included)



P5050



P5100



P5200

FLEXIBLE SOLUTIONS.

Wired/wireless single-zone players

Introduce incredible audio into hard-to-wire spaces with wireless single-zone players. Ideal for easily adding zones to an existing Player Portfolio System, single-zone players support both wired ethernet or wireless 802.11a/b/g/n configuration options for optimal flexibility.




P100 PLAYER AMPLIFIER

Give any room instant access to endless music options, or stay perfectly in sync when all zones are playing the same song

Provides a total 40 watts of power at 8 ohms to a single-zone

P100 specifications

Power	20w per channel at 8 ohms
Network	Ethernet or wireless 802.11a/b/g/n
No. of zones	1
No. of channels	2
Inputs	3.5mm, USB
Output	3.5mm



P100




P300 PLAYER PREAMPLIFIER

Designed for maximum versatility, connect to any external amplifier or receiver to create a fully functioning zone

Offers all the benefits of the Player Portfolio including expansive source variety, convenient app control, and stunning hi-fi quality

P300 specifications

Power	Unpowered
Network	Ethernet or wireless 802.11a/b/g/n
No. of zones	1
Inputs	Auto-sensing 3.5mm analog or optical (Toslink to 3.5mm adapters included), USB
Output	Auto-sensing 3.5mm analog or optical (Toslink to 3.5mm adapters included)



P300

INSTALLER-INSPIRED DESIGN.

Professional solutions

Dedicated to engineering innovative multi-room audio solutions, every product and system feature in the Nuvo Player Portfolio range is designed with meticulous detail to support the needs of professional integrators. From flexible wired or wireless configurations and simple set-up, to seamless third-party integration and effortless control, Player Portfolio is the all-in-one solution for dynamic whole home audio.

Seamless integration

Offering pre-written drivers and instructional guides, the exceptional audio of Player Portfolio can be easily integrated into advanced automation systems from Vantage, Crestron, Control4, KNX, RTI and more.

Control4

ELAN

RTI

KNX

VANTAGE

CRESTRON

UIC



Professional rack-mount solutions

Nuvo professional rack-mount players provide a cleaner installation with a more efficient use of space in the AV rack.

Flexible system design

The Player Portfolio offers a comprehensive line of scalable home audio products available in wired or wireless configurations. Flexible options like the home theatre sound bar and tabletop speaker make it simple to specify the right solution for any project.

Remote monitoring and device management

Domotz PRO network management software simplifies installations and allows remote monitoring, technical support and troubleshooting of Nuvo devices from anywhere – saving installers time whilst adding value and improving efficiency.

A spare-no-expense attitude on audio quality

Offering a reproduction quality that is true to every artist and song, Player Portfolio supports true 24 bit/192 kHz high-resolution streaming audio – the way sound was meant to be heard.



SIMPLIFIED STREAMING.

DIN rail solutions

The P600 player is the world's first streaming music player designed for the international DIN rail mounting standard. It gives any room instant access to endless audio options with built in access to personal music collections, internet radio, or popular streaming services. Compatible with all other products in the Player Portfolio, the P600 adds ease of installation and flexibility to expand the system. It is powered by the P601 power supply which can be used to power up to four P600 players.

P600 DIN RAIL PLAYER

Designed for the international DIN rail mounting standard and compatible with all products in the Player Portfolio and with Apple Airplay 2

Give any room instant access to endless music options or stay perfectly in sync when all zones are playing the same song

Provides a total of 40 watts of power at 4/6/8 ohms to a single zone

Conveniently controlled with the Nuvo Player app or optional in-wall keypads

Access to connect through a wired network

P600 specifications

Power	20w per channel. 4,6, or 8 ohms stable
Network	Ethernet
No. of zones	1
No. of channels	2
Inputs	3.5mm, USB





P601 DIN RAIL POWER SUPPLY

Powers up to four P600 players

Designed for international DIN rail mounting for flexible and efficient installation

P601 specifications

Power	24V / 18w per zone
No. of zones powered	4


	Single-zone players		Multi-zone players			DIN rail player
						
Model	P100	P300	P5050	P5100	P5200	P600
Size dimension H x W x D	42 x 187 x 115 (mm)	38 x 145.5 x 90.5 (mm)	44 x 430 x 250 (mm)	44 x 430 x 258 (mm)	88 x 430 x 258 (mm)	53.4 x 90 x 67.2 (mm)
	1.65 x 7.36 x 4.5 (in)	1.5 x 5.7 x 3.56 (in)	1.73 x 16.9 x 9.8 (in)	1.73 x 16.9 x 10.1 (in)	3.46 x 16.9 x 10.1 (in)	2.1 x 3.54 x 2.65 (in)
Power (watts)	40 (8ohm, 20w x 2)	preamplifier	3 zones x 50 (8ohm, 25w x 2 per zone)	3 zones x 100 (8ohm, 50w x 2 per zone)	3 zones x 200 (8ohm, 100w x 2 per zone)	40 (4, 6, or 8ohm, 20w x 2)
Generation D energy-efficient amplifier	■	–	■	■	■	■
Domotz ready	■	■	■	■	■	■
Apple / Android control app	■	■	■	■	■	■
Wi-Fi	■	■	–	–	–	–
Ethernet connection	■	■	■	■	■	■
Analog line in	■	■	■	■	■	■
Analog line out	■	■	■	■	■	–
Optical in	–	■	–	■	■	–
Optical out	–	■	–	■	■	–
USB port	■	■	■	■	■	■
Bluetooth	–	–	–	–	–	–
ICEpower® audio technology	–	–	–	–	–	–
Four ohm stable	–	–	■	■	■	■
Trigger in	–	–	–	–	–	–
Trigger put	–	–	–	■	■	–

UNPRECEDENTED PERFORMANCE.

Nuvo speakers


Series Two, Four and Six in-wall and in-ceiling speakers are made for professionals whose reputation was built on installing only the highest quality products.

While each Series of speakers is manufactured with quality components and materials, there are unique differences in the internal components of each, including the resistors, inductors and capacitors that comprise the crossover network.




SERIES TWO

BALANCED



Series Two woofers are constructed with high-grade polymer for deep bass.



Series Two tweeters are made from silk for smoother highs.

SERIES FOUR

ENHANCED




Series Four woofers are constructed with glass fibre for minimal distortion.




Series Four tweeters are made from aluminum for brighter sound.

SERIES SIX

PREMIUM



Series Six woofers are constructed of Kevlar® and carbon fibre to handle the heaviest loads.



Series Six tweeters are made from titanium for ultimate performance.

BALANCED

SERIES TWO SPEAKERS

Designed to deliver balanced, moderate sound

Polypropylene woofers are constructed with high-grade polymer for a rich, deep bass

Pivoting dome tweeters are made from silk for smooth smart highs

Power handling: 100w peak/ 50w RMS with 8 ohms

Series Two specifications

Power handling	100w peak / 50w RMS
Efficiency	86dB
Resistance	8 ohm
Tweeter construction	Silk
Woofer construction	Polypropylene



Butyl rubber surround

Recessed
mounting screws

Pivoting silk
dome tweeter

Polypropylene woofer

Neodymium magnets
to hold grill



NV-2IC6
Series Two 6.5" in-ceiling speaker



NV-2IC6-ANG
Series Two 6.5" in-ceiling angled speaker



NV-2IC6-DVC
Series Two 6.5" in-ceiling dual voice coil speaker



NV-2IC8
Series Two 8" in-ceiling speaker



NV-2IC8-ANG
Series Two 8" in-ceiling angled speaker



NV-2IW6
Series Two 6.5" in-wall speaker



NV-2IW5-LCR
Series Two 5.25" in-wall LCR speaker



NV-2OD5-BK & NV-2OD5-WH
Series Two 5.25" outdoor speaker (available in black and white)

NV-2OD6-BK & NV-2OD6-WH
Series Two 6.5" outdoor speaker (available in black and white)

ENHANCED

SERIES FOUR SPEAKERS

Remarkable striking clarity

Woofers are designed with glass fibre for minimal distortion

Pivoting dome tweeters are made from aluminium for a brighter, clearer sound

Power handling: 150w peak/ 75w RMS with 8 ohms



Series Four specifications

Power handling	150w peak / 75w RMS
Efficiency	88dB
Resistance	8 ohm
Tweeter construction	Aluminium, pivoting
Woofer construction	Glass fibre

Butyl rubber surround

Recessed
mounting screws

Aluminium
dome tweeter

Glass fibre woofer

Acoustically minimised
tweeter bridge

Neodymium magnets
to hold grill



NV-4IC6
Series Four 6.5" in-ceiling speaker



NV-4IC6-ANG
Series Four 6.5" in-ceiling angled speaker



NV-4IC6-DVC
Series Four 6.5" in-ceiling dual voice coil speaker



NV-4IC8
Series Four 8" in-ceiling speaker



NV-4IC8-ANG
Series Four 8" in-ceiling angled speaker



NV-4IW6
Series Four 6.5" in-wall speaker



NV-4IW5-LCR
Series Four 5.25" in-wall LCR speaker

PREMIUM

SERIES SIX SPEAKERS

The highest power handling and most extreme performance for home theatre and vast spaces

Woofers are constructed of Kevlar and carbon fibre, for strength to carry to heaviest loads

Pivoting dome tweeters are made from titanium for ultimate performance, delivering smooth, lifelike vocals and crystal-clear highs

Equipped with tweeter level adjustment for advanced audio customization

Power handling: 200w peak/ 100w RMS with 8 ohms



Series Six specifications

Power handling	200w peak / 100w RMS
Efficiency	89dB
Resistance	8 ohm
Tweeter construction	Titanium
Woofer construction	Carbon fibre and Kevlar®

Butyl rubber surround

Recessed
mounting screws

Pivoting titanium
dome tweeter

Carbon fibre
and Kevlar® woofer

Acoustically minimised
tweeter bridge

Neodymium magnets
to hold grill



NV-6IC6
Series Six 6.5" in-ceiling speaker



NV-6IC6-ANG
Series Six 6.5" in-ceiling angled speaker



NV-6IC8
Series Six 8" in-ceiling speaker



NV-6IC8-ANG
Series Six 8" in-ceiling angled speaker



NV-6IW6
Series Six 6.5" in-wall speaker



NV-6IW6-LCR
Series Four 6.5" in-wall LCR speaker



NV-60D5-BK & NV-60D5-WH
Series Six 5.25" outdoor speaker (available in black and white)

NV-60D6-BK & NV-60D6-WH
Series Six 6.5" outdoor speaker (available in black and white)

NV-60D5-DVC-BK & NV-60D5-DVC-WH
Series Six 5.25" outdoor dual voice coil speaker
(available in black and white)

NV-60D6-DVC-BK & NV-60D6-WH
Series Six 6" outdoor dual voice coil speaker
(available in black and white)

IMMERSIVE OUTDOOR AUDIO.

Landscape speakers

Deliver dynamic sound quality to any outdoor environment with the durable and scalable Series Two landscape speakers. The low-profile, black teardrop satellite speakers have 3.5" poly woofers and 0.5" UFLC tweeters for clear, robust audio and even coverage. The powerful 8" buried subwoofer blends subtly into the landscape while providing a stand-out bass response. Designed for years of performance, the Landscape Speakers are rated for outdoor use and durability in extreme weather conditions.

LANDSCAPE SPEAKERS

Complete 5-piece system comes with 4 two-way satellite speakers and an 8" in-ground subwoofer

IP-67 and MIL-STD-810 compliant

8 ohm system pairs perfectly with Player Portfolio products or any 8 ohm amplifier

Highly scalable with option to add-on additional satellite speakers

Lifetime warranty

Landscape Series Two specifications

Power handling	280w
Efficiency	86dB
Resistance	8 ohm
Tweeter construction	UFLC
Woofer construction	Polypropylene



Outdoor Speakers

Elevate exterior living spaces with Series Two and Series Six Outdoor Speakers. The sleek enclosure features a modern form and minimal size that tastefully suits the exterior of any home. They deliver a clean, powerful sound and are rated for outdoor use. Designed for easy installation, the speaker safely rests on the bracket with mounting knobs loosely installed to allow flexibility while wiring the removable phoenix connector. After the terminal has been secured, simply adjust the angle, tighten knobs, install covers, and mounting is complete.

OUTDOOR SPEAKERS

Delivers clear, powerful sound to exterior spaces

IP65 and MIL-STD-810 rated

Designed for safe and easy installation

8 ohm rated

Available in black and white

Lifetime warranty

Outdoor Series Two specifications

Power handling	100w peak / 50w RMS
Efficiency	87dB
Resistance	8 ohm
Tweeter construction	UFLC
Woofer construction	Polypropylene

Outdoor Series Six specifications

Power handling	120w peak / 60w RMS
Efficiency	88dB
Resistance	8 ohm
Tweeter construction	Titanium
Woofer construction	Carbon fibre and Kevlar®



ARCHITECTURAL SPEAKERS

SERIES TWO

Impedance
8 Ohms

Sensitivity
86dB

Power
50w RMS / 100w Peak

Woofer Material
Polypropylene

Tweeter Material
Silk



NV-21C6



NV-21C6-ANG



NV-21C6-DVC



NV-21C8



NV-21C8-ANG

Overall Dimensions	9.06" / 230mm	9.06" / 230mm	9.06" / 230mm	10.63" / 270mm	11.22" / 285mm
Cutout Dimensions	8.07" / 205mm	8.07" / 205mm	8.07" / 205mm	9.68" / 246mm	10.15" / 258mm
Woofer Size	6.5"	6.5"	6.5"	8"	8"
Tweeter Size	0.5"	0.5"	0.5"	0.5"	0.5"
Mounting Depth	3.9" / 99mm	4.57" / 116mm	3.9" / 99mm	4.37" / 111mm	5.31" / 135mm
Frequency Response	60Hz - 20KHz	60Hz - 20KHz	55Hz - 20KHz	45Hz - 20KHz	45Hz - 20KHz
Pack	Pair	Single	Single	Pair	Single

SERIES FOUR

Impedance
8 Ohms

Sensitivity
88dB

Power
75w RMS / 150w Peak

Woofer Material
Glass fibre

Tweeter Material
Aluminium



NV-41C6



NV-41C6-ANG



NV-41C6-DVC



NV-41C8



NV-41C8-ANG

Overall dimensions	9.06" / 230mm	9.06" / 230mm	9.06" / 230mm	10.63" / 270mm	11.22" / 285mm
Cutout dimensions	8.07" / 205mm	8.07" / 205mm	8.07" / 205mm	9.68" / 246mm	10.15" / 258mm
Woofer size	6.5"	6.5"	6.5"	8"	8"
Tweeter size	0.75"	0.75"	0.75"	0.75"	0.75"
Mounting depth	3.94" / 100mm	4.76" / 121mm	3.94" / 100mm	4.41" / 112mm	5.55" / 141mm
Frequency response	55Hz - 20KHz	55Hz - 20KHz	50Hz - 20KHz	40Hz - 20KHz	40Hz - 20KHz
Pack	Pair	Single	Single	Pair	Single

SERIES SIX

Impedance
8 Ohms

Sensitivity
89dB

Power
100w RMS / 200w Peak

Woofer Material
Kevlar® / Carbon
fibre weave

Tweeter Material
Titanium



NV-61C6



NV-61C6-ANG



NV-61C8



NV-61C8-ANG

Overall dimensions	9.06" / 230mm	9.06" / 230mm	10.63" / 270mm	11.22" / 285mm
Cutout dimensions	8.07" / 205mm	8.07" / 205mm	9.68" / 246mm	10.15" / 258mm
Woofer size	6.5"	6.5"	8"	8"
Tweeter size	1"	1"	1"	1"
Mounting depth	3.94" / 100mm	4.76" / 121mm	4.41" / 112mm	5.55" / 141mm
Frequency response	60Hz - 20KHz	60Hz - 20KHz	35Hz - 20KHz	35Hz - 20KHz
Pack	Pair	Single	Pair	Single



NV-2IW6

8.66" x 11.81" / 220mm x 300mm

7.6" x 10.79" / 194mm x 274mm

6.5"

0.5"

3.27" / 83mm

60Hz - 20KHz

Pair



NV-2IW5-LCR

7.48" x 15.35" / 190mm x 390mm

6.41" x 14.3" / 163mm x 363mm

5.25"

0.5"

3.35" / 85mm

65Hz - 20KHz

Single



NV-4IW6

8.66" x 11.81" / 220mm x 300mm

7.6" x 10.79" / 194mm x 274mm

6.5"

0.75"

3.27" / 83mm

55Hz - 20KHz

Pair



NV-4IW5-LCR

7.48" x 15.35" / 190mm x 390mm

6.41" x 14.3" / 163mm x 363mm

5.25"

0.5"

3.35" / 85mm

60Hz - 20KHz

Single



NV-6IW6

8.66" x 11.81" / 220mm x 300mm

7.6" x 10.79" / 194mm x 274mm

6.5"

1"

3.27" / 83mm

50Hz - 20KHz

Pair



NV-6IW6-LCR

8.66" x 17.71" / 220mm x 450mm

7.6" x 16.65" / 193mm x 423mm

6.5"

1"

3.5" / 90mm

45Hz - 20KHz

Single

OUTDOOR SPEAKERS

SERIES TWO

Impedance

8 Ohms

Sensitivity

87dB

Power

50w RMS / 100w Peak

Woofer material

Polypropylene

Tweeter material

UFLC



NV-20D5-XX



NV-20D6-XX

COLOR KEY:

WH

BK

Replace XX with the appropriate color code for part number.

SERIES SIX

Impedance

8 Ohms

Sensitivity

88dB

Power

60w RMS / 120w Peak

Woofer material

Kevlar® / Carbon


fibre weave

Tweeter material


Titanium



NV-60D5-XX



NV-60D6-XX



NV-60D5=DVC-XX



NV-60D6=DVC-XX

COLOR KEY:

WH

BK

Replace XX with the appropriate color code for part number.

SERIES TWO LANDSCAPE

Impedance

8 Ohms

Sensitivity

86dB

Power

280w

Woofer material

Poly

Tweeter material

UFLC



NV-2LSK-BK
Subwoofer & four satellites

NV-2LS3-SAT2
Two satellites

NUVO



Great King Street North
Birmingham, B19 2LF
United Kingdom
T: +44 (0) 345 605 4333
E: legrand.sales@legrand.co.uk
www.legrand.co.uk