



**Automatización Eléctrica**

Especialistas en Automatización

At the end of this document you will find links to products related to this catalog. You can go directly to our shop by clicking [HERE](#)

### General Information

|                        |   |
|------------------------|---|
| Extended Product Type: | SN201 M-C25   |
| Product ID:            | 2CSS275101R0254   |
| EAN:                   | 8012542094456   |
| Catalog Description:   | Miniature circuit breaker - SN201 - 2P - C - 25 A   |
| Long Description:      | The SN201 series miniature circuit breaker is a 1P+N single-module device for the protection of circuits against overload and short circuit. It is suitable for the application in final distribution and protection of long cable lengths in TN and IT systems |

### Categories

Products » Low Voltage Products and Systems » Modular DIN Rail Products » Miniature Circuit Breakers MCBs

### Ordering

|                         |               |
|-------------------------|---------------|
| EAN:                    | 8012542094456 |
| Minimum Order Quantity: | 1 piece       |
| Customs Tariff Number:  | 85362010      |

### Dimensions

|                     |          |
|---------------------|----------|
| Product Net Width:  | 0.018 m  |
| Product Net Depth:  | 0.069 m  |
| Product Net Height: | 0.085 m  |
| Product Net Weight: | 0.110 kg |

### Container Information

|                               |               |
|-------------------------------|---------------|
| Package Level 1 Units:        | 6 piece       |
| Package Level 1 Width:        | 0.11 m        |
| Package Level 1 Length:       | 0.092 m       |
| Package Level 1 Height:       | 0.075 m       |
| Package Level 1 Gross Weight: | 0.684 kg      |
| Package Level 1 EAN:          | 8012542094463 |

### Environmental

|              |   |
|--------------|---|
| RoHS Status: | Following EU Directive 2002/95/EC August 18, 2005 and amendment |
|--------------|---|

### Technical

|  |  |
|--|--|
| Standards:                                       | IEC/EN 60898-1                               |
| Number of Poles:                                 | 2  |
| Tripping Characteristic:                         | C  |
| Rated Current (I <sub>n</sub> ):                 | 25 A   |
| Power Loss:                                      | at Rated Operating Conditions per Pole 4.4 W |
| Rated Short-Circuit Capacity (I <sub>cn</sub> ): | (230 / 400 V AC) 10 kA                       |

### Certificates and Declarations (Document Number)

|                                 |                 |
|---------------------------------|-----------------|
| Declaration of Conformity - CE: | 2CSC401001D2702 |
| RoHS Information:               | 2CSC402002K0201 |

### Classifications

|                             |  |
|-----------------------------|--|
| ETIM 4:                     | EC000042 - Miniature circuit breaker (MCB) |
| ETIM 5:                     | EC000042 - Miniature circuit breaker (MCB) |
| Object Classification Code: | Q  |





Below is a list of articles with direct links to our shop Electric Automation Network where you can see:

- Quote per purchase volume in real time.
- Online documentation and datasheets of all products.
- Estimated delivery time enquiry in real time.
- Logistics systems for the shipment of materials almost anywhere in the world.
- Purchasing management, order record and tracking of shipments.

To access the product, [click on the green button.](#)

| <b>Product</b>                                       | <b>Code</b>     | <b>Reference</b> | <b>Product link</b>        |
|--|-----------------|------------------|----------------------------|
| Miniature circuit breaker - SN201 - 2P - C - 25<br>A | 2CSS275101R0254 | SN201M-<br>C25   | <a href="#">Buy on EAN</a> |