



At the end of this document you will find links to products related to this catalog. You can go directly to our shop by clicking <u>HERE</u>



General Information

 Extended Product Type:
 E259 16-20/230

 Product ID:
 2CSM273623R0401

 EAN:
 8012542736233

Catalog Description: E259 16-20/230 Installation relay

Long Description: E259 is a latching relay to command lighting systems

Categories

Products » Low Voltage Products and Systems » Modular DIN Rail Products » Modular DIN Rail Components MDRCs » Command Devices

Ordering

EAN: 8012542736233

Minimum Order Quantity: 1 piece

Customs Tariff Number: 85364900

Dimensions

Product Net Width:0.018 mProduct Net Height:0.085 mProduct Net Depth:0.085 mProduct Net Weight:0.100 kg

Container Information

Package Level 1 Units: 12 piece
Package Level 1 Width: 0.09 m
Package Level 1 Height: 0.075 m
Package Level 1 Length: 0.215 m
Package Level 1 Gross Weight: 1.636 kg
Package Level 1 EAN: 8012542736240

Technical

Number of Main Contacts NO: 2

Rated Control Supply Voltage (U_s): 230 V AC

Power Loss: at Rated Operating Conditions per Pole 1.8 W

Environmental

RoHS Status: Following EU Directive 2002/95/EC August 18, 2005 and amendment

Certificates and Declarations (Document Number)

Declaration of Conformity - CE: ITSCE039E259 **RoHS Information**: 2CSC441002K0201

Classifications

Object Classification Code: K E-nummer: 4005030

ETIM 4: EC001652 - Installation relay ETIM 5: EC001652 - Installation relay







Below is a list of articles with direct links to our shop Electric Automation Network where you can see:

- Quote per purchase volume in real time.
- Online documentation and datasheets of all products.
- Estimated delivery time enquiry in real time.
- Logistics systems for the shipment of materials almost anywhere in the world.
- Purchasing management, order record and tracking of shipments.

To access the product, click on the green button.

Product	Code	Reference	Product link
E259 16-20/230 Installation relay	2CSM273623R0401	E25916-20/230	Buy on EAN